

APPENDIX C

Correlation coefficient for the Weibull distribution

For the 2-parameter Weibull distributions, sample sizes $n = 3(1)100$, percentile rank =1%(1%)100% (or p-values = 1(1)100), the raw data of the correlation coefficient (CC) tables are shown in Tables C.1. For the 3-parameter Weibull distributions, sample sizes $n = 3(1)50$ and $55(5)100$, percentile rank =1%(1%)100% (or p-values = 1(1)100), the raw data of the correlation coefficient (CC) tables are shown in Tables C.2.

Table C.1 p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 3	4	5	6	7	8	9
1	0.8285	0.8004	0.8148	0.8265	0.8431	0.8493	0.8550
2	0.8353	0.8272	0.8419	0.8507	0.8633	0.8688	0.8767
3	0.8420	0.8473	0.8559	0.8647	0.8749	0.8798	0.8867
4	0.8492	0.8592	0.8641	0.8743	0.8848	0.8888	0.8959
5	0.8561	0.8686	0.8712	0.8831	0.8919	0.8953	0.9034
6	0.8632	0.8757	0.8777	0.8891	0.8972	0.9010	0.9090
7	0.8699	0.8809	0.8839	0.8938	0.9019	0.9048	0.9132
8	0.8771	0.8851	0.8893	0.8982	0.9065	0.9089	0.9175
9	0.8830	0.8894	0.8940	0.9024	0.9095	0.9124	0.9206
10	0.8890	0.8939	0.8977	0.9062	0.9131	0.9151	0.9231
11	0.8958	0.8973	0.9014	0.9093	0.9162	0.9181	0.9254
12	0.9018	0.9007	0.9048	0.9124	0.9189	0.9210	0.9278
13	0.9054	0.9033	0.9080	0.9154	0.9214	0.9236	0.9296
14	0.9075	0.9060	0.9110	0.9184	0.9234	0.9256	0.9320
15	0.9094	0.9084	0.9136	0.9209	0.9254	0.9277	0.9342
16	0.9113	0.9106	0.9166	0.9231	0.9273	0.9296	0.9359
17	0.9136	0.9127	0.9190	0.9249	0.9291	0.9317	0.9374
18	0.9157	0.9148	0.9211	0.9270	0.9308	0.9333	0.9391
19	0.9178	0.9169	0.9229	0.9291	0.9325	0.9346	0.9404
20	0.9196	0.9189	0.9250	0.9307	0.9341	0.9359	0.9419
21	0.9217	0.9208	0.9266	0.9322	0.9357	0.9376	0.9433
22	0.9235	0.9228	0.9280	0.9336	0.9372	0.9390	0.9446
23	0.9255	0.9248	0.9295	0.9351	0.9385	0.9405	0.9456
24	0.9272	0.9265	0.9310	0.9365	0.9399	0.9418	0.9467
25	0.9289	0.9282	0.9324	0.9380	0.9413	0.9431	0.9477
26	0.9304	0.9296	0.9339	0.9395	0.9424	0.9442	0.9487
27	0.9323	0.9314	0.9352	0.9405	0.9435	0.9454	0.9495
28	0.9340	0.9331	0.9362	0.9418	0.9449	0.9466	0.9505
29	0.9359	0.9349	0.9373	0.9429	0.9459	0.9476	0.9515
30	0.9375	0.9367	0.9387	0.9440	0.9471	0.9487	0.9523
31	0.9390	0.9385	0.9398	0.9451	0.9480	0.9496	0.9533
32	0.9407	0.9398	0.9413	0.9463	0.9489	0.9505	0.9541
33	0.9422	0.9411	0.9425	0.9475	0.9498	0.9515	0.9549
34	0.9438	0.9427	0.9437	0.9486	0.9508	0.9524	0.9558
35	0.9454	0.9441	0.9449	0.9494	0.9516	0.9532	0.9567
36	0.9473	0.9456	0.9458	0.9502	0.9524	0.9541	0.9576
37	0.9485	0.9471	0.9468	0.9511	0.9534	0.9551	0.9583
38	0.9499	0.9483	0.9479	0.9520	0.9542	0.9557	0.9590
39	0.9514	0.9497	0.9488	0.9528	0.9550	0.9567	0.9596
40	0.9529	0.9507	0.9498	0.9535	0.9559	0.9574	0.9603
41	0.9543	0.9519	0.9508	0.9544	0.9566	0.9582	0.9611
42	0.9559	0.9530	0.9518	0.9552	0.9574	0.9590	0.9618
43	0.9575	0.9543	0.9528	0.9560	0.9581	0.9597	0.9623
44	0.9588	0.9553	0.9535	0.9568	0.9588	0.9603	0.9629
45	0.9601	0.9564	0.9545	0.9576	0.9594	0.9610	0.9635
46	0.9613	0.9575	0.9555	0.9584	0.9601	0.9617	0.9641
47	0.9628	0.9586	0.9565	0.9592	0.9608	0.9623	0.9647
48	0.9641	0.9595	0.9574	0.9601	0.9615	0.9631	0.9654
49	0.9654	0.9604	0.9584	0.9608	0.9622	0.9637	0.9660
50	0.9667	0.9613	0.9593	0.9616	0.9629	0.9643	0.9666

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 3	4	5	6	7	8	9
51	0.9681	0.9621	0.9600	0.9623	0.9635	0.9650	0.9673
52	0.9693	0.9630	0.9607	0.9631	0.9642	0.9656	0.9679
53	0.9709	0.9637	0.9614	0.9638	0.9648	0.9663	0.9685
54	0.9722	0.9645	0.9623	0.9645	0.9654	0.9670	0.9690
55	0.9736	0.9651	0.9631	0.9652	0.9661	0.9676	0.9697
56	0.9747	0.9659	0.9639	0.9659	0.9668	0.9681	0.9701
57	0.9759	0.9666	0.9649	0.9666	0.9675	0.9687	0.9706
58	0.9768	0.9673	0.9658	0.9672	0.9681	0.9694	0.9711
59	0.9780	0.9680	0.9666	0.9679	0.9686	0.9700	0.9716
60	0.9790	0.9689	0.9675	0.9686	0.9693	0.9704	0.9720
61	0.9800	0.9697	0.9682	0.9692	0.9700	0.9710	0.9725
62	0.9810	0.9705	0.9689	0.9699	0.9706	0.9715	0.9731
63	0.9821	0.9713	0.9696	0.9706	0.9712	0.9720	0.9736
64	0.9830	0.9722	0.9704	0.9711	0.9719	0.9725	0.9741
65	0.9839	0.9729	0.9712	0.9718	0.9725	0.9731	0.9746
66	0.9848	0.9736	0.9719	0.9724	0.9729	0.9737	0.9751
67	0.9856	0.9746	0.9726	0.9729	0.9734	0.9743	0.9756
68	0.9867	0.9754	0.9733	0.9735	0.9740	0.9748	0.9761
69	0.9874	0.9762	0.9740	0.9742	0.9745	0.9754	0.9765
70	0.9883	0.9770	0.9748	0.9747	0.9751	0.9759	0.9770
71	0.9891	0.9777	0.9755	0.9754	0.9757	0.9765	0.9775
72	0.9898	0.9785	0.9763	0.9760	0.9764	0.9770	0.9780
73	0.9906	0.9793	0.9769	0.9766	0.9769	0.9776	0.9785
74	0.9913	0.9801	0.9775	0.9772	0.9775	0.9782	0.9790
75	0.9920	0.9809	0.9783	0.9779	0.9779	0.9787	0.9795
76	0.9927	0.9818	0.9788	0.9784	0.9785	0.9792	0.9801
77	0.9932	0.9825	0.9795	0.9792	0.9792	0.9798	0.9804
78	0.9939	0.9831	0.9801	0.9797	0.9797	0.9803	0.9809
79	0.9943	0.9838	0.9807	0.9804	0.9803	0.9809	0.9813
80	0.9948	0.9844	0.9813	0.9809	0.9808	0.9814	0.9818
81	0.9953	0.9852	0.9819	0.9817	0.9814	0.9819	0.9823
82	0.9958	0.9859	0.9825	0.9823	0.9820	0.9823	0.9828
83	0.9963	0.9868	0.9832	0.9829	0.9825	0.9829	0.9833
84	0.9967	0.9875	0.9840	0.9835	0.9829	0.9834	0.9838
85	0.9972	0.9883	0.9847	0.9841	0.9835	0.9839	0.9843
86	0.9976	0.9891	0.9854	0.9846	0.9842	0.9845	0.9848
87	0.9979	0.9898	0.9861	0.9852	0.9847	0.9851	0.9854
88	0.9982	0.9905	0.9869	0.9859	0.9854	0.9856	0.9860
89	0.9985	0.9913	0.9877	0.9866	0.9862	0.9862	0.9865
90	0.9988	0.9920	0.9883	0.9873	0.9869	0.9868	0.9870
91	0.9990	0.9929	0.9889	0.9879	0.9876	0.9874	0.9877
92	0.9992	0.9936	0.9897	0.9887	0.9883	0.9880	0.9882
93	0.9994	0.9943	0.9906	0.9894	0.9890	0.9887	0.9889
94	0.9996	0.9952	0.9916	0.9902	0.9898	0.9894	0.9896
95	0.9997	0.9961	0.9925	0.9910	0.9906	0.9903	0.9903
96	0.9998	0.9968	0.9937	0.9920	0.9915	0.9911	0.9910
97	0.9999	0.9976	0.9948	0.9933	0.9925	0.9920	0.9919
98	1.0000	0.9984	0.9961	0.9946	0.9937	0.9931	0.9930
99	1.0000	0.9992	0.9976	0.9959	0.9954	0.9945	0.9945
100	1.0000	1.0000	0.9999	0.9997	0.9995	0.9993	0.9988

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 10	11	12	13	14	15	16
1	0.8624	0.8725	0.8739	0.8800	0.8843	0.8824	0.8868
2	0.8824	0.8883	0.8921	0.8968	0.9008	0.9040	0.9040
3	0.8947	0.9003	0.9030	0.9069	0.9109	0.9142	0.9153
4	0.9042	0.9083	0.9101	0.9142	0.9168	0.9218	0.9222
5	0.9103	0.9128	0.9153	0.9207	0.9231	0.9266	0.9274
6	0.9145	0.9176	0.9205	0.9251	0.9275	0.9303	0.9315
7	0.9185	0.9212	0.9245	0.9289	0.9313	0.9337	0.9354
8	0.9220	0.9246	0.9281	0.9319	0.9342	0.9371	0.9388
9	0.9251	0.9273	0.9311	0.9346	0.9366	0.9391	0.9415
10	0.9278	0.9299	0.9334	0.9372	0.9391	0.9412	0.9437
11	0.9305	0.9324	0.9358	0.9392	0.9417	0.9432	0.9458
12	0.9330	0.9344	0.9378	0.9409	0.9438	0.9448	0.9478
13	0.9350	0.9362	0.9400	0.9430	0.9455	0.9466	0.9492
14	0.9370	0.9381	0.9417	0.9447	0.9472	0.9480	0.9510
15	0.9389	0.9403	0.9435	0.9464	0.9489	0.9496	0.9524
16	0.9405	0.9421	0.9450	0.9477	0.9501	0.9510	0.9537
17	0.9419	0.9436	0.9463	0.9491	0.9514	0.9522	0.9550
18	0.9434	0.9449	0.9478	0.9505	0.9527	0.9535	0.9561
19	0.9449	0.9463	0.9490	0.9519	0.9538	0.9546	0.9572
20	0.9462	0.9477	0.9500	0.9529	0.9548	0.9558	0.9582
21	0.9474	0.9491	0.9512	0.9540	0.9559	0.9570	0.9593
22	0.9484	0.9502	0.9523	0.9548	0.9570	0.9580	0.9603
23	0.9495	0.9512	0.9531	0.9558	0.9581	0.9588	0.9612
24	0.9505	0.9522	0.9542	0.9568	0.9591	0.9596	0.9619
25	0.9515	0.9534	0.9554	0.9578	0.9599	0.9605	0.9627
26	0.9523	0.9544	0.9563	0.9587	0.9609	0.9613	0.9635
27	0.9532	0.9553	0.9571	0.9595	0.9615	0.9621	0.9642
28	0.9540	0.9562	0.9579	0.9604	0.9621	0.9629	0.9649
29	0.9548	0.9571	0.9587	0.9613	0.9628	0.9636	0.9656
30	0.9555	0.9579	0.9596	0.9620	0.9637	0.9644	0.9662
31	0.9564	0.9587	0.9603	0.9627	0.9643	0.9650	0.9668
32	0.9571	0.9593	0.9611	0.9634	0.9650	0.9657	0.9672
33	0.9579	0.9602	0.9618	0.9640	0.9656	0.9663	0.9679
34	0.9587	0.9610	0.9624	0.9646	0.9662	0.9669	0.9684
35	0.9595	0.9618	0.9631	0.9652	0.9668	0.9674	0.9689
36	0.9602	0.9625	0.9637	0.9658	0.9674	0.9679	0.9694
37	0.9608	0.9631	0.9643	0.9664	0.9679	0.9685	0.9699
38	0.9616	0.9636	0.9649	0.9670	0.9684	0.9690	0.9704
39	0.9623	0.9642	0.9655	0.9675	0.9690	0.9695	0.9709
40	0.9629	0.9649	0.9660	0.9681	0.9695	0.9700	0.9713
41	0.9634	0.9655	0.9666	0.9686	0.9701	0.9705	0.9718
42	0.9641	0.9660	0.9671	0.9691	0.9704	0.9711	0.9724
43	0.9647	0.9665	0.9678	0.9695	0.9709	0.9717	0.9727
44	0.9653	0.9671	0.9683	0.9700	0.9714	0.9721	0.9732
45	0.9659	0.9675	0.9689	0.9704	0.9720	0.9725	0.9736
46	0.9665	0.9681	0.9694	0.9710	0.9724	0.9730	0.9741
47	0.9671	0.9687	0.9700	0.9716	0.9729	0.9735	0.9745
48	0.9676	0.9692	0.9704	0.9720	0.9733	0.9739	0.9749
49	0.9681	0.9698	0.9709	0.9725	0.9737	0.9743	0.9753
50	0.9686	0.9702	0.9714	0.9729	0.9741	0.9748	0.9758

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 10	11	12	13	14	15	16
51	0.9691	0.9708	0.9718	0.9733	0.9746	0.9752	0.9762
52	0.9696	0.9712	0.9721	0.9738	0.9750	0.9756	0.9765
53	0.9702	0.9718	0.9725	0.9742	0.9754	0.9759	0.9769
54	0.9707	0.9722	0.9730	0.9745	0.9758	0.9763	0.9772
55	0.9711	0.9727	0.9736	0.9749	0.9762	0.9767	0.9776
56	0.9717	0.9731	0.9740	0.9753	0.9765	0.9771	0.9780
57	0.9723	0.9736	0.9745	0.9758	0.9769	0.9774	0.9784
58	0.9728	0.9740	0.9749	0.9762	0.9773	0.9778	0.9788
59	0.9732	0.9745	0.9753	0.9766	0.9777	0.9781	0.9791
60	0.9737	0.9749	0.9758	0.9769	0.9782	0.9785	0.9794
61	0.9741	0.9752	0.9762	0.9773	0.9785	0.9788	0.9797
62	0.9746	0.9756	0.9766	0.9776	0.9789	0.9792	0.9800
63	0.9750	0.9761	0.9770	0.9780	0.9793	0.9795	0.9804
64	0.9755	0.9765	0.9774	0.9784	0.9796	0.9799	0.9807
65	0.9760	0.9769	0.9778	0.9788	0.9800	0.9803	0.9810
66	0.9764	0.9773	0.9782	0.9792	0.9803	0.9806	0.9813
67	0.9768	0.9778	0.9786	0.9795	0.9806	0.9810	0.9816
68	0.9772	0.9782	0.9790	0.9799	0.9809	0.9814	0.9819
69	0.9777	0.9785	0.9794	0.9802	0.9813	0.9817	0.9823
70	0.9781	0.9789	0.9797	0.9806	0.9816	0.9820	0.9826
71	0.9785	0.9793	0.9801	0.9810	0.9819	0.9824	0.9830
72	0.9789	0.9797	0.9805	0.9814	0.9822	0.9827	0.9833
73	0.9793	0.9801	0.9808	0.9818	0.9826	0.9831	0.9836
74	0.9798	0.9805	0.9812	0.9821	0.9829	0.9834	0.9839
75	0.9802	0.9809	0.9816	0.9825	0.9833	0.9836	0.9843
76	0.9806	0.9814	0.9820	0.9829	0.9837	0.9840	0.9846
77	0.9811	0.9819	0.9823	0.9832	0.9840	0.9843	0.9849
78	0.9815	0.9823	0.9827	0.9836	0.9843	0.9846	0.9852
79	0.9819	0.9827	0.9830	0.9840	0.9846	0.9850	0.9855
80	0.9823	0.9831	0.9834	0.9844	0.9849	0.9853	0.9859
81	0.9827	0.9835	0.9837	0.9849	0.9853	0.9856	0.9862
82	0.9832	0.9839	0.9842	0.9852	0.9856	0.9859	0.9866
83	0.9836	0.9844	0.9845	0.9857	0.9859	0.9863	0.9869
84	0.9841	0.9849	0.9849	0.9860	0.9863	0.9868	0.9873
85	0.9845	0.9853	0.9854	0.9864	0.9866	0.9871	0.9876
86	0.9849	0.9857	0.9858	0.9867	0.9870	0.9875	0.9880
87	0.9853	0.9861	0.9862	0.9871	0.9874	0.9878	0.9884
88	0.9858	0.9866	0.9867	0.9875	0.9878	0.9882	0.9887
89	0.9863	0.9871	0.9872	0.9879	0.9882	0.9885	0.9891
90	0.9869	0.9876	0.9877	0.9883	0.9886	0.9889	0.9895
91	0.9875	0.9881	0.9882	0.9889	0.9891	0.9893	0.9898
92	0.9881	0.9886	0.9886	0.9893	0.9895	0.9897	0.9903
93	0.9887	0.9890	0.9892	0.9898	0.9900	0.9901	0.9907
94	0.9893	0.9897	0.9898	0.9903	0.9905	0.9907	0.9912
95	0.9899	0.9903	0.9905	0.9909	0.9911	0.9914	0.9916
96	0.9908	0.9910	0.9911	0.9915	0.9917	0.9920	0.9923
97	0.9916	0.9919	0.9919	0.9923	0.9924	0.9927	0.9928
98	0.9926	0.9929	0.9928	0.9932	0.9933	0.9934	0.9936
99	0.9940	0.9941	0.9940	0.9945	0.9943	0.9945	0.9944
100	0.9996	0.9987	0.9978	0.9989	0.9985	0.9982	0.9978

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 17	18	19	20	21	22	23
1	0.8948	0.8928	0.9023	0.9005	0.9029	0.9061	0.9068
2	0.9117	0.9112	0.9174	0.9177	0.9190	0.9234	0.9234
3	0.9210	0.9221	0.9259	0.9263	0.9281	0.9308	0.9325
4	0.9269	0.9288	0.9309	0.9330	0.9344	0.9368	0.9376
5	0.9315	0.9332	0.9358	0.9371	0.9386	0.9409	0.9418
6	0.9358	0.9370	0.9387	0.9409	0.9426	0.9445	0.9456
7	0.9394	0.9411	0.9421	0.9444	0.9455	0.9471	0.9485
8	0.9420	0.9436	0.9450	0.9472	0.9483	0.9494	0.9509
9	0.9444	0.9458	0.9478	0.9497	0.9504	0.9514	0.9530
10	0.9464	0.9477	0.9497	0.9514	0.9523	0.9532	0.9550
11	0.9483	0.9494	0.9515	0.9531	0.9536	0.9552	0.9566
12	0.9500	0.9511	0.9529	0.9546	0.9553	0.9567	0.9581
13	0.9515	0.9528	0.9544	0.9560	0.9568	0.9580	0.9594
14	0.9530	0.9544	0.9558	0.9575	0.9582	0.9593	0.9608
15	0.9542	0.9557	0.9571	0.9587	0.9595	0.9604	0.9620
16	0.9554	0.9571	0.9582	0.9598	0.9607	0.9616	0.9632
17	0.9567	0.9582	0.9593	0.9610	0.9619	0.9626	0.9641
18	0.9577	0.9592	0.9604	0.9621	0.9630	0.9635	0.9650
19	0.9589	0.9601	0.9615	0.9631	0.9640	0.9644	0.9660
20	0.9599	0.9612	0.9623	0.9640	0.9648	0.9651	0.9668
21	0.9607	0.9622	0.9632	0.9649	0.9656	0.9659	0.9677
22	0.9614	0.9630	0.9641	0.9656	0.9662	0.9666	0.9684
23	0.9623	0.9637	0.9648	0.9664	0.9670	0.9673	0.9690
24	0.9630	0.9644	0.9655	0.9672	0.9676	0.9681	0.9697
25	0.9639	0.9650	0.9662	0.9677	0.9682	0.9689	0.9704
26	0.9647	0.9657	0.9669	0.9683	0.9688	0.9697	0.9709
27	0.9653	0.9665	0.9675	0.9688	0.9694	0.9703	0.9715
28	0.9659	0.9671	0.9681	0.9694	0.9700	0.9709	0.9720
29	0.9667	0.9678	0.9687	0.9700	0.9706	0.9714	0.9725
30	0.9674	0.9684	0.9691	0.9706	0.9710	0.9719	0.9730
31	0.9680	0.9690	0.9697	0.9712	0.9716	0.9724	0.9735
32	0.9686	0.9694	0.9702	0.9716	0.9722	0.9729	0.9740
33	0.9690	0.9700	0.9708	0.9722	0.9727	0.9733	0.9745
34	0.9696	0.9705	0.9714	0.9727	0.9732	0.9739	0.9749
35	0.9700	0.9711	0.9718	0.9732	0.9737	0.9744	0.9754
36	0.9706	0.9715	0.9724	0.9736	0.9742	0.9749	0.9757
37	0.9711	0.9720	0.9729	0.9741	0.9747	0.9753	0.9762
38	0.9716	0.9725	0.9734	0.9746	0.9752	0.9758	0.9766
39	0.9720	0.9730	0.9738	0.9750	0.9756	0.9762	0.9769
40	0.9725	0.9733	0.9743	0.9754	0.9760	0.9767	0.9773
41	0.9729	0.9738	0.9747	0.9758	0.9764	0.9770	0.9777
42	0.9733	0.9741	0.9752	0.9762	0.9767	0.9774	0.9781
43	0.9738	0.9746	0.9755	0.9766	0.9771	0.9777	0.9784
44	0.9742	0.9750	0.9759	0.9769	0.9775	0.9781	0.9788
45	0.9747	0.9753	0.9762	0.9772	0.9779	0.9784	0.9791
46	0.9752	0.9757	0.9767	0.9776	0.9783	0.9788	0.9795
47	0.9756	0.9761	0.9770	0.9778	0.9786	0.9791	0.9798
48	0.9760	0.9765	0.9773	0.9781	0.9789	0.9794	0.9801
49	0.9764	0.9769	0.9777	0.9784	0.9792	0.9797	0.9803
50	0.9768	0.9772	0.9780	0.9788	0.9794	0.9800	0.9807

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 17	18	19	20	21	22	23
51	0.9772	0.9776	0.9783	0.9792	0.9797	0.9804	0.9809
52	0.9775	0.9780	0.9786	0.9795	0.9800	0.9807	0.9812
53	0.9778	0.9783	0.9790	0.9798	0.9804	0.9809	0.9815
54	0.9781	0.9787	0.9792	0.9801	0.9807	0.9812	0.9818
55	0.9785	0.9790	0.9796	0.9804	0.9810	0.9815	0.9821
56	0.9788	0.9793	0.9800	0.9807	0.9812	0.9819	0.9823
57	0.9791	0.9797	0.9803	0.9810	0.9816	0.9821	0.9826
58	0.9794	0.9800	0.9806	0.9813	0.9819	0.9824	0.9828
59	0.9798	0.9804	0.9810	0.9815	0.9821	0.9826	0.9831
60	0.9802	0.9807	0.9812	0.9818	0.9824	0.9829	0.9833
61	0.9805	0.9810	0.9815	0.9820	0.9826	0.9832	0.9836
62	0.9808	0.9813	0.9818	0.9823	0.9829	0.9835	0.9839
63	0.9811	0.9816	0.9821	0.9826	0.9831	0.9837	0.9841
64	0.9814	0.9819	0.9824	0.9829	0.9834	0.9840	0.9844
65	0.9817	0.9822	0.9827	0.9831	0.9837	0.9843	0.9847
66	0.9820	0.9825	0.9830	0.9834	0.9840	0.9846	0.9849
67	0.9823	0.9828	0.9833	0.9837	0.9843	0.9848	0.9852
68	0.9826	0.9831	0.9836	0.9840	0.9845	0.9851	0.9854
69	0.9829	0.9834	0.9838	0.9843	0.9847	0.9854	0.9857
70	0.9833	0.9837	0.9841	0.9845	0.9850	0.9856	0.9859
71	0.9835	0.9840	0.9844	0.9848	0.9853	0.9858	0.9862
72	0.9838	0.9843	0.9848	0.9851	0.9856	0.9860	0.9865
73	0.9841	0.9846	0.9850	0.9853	0.9859	0.9863	0.9867
74	0.9844	0.9849	0.9854	0.9856	0.9861	0.9866	0.9869
75	0.9847	0.9851	0.9856	0.9859	0.9864	0.9869	0.9872
76	0.9850	0.9854	0.9859	0.9862	0.9867	0.9871	0.9875
77	0.9853	0.9857	0.9862	0.9865	0.9869	0.9874	0.9877
78	0.9856	0.9860	0.9865	0.9867	0.9872	0.9876	0.9879
79	0.9859	0.9863	0.9867	0.9870	0.9874	0.9879	0.9882
80	0.9862	0.9865	0.9870	0.9873	0.9877	0.9881	0.9884
81	0.9865	0.9868	0.9873	0.9876	0.9880	0.9883	0.9887
82	0.9869	0.9871	0.9876	0.9879	0.9882	0.9886	0.9889
83	0.9872	0.9874	0.9879	0.9882	0.9885	0.9888	0.9892
84	0.9875	0.9878	0.9882	0.9885	0.9888	0.9892	0.9895
85	0.9879	0.9881	0.9885	0.9888	0.9891	0.9895	0.9898
86	0.9882	0.9884	0.9888	0.9891	0.9893	0.9898	0.9900
87	0.9886	0.9887	0.9891	0.9894	0.9896	0.9901	0.9903
88	0.9890	0.9891	0.9895	0.9897	0.9899	0.9903	0.9905
89	0.9893	0.9894	0.9898	0.9900	0.9902	0.9906	0.9908
90	0.9897	0.9897	0.9902	0.9903	0.9906	0.9909	0.9911
91	0.9900	0.9901	0.9905	0.9906	0.9909	0.9912	0.9914
92	0.9904	0.9905	0.9909	0.9910	0.9913	0.9915	0.9917
93	0.9908	0.9909	0.9913	0.9914	0.9916	0.9919	0.9920
94	0.9914	0.9913	0.9917	0.9918	0.9920	0.9923	0.9924
95	0.9919	0.9918	0.9922	0.9923	0.9925	0.9927	0.9927
96	0.9924	0.9923	0.9926	0.9927	0.9930	0.9931	0.9931
97	0.9930	0.9929	0.9932	0.9933	0.9935	0.9936	0.9937
98	0.9938	0.9937	0.9939	0.9940	0.9941	0.9942	0.9943
99	0.9946	0.9948	0.9949	0.9950	0.9950	0.9951	0.9953
100	0.9982	0.9980	0.9979	0.9979	0.9981	0.9982	0.9977

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 24	25	26	27	28	29	30
1	0.9045	0.9105	0.9126	0.9112	0.9121	0.9154	0.9160
2	0.9236	0.9254	0.9287	0.9264	0.9286	0.9295	0.9341
3	0.9336	0.9338	0.9370	0.9361	0.9371	0.9389	0.9419
4	0.9392	0.9392	0.9422	0.9419	0.9431	0.9449	0.9465
5	0.9440	0.9438	0.9466	0.9464	0.9469	0.9495	0.9501
6	0.9473	0.9479	0.9504	0.9502	0.9501	0.9523	0.9530
7	0.9501	0.9503	0.9531	0.9531	0.9532	0.9550	0.9559
8	0.9525	0.9531	0.9555	0.9556	0.9558	0.9571	0.9577
9	0.9544	0.9553	0.9576	0.9576	0.9582	0.9592	0.9596
10	0.9562	0.9573	0.9592	0.9592	0.9598	0.9608	0.9617
11	0.9578	0.9589	0.9608	0.9607	0.9614	0.9623	0.9631
12	0.9593	0.9604	0.9621	0.9618	0.9628	0.9637	0.9645
13	0.9606	0.9616	0.9636	0.9632	0.9641	0.9648	0.9656
14	0.9620	0.9628	0.9648	0.9642	0.9652	0.9659	0.9667
15	0.9631	0.9639	0.9659	0.9655	0.9662	0.9670	0.9677
16	0.9640	0.9648	0.9668	0.9665	0.9672	0.9680	0.9687
17	0.9650	0.9657	0.9676	0.9675	0.9680	0.9689	0.9695
18	0.9659	0.9664	0.9684	0.9682	0.9688	0.9697	0.9703
19	0.9668	0.9673	0.9691	0.9692	0.9697	0.9705	0.9711
20	0.9675	0.9680	0.9697	0.9699	0.9705	0.9712	0.9718
21	0.9683	0.9688	0.9703	0.9707	0.9713	0.9719	0.9724
22	0.9690	0.9695	0.9710	0.9713	0.9720	0.9727	0.9730
23	0.9697	0.9702	0.9716	0.9721	0.9726	0.9732	0.9736
24	0.9702	0.9709	0.9722	0.9727	0.9732	0.9737	0.9742
25	0.9707	0.9715	0.9727	0.9733	0.9738	0.9743	0.9746
26	0.9714	0.9722	0.9733	0.9739	0.9743	0.9748	0.9751
27	0.9720	0.9727	0.9738	0.9744	0.9749	0.9753	0.9757
28	0.9725	0.9732	0.9743	0.9749	0.9753	0.9757	0.9762
29	0.9730	0.9738	0.9749	0.9754	0.9757	0.9761	0.9767
30	0.9735	0.9744	0.9753	0.9758	0.9762	0.9766	0.9771
31	0.9740	0.9748	0.9758	0.9763	0.9767	0.9771	0.9774
32	0.9745	0.9753	0.9761	0.9767	0.9771	0.9776	0.9779
33	0.9749	0.9757	0.9765	0.9771	0.9775	0.9780	0.9783
34	0.9754	0.9762	0.9768	0.9775	0.9779	0.9784	0.9786
35	0.9759	0.9766	0.9772	0.9778	0.9782	0.9788	0.9790
36	0.9763	0.9770	0.9776	0.9782	0.9786	0.9792	0.9793
37	0.9766	0.9773	0.9779	0.9785	0.9789	0.9796	0.9796
38	0.9770	0.9777	0.9783	0.9788	0.9794	0.9799	0.9800
39	0.9775	0.9780	0.9787	0.9792	0.9797	0.9802	0.9803
40	0.9778	0.9784	0.9790	0.9795	0.9800	0.9806	0.9807
41	0.9781	0.9788	0.9793	0.9798	0.9803	0.9809	0.9810
42	0.9786	0.9791	0.9796	0.9801	0.9807	0.9812	0.9813
43	0.9790	0.9795	0.9800	0.9804	0.9810	0.9815	0.9816
44	0.9793	0.9798	0.9803	0.9808	0.9813	0.9817	0.9819
45	0.9796	0.9801	0.9806	0.9810	0.9816	0.9820	0.9821
46	0.9799	0.9804	0.9809	0.9813	0.9818	0.9823	0.9824
47	0.9802	0.9807	0.9812	0.9816	0.9821	0.9826	0.9827
48	0.9805	0.9810	0.9815	0.9819	0.9823	0.9828	0.9830
49	0.9809	0.9813	0.9818	0.9822	0.9826	0.9831	0.9833
50	0.9812	0.9816	0.9821	0.9824	0.9829	0.9833	0.9835

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 24	25	26	27	28	29	30
51	0.9815	0.9819	0.9823	0.9827	0.9832	0.9836	0.9838
52	0.9818	0.9821	0.9826	0.9830	0.9834	0.9838	0.9841
53	0.9821	0.9824	0.9829	0.9833	0.9836	0.9841	0.9843
54	0.9823	0.9826	0.9832	0.9835	0.9839	0.9843	0.9846
55	0.9826	0.9829	0.9834	0.9837	0.9841	0.9846	0.9848
56	0.9829	0.9832	0.9837	0.9840	0.9843	0.9848	0.9849
57	0.9831	0.9835	0.9839	0.9842	0.9846	0.9851	0.9852
58	0.9834	0.9837	0.9842	0.9845	0.9848	0.9853	0.9854
59	0.9837	0.9840	0.9844	0.9847	0.9850	0.9855	0.9857
60	0.9839	0.9843	0.9847	0.9849	0.9852	0.9858	0.9859
61	0.9842	0.9846	0.9849	0.9852	0.9855	0.9860	0.9862
62	0.9844	0.9848	0.9851	0.9854	0.9857	0.9862	0.9864
63	0.9846	0.9851	0.9853	0.9857	0.9859	0.9864	0.9866
64	0.9849	0.9853	0.9856	0.9859	0.9861	0.9867	0.9868
65	0.9851	0.9856	0.9858	0.9861	0.9864	0.9869	0.9870
66	0.9854	0.9858	0.9861	0.9863	0.9866	0.9871	0.9873
67	0.9856	0.9860	0.9863	0.9865	0.9869	0.9873	0.9875
68	0.9859	0.9862	0.9865	0.9868	0.9871	0.9874	0.9877
69	0.9861	0.9865	0.9868	0.9869	0.9873	0.9877	0.9879
70	0.9864	0.9867	0.9870	0.9871	0.9875	0.9879	0.9881
71	0.9866	0.9869	0.9872	0.9874	0.9877	0.9880	0.9883
72	0.9868	0.9871	0.9874	0.9876	0.9879	0.9883	0.9885
73	0.9871	0.9874	0.9877	0.9878	0.9882	0.9884	0.9887
74	0.9873	0.9876	0.9879	0.9881	0.9883	0.9886	0.9890
75	0.9876	0.9878	0.9882	0.9883	0.9885	0.9888	0.9892
76	0.9878	0.9880	0.9884	0.9884	0.9887	0.9890	0.9893
77	0.9880	0.9883	0.9886	0.9887	0.9889	0.9893	0.9895
78	0.9883	0.9885	0.9889	0.9889	0.9891	0.9895	0.9898
79	0.9886	0.9888	0.9891	0.9891	0.9893	0.9897	0.9900
80	0.9888	0.9890	0.9893	0.9893	0.9895	0.9899	0.9902
81	0.9890	0.9892	0.9896	0.9896	0.9897	0.9901	0.9905
82	0.9892	0.9895	0.9898	0.9898	0.9900	0.9903	0.9907
83	0.9895	0.9898	0.9900	0.9900	0.9902	0.9905	0.9909
84	0.9897	0.9901	0.9903	0.9903	0.9904	0.9907	0.9911
85	0.9900	0.9903	0.9905	0.9905	0.9906	0.9909	0.9913
86	0.9902	0.9906	0.9907	0.9907	0.9909	0.9912	0.9915
87	0.9905	0.9908	0.9909	0.9910	0.9911	0.9914	0.9917
88	0.9908	0.9911	0.9912	0.9913	0.9914	0.9917	0.9920
89	0.9910	0.9914	0.9914	0.9916	0.9916	0.9919	0.9922
90	0.9913	0.9917	0.9917	0.9918	0.9919	0.9921	0.9925
91	0.9916	0.9920	0.9920	0.9922	0.9922	0.9924	0.9927
92	0.9919	0.9923	0.9923	0.9925	0.9925	0.9927	0.9930
93	0.9922	0.9926	0.9926	0.9927	0.9928	0.9929	0.9932
94	0.9926	0.9930	0.9930	0.9930	0.9931	0.9933	0.9935
95	0.9931	0.9933	0.9933	0.9934	0.9935	0.9936	0.9939
96	0.9935	0.9937	0.9937	0.9938	0.9939	0.9939	0.9942
97	0.9939	0.9941	0.9942	0.9943	0.9944	0.9944	0.9946
98	0.9944	0.9948	0.9947	0.9948	0.9949	0.9949	0.9950
99	0.9953	0.9956	0.9955	0.9955	0.9956	0.9955	0.9958
100	0.9979	0.9975	0.9985	0.9980	0.9981	0.9980	0.9979

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 31	32	33	34	35	36	37
1	0.9186	0.9218	0.9213	0.9256	0.9198	0.9204	0.9243
2	0.9328	0.9343	0.9359	0.9387	0.9351	0.9375	0.9389
3	0.9418	0.9431	0.9441	0.9465	0.9432	0.9461	0.9458
4	0.9470	0.9482	0.9492	0.9515	0.9493	0.9516	0.9507
5	0.9512	0.9531	0.9539	0.9552	0.9540	0.9550	0.9547
6	0.9546	0.9567	0.9568	0.9578	0.9570	0.9584	0.9581
7	0.9573	0.9588	0.9595	0.9602	0.9598	0.9606	0.9612
8	0.9591	0.9611	0.9616	0.9618	0.9617	0.9624	0.9633
9	0.9608	0.9627	0.9634	0.9635	0.9639	0.9640	0.9652
10	0.9625	0.9642	0.9648	0.9652	0.9652	0.9657	0.9666
11	0.9639	0.9655	0.9661	0.9666	0.9667	0.9672	0.9680
12	0.9654	0.9668	0.9674	0.9678	0.9680	0.9683	0.9691
13	0.9668	0.9679	0.9683	0.9688	0.9691	0.9694	0.9702
14	0.9677	0.9687	0.9694	0.9698	0.9701	0.9703	0.9712
15	0.9687	0.9698	0.9703	0.9708	0.9709	0.9712	0.9718
16	0.9694	0.9706	0.9713	0.9716	0.9718	0.9720	0.9726
17	0.9703	0.9715	0.9720	0.9725	0.9724	0.9727	0.9733
18	0.9711	0.9722	0.9727	0.9732	0.9734	0.9734	0.9741
19	0.9718	0.9729	0.9734	0.9739	0.9740	0.9742	0.9749
20	0.9724	0.9735	0.9741	0.9744	0.9746	0.9748	0.9756
21	0.9730	0.9741	0.9746	0.9751	0.9751	0.9754	0.9761
22	0.9738	0.9747	0.9752	0.9756	0.9758	0.9759	0.9767
23	0.9744	0.9752	0.9758	0.9762	0.9764	0.9764	0.9772
24	0.9750	0.9757	0.9763	0.9767	0.9768	0.9769	0.9777
25	0.9756	0.9762	0.9768	0.9771	0.9772	0.9774	0.9782
26	0.9761	0.9767	0.9773	0.9775	0.9776	0.9779	0.9787
27	0.9765	0.9770	0.9777	0.9781	0.9782	0.9784	0.9790
28	0.9770	0.9774	0.9781	0.9784	0.9786	0.9788	0.9794
29	0.9774	0.9779	0.9785	0.9789	0.9789	0.9792	0.9798
30	0.9777	0.9783	0.9790	0.9792	0.9793	0.9796	0.9802
31	0.9781	0.9787	0.9793	0.9797	0.9797	0.9800	0.9805
32	0.9786	0.9792	0.9797	0.9800	0.9800	0.9805	0.9809
33	0.9789	0.9795	0.9801	0.9803	0.9804	0.9808	0.9812
34	0.9793	0.9799	0.9804	0.9806	0.9808	0.9811	0.9815
35	0.9797	0.9802	0.9808	0.9809	0.9811	0.9815	0.9818
36	0.9800	0.9805	0.9811	0.9813	0.9814	0.9818	0.9822
37	0.9803	0.9808	0.9814	0.9816	0.9817	0.9821	0.9825
38	0.9806	0.9812	0.9817	0.9819	0.9820	0.9824	0.9829
39	0.9809	0.9814	0.9820	0.9822	0.9824	0.9828	0.9831
40	0.9812	0.9817	0.9823	0.9825	0.9827	0.9830	0.9834
41	0.9815	0.9820	0.9826	0.9828	0.9830	0.9833	0.9836
42	0.9818	0.9822	0.9828	0.9831	0.9833	0.9836	0.9838
43	0.9821	0.9825	0.9830	0.9834	0.9835	0.9838	0.9841
44	0.9824	0.9828	0.9833	0.9836	0.9838	0.9841	0.9844
45	0.9827	0.9831	0.9835	0.9839	0.9840	0.9844	0.9846
46	0.9829	0.9833	0.9837	0.9842	0.9843	0.9846	0.9849
47	0.9832	0.9836	0.9840	0.9844	0.9845	0.9849	0.9851
48	0.9834	0.9839	0.9842	0.9847	0.9848	0.9851	0.9853
49	0.9837	0.9842	0.9845	0.9849	0.9850	0.9853	0.9856
50	0.9840	0.9844	0.9847	0.9851	0.9852	0.9856	0.9858

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 31	32	33	34	35	36	37
51	0.9842	0.9847	0.9849	0.9853	0.9854	0.9858	0.9860
52	0.9845	0.9849	0.9852	0.9855	0.9856	0.9860	0.9861
53	0.9847	0.9851	0.9854	0.9857	0.9858	0.9862	0.9864
54	0.9850	0.9853	0.9856	0.9859	0.9860	0.9864	0.9865
55	0.9852	0.9855	0.9858	0.9862	0.9862	0.9867	0.9868
56	0.9854	0.9857	0.9861	0.9864	0.9865	0.9868	0.9870
57	0.9856	0.9859	0.9863	0.9866	0.9867	0.9871	0.9872
58	0.9858	0.9861	0.9865	0.9868	0.9869	0.9873	0.9874
59	0.9861	0.9863	0.9867	0.9870	0.9871	0.9875	0.9876
60	0.9863	0.9865	0.9869	0.9872	0.9873	0.9877	0.9878
61	0.9865	0.9867	0.9871	0.9874	0.9875	0.9879	0.9880
62	0.9867	0.9869	0.9874	0.9876	0.9877	0.9880	0.9881
63	0.9869	0.9871	0.9875	0.9878	0.9879	0.9882	0.9883
64	0.9871	0.9873	0.9877	0.9880	0.9881	0.9884	0.9885
65	0.9873	0.9875	0.9880	0.9881	0.9883	0.9886	0.9887
66	0.9876	0.9877	0.9881	0.9883	0.9885	0.9887	0.9889
67	0.9877	0.9878	0.9883	0.9885	0.9886	0.9889	0.9891
68	0.9880	0.9881	0.9885	0.9887	0.9888	0.9890	0.9893
69	0.9882	0.9883	0.9887	0.9889	0.9890	0.9892	0.9894
70	0.9884	0.9884	0.9889	0.9890	0.9892	0.9894	0.9896
71	0.9886	0.9887	0.9891	0.9892	0.9894	0.9896	0.9898
72	0.9888	0.9889	0.9892	0.9894	0.9896	0.9897	0.9900
73	0.9890	0.9891	0.9894	0.9896	0.9897	0.9899	0.9901
74	0.9892	0.9893	0.9896	0.9897	0.9899	0.9900	0.9903
75	0.9894	0.9895	0.9898	0.9899	0.9901	0.9903	0.9905
76	0.9895	0.9897	0.9900	0.9901	0.9903	0.9904	0.9906
77	0.9897	0.9899	0.9902	0.9903	0.9905	0.9906	0.9908
78	0.9900	0.9901	0.9904	0.9905	0.9906	0.9908	0.9910
79	0.9902	0.9903	0.9906	0.9906	0.9909	0.9910	0.9912
80	0.9904	0.9904	0.9908	0.9908	0.9911	0.9912	0.9914
81	0.9906	0.9907	0.9910	0.9910	0.9913	0.9914	0.9915
82	0.9908	0.9908	0.9912	0.9912	0.9914	0.9915	0.9917
83	0.9910	0.9910	0.9914	0.9914	0.9916	0.9917	0.9919
84	0.9912	0.9913	0.9916	0.9917	0.9918	0.9919	0.9921
85	0.9914	0.9915	0.9918	0.9918	0.9920	0.9921	0.9923
86	0.9916	0.9917	0.9920	0.9920	0.9922	0.9922	0.9925
87	0.9918	0.9919	0.9922	0.9923	0.9924	0.9924	0.9927
88	0.9920	0.9921	0.9924	0.9924	0.9926	0.9927	0.9928
89	0.9922	0.9924	0.9926	0.9927	0.9928	0.9930	0.9930
90	0.9925	0.9926	0.9929	0.9929	0.9931	0.9932	0.9932
91	0.9928	0.9929	0.9931	0.9931	0.9933	0.9934	0.9935
92	0.9930	0.9931	0.9933	0.9934	0.9935	0.9936	0.9937
93	0.9934	0.9934	0.9936	0.9936	0.9937	0.9939	0.9940
94	0.9936	0.9937	0.9939	0.9939	0.9940	0.9941	0.9942
95	0.9939	0.9941	0.9942	0.9942	0.9944	0.9944	0.9944
96	0.9943	0.9945	0.9945	0.9945	0.9947	0.9948	0.9947
97	0.9947	0.9949	0.9949	0.9949	0.9950	0.9951	0.9951
98	0.9951	0.9953	0.9953	0.9953	0.9954	0.9956	0.9954
99	0.9958	0.9958	0.9960	0.9960	0.9960	0.9963	0.9960
100	0.9976	0.9977	0.9979	0.9983	0.9986	0.9984	0.9980

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 38	39	40	41	42	43	44
1	0.9268	0.9228	0.9262	0.9248	0.9268	0.9303	0.9335
2	0.9413	0.9367	0.9415	0.9402	0.9441	0.9444	0.9452
3	0.9482	0.9461	0.9490	0.9484	0.9515	0.9522	0.9520
4	0.9531	0.9521	0.9540	0.9540	0.9562	0.9569	0.9568
5	0.9564	0.9567	0.9579	0.9582	0.9593	0.9610	0.9605
6	0.9596	0.9597	0.9603	0.9610	0.9622	0.9637	0.9632
7	0.9619	0.9621	0.9628	0.9636	0.9644	0.9659	0.9654
8	0.9642	0.9644	0.9645	0.9657	0.9662	0.9678	0.9674
9	0.9659	0.9661	0.9660	0.9671	0.9679	0.9690	0.9689
10	0.9672	0.9674	0.9676	0.9687	0.9693	0.9703	0.9701
11	0.9686	0.9688	0.9688	0.9702	0.9707	0.9713	0.9713
12	0.9698	0.9701	0.9700	0.9713	0.9716	0.9722	0.9724
13	0.9706	0.9712	0.9711	0.9723	0.9725	0.9731	0.9735
14	0.9717	0.9721	0.9720	0.9731	0.9734	0.9740	0.9742
15	0.9725	0.9730	0.9729	0.9739	0.9743	0.9747	0.9750
16	0.9734	0.9739	0.9736	0.9747	0.9751	0.9755	0.9757
17	0.9742	0.9746	0.9745	0.9756	0.9757	0.9762	0.9763
18	0.9750	0.9754	0.9752	0.9764	0.9765	0.9769	0.9770
19	0.9757	0.9760	0.9759	0.9770	0.9770	0.9774	0.9775
20	0.9762	0.9765	0.9765	0.9776	0.9776	0.9780	0.9781
21	0.9767	0.9771	0.9771	0.9781	0.9781	0.9785	0.9786
22	0.9772	0.9776	0.9776	0.9785	0.9786	0.9790	0.9792
23	0.9777	0.9781	0.9782	0.9790	0.9792	0.9795	0.9796
24	0.9782	0.9785	0.9787	0.9795	0.9795	0.9800	0.9801
25	0.9787	0.9790	0.9791	0.9799	0.9799	0.9804	0.9805
26	0.9791	0.9794	0.9795	0.9803	0.9802	0.9808	0.9809
27	0.9795	0.9799	0.9799	0.9806	0.9806	0.9811	0.9813
28	0.9799	0.9803	0.9803	0.9810	0.9809	0.9815	0.9816
29	0.9803	0.9806	0.9808	0.9815	0.9813	0.9819	0.9820
30	0.9806	0.9810	0.9811	0.9817	0.9817	0.9822	0.9824
31	0.9810	0.9814	0.9815	0.9821	0.9820	0.9825	0.9827
32	0.9813	0.9817	0.9818	0.9824	0.9823	0.9828	0.9831
33	0.9816	0.9820	0.9821	0.9827	0.9826	0.9830	0.9834
34	0.9819	0.9823	0.9824	0.9830	0.9829	0.9834	0.9837
35	0.9822	0.9826	0.9828	0.9833	0.9832	0.9836	0.9840
36	0.9825	0.9829	0.9830	0.9836	0.9835	0.9840	0.9842
37	0.9828	0.9832	0.9834	0.9839	0.9839	0.9842	0.9845
38	0.9830	0.9834	0.9837	0.9841	0.9841	0.9845	0.9848
39	0.9833	0.9837	0.9839	0.9844	0.9844	0.9848	0.9850
40	0.9836	0.9839	0.9842	0.9847	0.9847	0.9850	0.9852
41	0.9838	0.9842	0.9844	0.9849	0.9848	0.9853	0.9855
42	0.9841	0.9844	0.9847	0.9851	0.9850	0.9854	0.9857
43	0.9843	0.9847	0.9849	0.9854	0.9853	0.9856	0.9859
44	0.9846	0.9849	0.9852	0.9856	0.9856	0.9859	0.9861
45	0.9848	0.9852	0.9854	0.9858	0.9858	0.9861	0.9863
46	0.9850	0.9854	0.9857	0.9860	0.9860	0.9863	0.9866
47	0.9852	0.9856	0.9859	0.9862	0.9862	0.9865	0.9868
48	0.9855	0.9858	0.9861	0.9864	0.9865	0.9867	0.9869
49	0.9857	0.9860	0.9863	0.9866	0.9867	0.9869	0.9872
50	0.9859	0.9863	0.9865	0.9868	0.9869	0.9871	0.9874

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 38	39	40	41	42	43	44
51	0.9861	0.9865	0.9867	0.9870	0.9871	0.9873	0.9875
52	0.9864	0.9867	0.9869	0.9872	0.9872	0.9875	0.9877
53	0.9865	0.9869	0.9871	0.9874	0.9875	0.9877	0.9879
54	0.9868	0.9871	0.9873	0.9876	0.9877	0.9878	0.9881
55	0.9870	0.9873	0.9875	0.9878	0.9878	0.9880	0.9882
56	0.9872	0.9875	0.9877	0.9879	0.9880	0.9882	0.9884
57	0.9874	0.9877	0.9879	0.9882	0.9882	0.9884	0.9886
58	0.9876	0.9879	0.9881	0.9883	0.9884	0.9885	0.9888
59	0.9877	0.9881	0.9883	0.9885	0.9886	0.9887	0.9890
60	0.9879	0.9883	0.9885	0.9887	0.9888	0.9889	0.9891
61	0.9881	0.9884	0.9887	0.9889	0.9890	0.9891	0.9893
62	0.9883	0.9886	0.9888	0.9890	0.9891	0.9892	0.9895
63	0.9885	0.9888	0.9890	0.9892	0.9893	0.9894	0.9896
64	0.9887	0.9889	0.9892	0.9893	0.9895	0.9895	0.9898
65	0.9889	0.9891	0.9893	0.9895	0.9897	0.9897	0.9900
66	0.9891	0.9893	0.9895	0.9896	0.9898	0.9899	0.9901
67	0.9893	0.9895	0.9897	0.9898	0.9900	0.9900	0.9903
68	0.9894	0.9896	0.9898	0.9900	0.9902	0.9902	0.9905
69	0.9896	0.9898	0.9900	0.9902	0.9903	0.9904	0.9906
70	0.9898	0.9900	0.9902	0.9903	0.9905	0.9906	0.9908
71	0.9899	0.9901	0.9903	0.9905	0.9906	0.9907	0.9910
72	0.9901	0.9903	0.9905	0.9906	0.9908	0.9909	0.9911
73	0.9903	0.9904	0.9907	0.9908	0.9909	0.9911	0.9913
74	0.9905	0.9906	0.9908	0.9910	0.9911	0.9912	0.9914
75	0.9907	0.9908	0.9910	0.9911	0.9913	0.9914	0.9916
76	0.9908	0.9909	0.9911	0.9913	0.9914	0.9915	0.9917
77	0.9910	0.9911	0.9913	0.9914	0.9916	0.9917	0.9919
78	0.9911	0.9913	0.9914	0.9916	0.9917	0.9918	0.9920
79	0.9913	0.9914	0.9916	0.9918	0.9919	0.9920	0.9921
80	0.9915	0.9916	0.9918	0.9919	0.9920	0.9922	0.9923
81	0.9917	0.9918	0.9919	0.9921	0.9922	0.9923	0.9925
82	0.9918	0.9920	0.9921	0.9923	0.9924	0.9925	0.9926
83	0.9920	0.9921	0.9922	0.9924	0.9925	0.9927	0.9928
84	0.9921	0.9923	0.9924	0.9926	0.9927	0.9928	0.9930
85	0.9923	0.9925	0.9925	0.9927	0.9929	0.9930	0.9932
86	0.9925	0.9927	0.9927	0.9929	0.9930	0.9932	0.9933
87	0.9927	0.9928	0.9929	0.9931	0.9932	0.9933	0.9935
88	0.9929	0.9931	0.9932	0.9933	0.9934	0.9935	0.9936
89	0.9931	0.9932	0.9934	0.9935	0.9936	0.9937	0.9939
90	0.9933	0.9934	0.9936	0.9937	0.9937	0.9939	0.9940
91	0.9935	0.9936	0.9938	0.9939	0.9939	0.9941	0.9942
92	0.9937	0.9939	0.9940	0.9941	0.9941	0.9943	0.9944
93	0.9939	0.9941	0.9943	0.9944	0.9943	0.9945	0.9946
94	0.9942	0.9944	0.9945	0.9946	0.9945	0.9947	0.9949
95	0.9945	0.9946	0.9948	0.9949	0.9948	0.9950	0.9951
96	0.9948	0.9949	0.9950	0.9952	0.9951	0.9952	0.9954
97	0.9952	0.9953	0.9953	0.9955	0.9954	0.9956	0.9958
98	0.9956	0.9958	0.9957	0.9959	0.9958	0.9960	0.9961
99	0.9962	0.9963	0.9963	0.9965	0.9963	0.9966	0.9967
100	0.9979	0.9984	0.9982	0.9984	0.9987	0.9986	0.9986

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 45	46	47	48	49	50	51
1	0.9331	0.9322	0.9361	0.9309	0.9315	0.9314	0.9349
2	0.9465	0.9450	0.9482	0.9456	0.9458	0.9466	0.9508
3	0.9532	0.9537	0.9541	0.9531	0.9529	0.9544	0.9575
4	0.9581	0.9586	0.9586	0.9585	0.9583	0.9594	0.9617
5	0.9609	0.9614	0.9618	0.9618	0.9624	0.9628	0.9648
6	0.9638	0.9644	0.9645	0.9645	0.9654	0.9657	0.9673
7	0.9660	0.9665	0.9669	0.9666	0.9674	0.9677	0.9691
8	0.9679	0.9681	0.9687	0.9682	0.9692	0.9694	0.9707
9	0.9695	0.9694	0.9701	0.9697	0.9707	0.9709	0.9720
10	0.9708	0.9707	0.9714	0.9710	0.9722	0.9722	0.9730
11	0.9719	0.9719	0.9727	0.9723	0.9733	0.9732	0.9741
12	0.9729	0.9728	0.9738	0.9734	0.9743	0.9743	0.9751
13	0.9739	0.9740	0.9746	0.9743	0.9752	0.9752	0.9761
14	0.9748	0.9748	0.9755	0.9751	0.9760	0.9760	0.9768
15	0.9756	0.9755	0.9763	0.9759	0.9766	0.9767	0.9775
16	0.9762	0.9763	0.9769	0.9766	0.9775	0.9773	0.9782
17	0.9768	0.9769	0.9775	0.9773	0.9782	0.9779	0.9789
18	0.9774	0.9776	0.9782	0.9779	0.9787	0.9784	0.9794
19	0.9779	0.9782	0.9787	0.9785	0.9794	0.9790	0.9799
20	0.9785	0.9787	0.9792	0.9790	0.9798	0.9794	0.9803
21	0.9789	0.9792	0.9797	0.9796	0.9803	0.9800	0.9808
22	0.9794	0.9796	0.9802	0.9800	0.9808	0.9805	0.9812
23	0.9798	0.9801	0.9807	0.9804	0.9814	0.9809	0.9816
24	0.9803	0.9806	0.9811	0.9809	0.9817	0.9813	0.9820
25	0.9807	0.9810	0.9816	0.9813	0.9821	0.9818	0.9824
26	0.9812	0.9814	0.9820	0.9817	0.9825	0.9822	0.9827
27	0.9815	0.9817	0.9823	0.9821	0.9829	0.9825	0.9831
28	0.9819	0.9821	0.9827	0.9825	0.9833	0.9828	0.9834
29	0.9822	0.9824	0.9830	0.9829	0.9836	0.9831	0.9838
30	0.9825	0.9827	0.9833	0.9832	0.9839	0.9835	0.9841
31	0.9828	0.9830	0.9836	0.9835	0.9842	0.9838	0.9844
32	0.9831	0.9834	0.9839	0.9838	0.9845	0.9841	0.9846
33	0.9835	0.9836	0.9841	0.9841	0.9848	0.9845	0.9849
34	0.9838	0.9839	0.9844	0.9844	0.9850	0.9847	0.9852
35	0.9841	0.9842	0.9847	0.9846	0.9853	0.9850	0.9855
36	0.9844	0.9845	0.9849	0.9849	0.9855	0.9852	0.9857
37	0.9846	0.9847	0.9851	0.9852	0.9857	0.9855	0.9859
38	0.9849	0.9850	0.9854	0.9854	0.9860	0.9858	0.9861
39	0.9851	0.9852	0.9856	0.9856	0.9861	0.9860	0.9864
40	0.9854	0.9855	0.9858	0.9859	0.9864	0.9863	0.9866
41	0.9856	0.9858	0.9860	0.9862	0.9866	0.9865	0.9868
42	0.9858	0.9860	0.9862	0.9864	0.9868	0.9867	0.9870
43	0.9860	0.9862	0.9865	0.9866	0.9870	0.9869	0.9872
44	0.9862	0.9865	0.9867	0.9868	0.9872	0.9871	0.9874
45	0.9864	0.9867	0.9869	0.9870	0.9874	0.9873	0.9876
46	0.9866	0.9869	0.9871	0.9873	0.9876	0.9875	0.9878
47	0.9868	0.9871	0.9873	0.9875	0.9878	0.9877	0.9880
48	0.9870	0.9873	0.9875	0.9877	0.9880	0.9879	0.9882
49	0.9872	0.9875	0.9877	0.9878	0.9882	0.9881	0.9884
50	0.9874	0.9877	0.9879	0.9880	0.9883	0.9883	0.9885

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 45	46	47	48	49	50	51
51	0.9875	0.9879	0.9881	0.9882	0.9885	0.9885	0.9887
52	0.9877	0.9881	0.9882	0.9884	0.9887	0.9886	0.9889
53	0.9880	0.9883	0.9884	0.9886	0.9888	0.9888	0.9891
54	0.9881	0.9885	0.9886	0.9888	0.9890	0.9890	0.9892
55	0.9883	0.9886	0.9887	0.9889	0.9891	0.9891	0.9894
56	0.9885	0.9888	0.9889	0.9891	0.9893	0.9893	0.9895
57	0.9887	0.9890	0.9891	0.9892	0.9895	0.9895	0.9897
58	0.9888	0.9892	0.9893	0.9894	0.9896	0.9897	0.9899
59	0.9890	0.9893	0.9894	0.9896	0.9898	0.9898	0.9900
60	0.9892	0.9895	0.9896	0.9897	0.9899	0.9900	0.9902
61	0.9893	0.9897	0.9898	0.9899	0.9900	0.9901	0.9903
62	0.9895	0.9898	0.9899	0.9900	0.9902	0.9903	0.9904
63	0.9896	0.9900	0.9901	0.9902	0.9903	0.9904	0.9906
64	0.9898	0.9901	0.9902	0.9903	0.9905	0.9905	0.9908
65	0.9900	0.9902	0.9904	0.9905	0.9906	0.9907	0.9909
66	0.9901	0.9904	0.9905	0.9907	0.9908	0.9908	0.9911
67	0.9903	0.9906	0.9907	0.9908	0.9909	0.9910	0.9912
68	0.9904	0.9907	0.9908	0.9910	0.9911	0.9911	0.9913
69	0.9906	0.9909	0.9910	0.9911	0.9912	0.9912	0.9915
70	0.9907	0.9911	0.9911	0.9912	0.9914	0.9914	0.9916
71	0.9909	0.9912	0.9913	0.9913	0.9915	0.9915	0.9918
72	0.9911	0.9914	0.9914	0.9915	0.9917	0.9917	0.9919
73	0.9913	0.9915	0.9916	0.9916	0.9918	0.9918	0.9920
74	0.9914	0.9917	0.9918	0.9918	0.9919	0.9920	0.9922
75	0.9916	0.9918	0.9919	0.9919	0.9921	0.9921	0.9923
76	0.9918	0.9920	0.9920	0.9921	0.9922	0.9923	0.9924
77	0.9919	0.9921	0.9922	0.9922	0.9924	0.9924	0.9925
78	0.9921	0.9922	0.9923	0.9924	0.9925	0.9926	0.9927
79	0.9922	0.9924	0.9925	0.9925	0.9926	0.9927	0.9928
80	0.9924	0.9925	0.9926	0.9926	0.9927	0.9928	0.9930
81	0.9925	0.9927	0.9928	0.9928	0.9929	0.9930	0.9931
82	0.9927	0.9929	0.9929	0.9929	0.9931	0.9931	0.9933
83	0.9929	0.9930	0.9931	0.9931	0.9932	0.9932	0.9934
84	0.9930	0.9932	0.9932	0.9932	0.9934	0.9934	0.9935
85	0.9932	0.9933	0.9933	0.9934	0.9935	0.9935	0.9937
86	0.9934	0.9935	0.9935	0.9936	0.9937	0.9937	0.9938
87	0.9935	0.9937	0.9936	0.9937	0.9939	0.9939	0.9940
88	0.9937	0.9939	0.9938	0.9939	0.9940	0.9941	0.9942
89	0.9939	0.9940	0.9940	0.9940	0.9942	0.9942	0.9943
90	0.9941	0.9942	0.9941	0.9942	0.9944	0.9944	0.9945
91	0.9943	0.9944	0.9943	0.9944	0.9946	0.9945	0.9946
92	0.9945	0.9946	0.9946	0.9946	0.9947	0.9947	0.9949
93	0.9947	0.9948	0.9948	0.9949	0.9949	0.9950	0.9951
94	0.9949	0.9950	0.9950	0.9950	0.9951	0.9952	0.9953
95	0.9952	0.9953	0.9952	0.9953	0.9954	0.9954	0.9955
96	0.9954	0.9955	0.9955	0.9955	0.9957	0.9957	0.9958
97	0.9957	0.9957	0.9958	0.9958	0.9960	0.9960	0.9960
98	0.9961	0.9962	0.9961	0.9962	0.9963	0.9964	0.9964
99	0.9965	0.9966	0.9967	0.9967	0.9967	0.9969	0.9968
100	0.9983	0.9986	0.9982	0.9985	0.9983	0.9982	0.9984

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 52	53	54	55	56	57	58
1	0.9364	0.9398	0.9370	0.9370	0.9410	0.9408	0.9400
2	0.9484	0.9507	0.9509	0.9496	0.9524	0.9523	0.9511
3	0.9563	0.9571	0.9572	0.9568	0.9587	0.9589	0.9586
4	0.9611	0.9614	0.9616	0.9615	0.9628	0.9623	0.9632
5	0.9653	0.9650	0.9645	0.9650	0.9662	0.9656	0.9663
6	0.9679	0.9675	0.9668	0.9679	0.9686	0.9680	0.9694
7	0.9700	0.9694	0.9690	0.9698	0.9702	0.9697	0.9715
8	0.9712	0.9711	0.9710	0.9714	0.9718	0.9714	0.9730
9	0.9725	0.9724	0.9725	0.9727	0.9731	0.9729	0.9743
10	0.9735	0.9738	0.9739	0.9740	0.9744	0.9741	0.9754
11	0.9747	0.9749	0.9751	0.9752	0.9756	0.9752	0.9762
12	0.9757	0.9759	0.9760	0.9761	0.9765	0.9763	0.9772
13	0.9765	0.9767	0.9767	0.9770	0.9774	0.9773	0.9782
14	0.9773	0.9774	0.9774	0.9778	0.9782	0.9781	0.9788
15	0.9781	0.9781	0.9782	0.9786	0.9790	0.9788	0.9795
16	0.9788	0.9788	0.9787	0.9793	0.9796	0.9794	0.9800
17	0.9793	0.9794	0.9793	0.9799	0.9802	0.9801	0.9805
18	0.9799	0.9800	0.9798	0.9805	0.9807	0.9807	0.9810
19	0.9804	0.9804	0.9804	0.9809	0.9812	0.9811	0.9815
20	0.9810	0.9809	0.9810	0.9814	0.9817	0.9816	0.9820
21	0.9814	0.9814	0.9815	0.9819	0.9821	0.9821	0.9824
22	0.9818	0.9819	0.9819	0.9823	0.9824	0.9825	0.9829
23	0.9821	0.9823	0.9822	0.9827	0.9827	0.9829	0.9833
24	0.9825	0.9827	0.9826	0.9831	0.9832	0.9833	0.9837
25	0.9829	0.9830	0.9830	0.9835	0.9836	0.9837	0.9840
26	0.9832	0.9834	0.9833	0.9838	0.9839	0.9841	0.9843
27	0.9836	0.9836	0.9836	0.9841	0.9842	0.9844	0.9847
28	0.9839	0.9839	0.9839	0.9844	0.9845	0.9847	0.9849
29	0.9842	0.9842	0.9843	0.9847	0.9847	0.9850	0.9852
30	0.9845	0.9846	0.9846	0.9849	0.9850	0.9853	0.9855
31	0.9847	0.9849	0.9849	0.9852	0.9853	0.9856	0.9857
32	0.9850	0.9852	0.9851	0.9854	0.9856	0.9859	0.9860
33	0.9853	0.9854	0.9855	0.9857	0.9859	0.9862	0.9862
34	0.9856	0.9857	0.9857	0.9859	0.9861	0.9864	0.9865
35	0.9858	0.9859	0.9860	0.9861	0.9863	0.9867	0.9868
36	0.9861	0.9861	0.9862	0.9864	0.9866	0.9869	0.9870
37	0.9863	0.9864	0.9864	0.9866	0.9868	0.9871	0.9871
38	0.9865	0.9866	0.9866	0.9868	0.9870	0.9873	0.9874
39	0.9868	0.9868	0.9869	0.9870	0.9872	0.9875	0.9875
40	0.9870	0.9871	0.9871	0.9872	0.9874	0.9877	0.9878
41	0.9872	0.9873	0.9873	0.9874	0.9876	0.9879	0.9880
42	0.9874	0.9875	0.9875	0.9876	0.9878	0.9881	0.9881
43	0.9876	0.9877	0.9877	0.9878	0.9880	0.9883	0.9883
44	0.9878	0.9879	0.9879	0.9881	0.9882	0.9885	0.9885
45	0.9880	0.9881	0.9881	0.9883	0.9884	0.9886	0.9887
46	0.9882	0.9882	0.9883	0.9885	0.9886	0.9889	0.9888
47	0.9883	0.9884	0.9885	0.9887	0.9887	0.9890	0.9890
48	0.9885	0.9886	0.9886	0.9888	0.9889	0.9892	0.9892
49	0.9887	0.9887	0.9888	0.9890	0.9891	0.9894	0.9893
50	0.9889	0.9889	0.9890	0.9892	0.9893	0.9895	0.9895

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 52	53	54	55	56	57	58
51	0.9891	0.9890	0.9891	0.9894	0.9894	0.9897	0.9896
52	0.9893	0.9892	0.9893	0.9895	0.9896	0.9898	0.9897
53	0.9894	0.9894	0.9895	0.9897	0.9898	0.9899	0.9899
54	0.9896	0.9895	0.9896	0.9899	0.9899	0.9901	0.9900
55	0.9897	0.9897	0.9898	0.9900	0.9901	0.9902	0.9902
56	0.9899	0.9899	0.9899	0.9902	0.9902	0.9904	0.9903
57	0.9901	0.9900	0.9901	0.9903	0.9904	0.9905	0.9905
58	0.9902	0.9902	0.9902	0.9905	0.9905	0.9907	0.9906
59	0.9904	0.9903	0.9904	0.9906	0.9907	0.9908	0.9908
60	0.9905	0.9904	0.9905	0.9908	0.9908	0.9909	0.9909
61	0.9907	0.9906	0.9907	0.9909	0.9910	0.9911	0.9911
62	0.9908	0.9907	0.9908	0.9910	0.9911	0.9912	0.9912
63	0.9910	0.9909	0.9910	0.9912	0.9912	0.9913	0.9913
64	0.9911	0.9910	0.9911	0.9913	0.9914	0.9914	0.9915
65	0.9912	0.9912	0.9912	0.9915	0.9915	0.9916	0.9916
66	0.9913	0.9913	0.9914	0.9916	0.9916	0.9917	0.9917
67	0.9915	0.9914	0.9915	0.9917	0.9918	0.9919	0.9919
68	0.9916	0.9916	0.9917	0.9918	0.9919	0.9920	0.9920
69	0.9917	0.9917	0.9918	0.9920	0.9920	0.9921	0.9921
70	0.9919	0.9918	0.9919	0.9921	0.9921	0.9923	0.9923
71	0.9920	0.9920	0.9920	0.9922	0.9922	0.9924	0.9924
72	0.9921	0.9921	0.9921	0.9923	0.9923	0.9925	0.9925
73	0.9922	0.9922	0.9922	0.9925	0.9925	0.9926	0.9926
74	0.9924	0.9924	0.9924	0.9926	0.9926	0.9928	0.9928
75	0.9925	0.9925	0.9925	0.9927	0.9928	0.9929	0.9929
76	0.9926	0.9926	0.9926	0.9928	0.9929	0.9930	0.9930
77	0.9927	0.9927	0.9928	0.9930	0.9930	0.9931	0.9931
78	0.9928	0.9929	0.9929	0.9931	0.9932	0.9933	0.9933
79	0.9930	0.9930	0.9931	0.9933	0.9933	0.9934	0.9934
80	0.9931	0.9931	0.9932	0.9934	0.9934	0.9935	0.9935
81	0.9932	0.9933	0.9933	0.9935	0.9936	0.9937	0.9937
82	0.9934	0.9934	0.9935	0.9937	0.9937	0.9938	0.9938
83	0.9935	0.9935	0.9936	0.9938	0.9938	0.9939	0.9939
84	0.9937	0.9937	0.9937	0.9940	0.9940	0.9940	0.9941
85	0.9938	0.9938	0.9938	0.9941	0.9941	0.9942	0.9942
86	0.9940	0.9939	0.9940	0.9942	0.9942	0.9943	0.9943
87	0.9941	0.9941	0.9942	0.9943	0.9944	0.9944	0.9945
88	0.9943	0.9943	0.9943	0.9945	0.9945	0.9946	0.9946
89	0.9944	0.9945	0.9944	0.9946	0.9947	0.9947	0.9948
90	0.9946	0.9946	0.9946	0.9948	0.9948	0.9949	0.9949
91	0.9947	0.9948	0.9948	0.9949	0.9950	0.9950	0.9951
92	0.9949	0.9950	0.9950	0.9951	0.9951	0.9952	0.9952
93	0.9952	0.9952	0.9952	0.9953	0.9953	0.9953	0.9954
94	0.9954	0.9954	0.9954	0.9955	0.9955	0.9955	0.9956
95	0.9956	0.9956	0.9956	0.9957	0.9957	0.9957	0.9958
96	0.9959	0.9958	0.9958	0.9959	0.9960	0.9960	0.9961
97	0.9961	0.9961	0.9961	0.9962	0.9962	0.9963	0.9963
98	0.9965	0.9964	0.9964	0.9965	0.9965	0.9966	0.9966
99	0.9969	0.9969	0.9969	0.9969	0.9969	0.9970	0.9970
100	0.9990	0.9983	0.9985	0.9985	0.9986	0.9985	0.9988

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 59	60	61	62	63	64	65
1	0.9414	0.9434	0.9437	0.9406	0.9399	0.9408	0.9397
2	0.9535	0.9543	0.9544	0.9533	0.9538	0.9542	0.9539
3	0.9597	0.9598	0.9604	0.9601	0.9600	0.9608	0.9601
4	0.9640	0.9638	0.9650	0.9646	0.9644	0.9651	0.9646
5	0.9667	0.9670	0.9683	0.9676	0.9675	0.9686	0.9679
6	0.9695	0.9695	0.9701	0.9701	0.9705	0.9707	0.9704
7	0.9713	0.9715	0.9720	0.9716	0.9726	0.9728	0.9723
8	0.9729	0.9730	0.9735	0.9731	0.9743	0.9744	0.9740
9	0.9740	0.9745	0.9747	0.9743	0.9755	0.9756	0.9752
10	0.9753	0.9754	0.9760	0.9757	0.9765	0.9770	0.9763
11	0.9764	0.9766	0.9769	0.9766	0.9775	0.9779	0.9771
12	0.9774	0.9774	0.9778	0.9775	0.9782	0.9788	0.9780
13	0.9781	0.9782	0.9785	0.9783	0.9790	0.9796	0.9788
14	0.9789	0.9789	0.9792	0.9789	0.9796	0.9802	0.9795
15	0.9797	0.9796	0.9799	0.9796	0.9802	0.9808	0.9801
16	0.9804	0.9803	0.9804	0.9802	0.9808	0.9815	0.9808
17	0.9809	0.9808	0.9809	0.9808	0.9813	0.9820	0.9814
18	0.9814	0.9814	0.9814	0.9814	0.9817	0.9825	0.9819
19	0.9819	0.9818	0.9818	0.9819	0.9823	0.9829	0.9825
20	0.9824	0.9823	0.9823	0.9823	0.9827	0.9833	0.9830
21	0.9828	0.9828	0.9827	0.9827	0.9831	0.9836	0.9834
22	0.9833	0.9831	0.9831	0.9832	0.9835	0.9840	0.9837
23	0.9837	0.9835	0.9835	0.9836	0.9839	0.9844	0.9841
24	0.9840	0.9839	0.9839	0.9840	0.9843	0.9848	0.9845
25	0.9843	0.9843	0.9843	0.9843	0.9847	0.9852	0.9848
26	0.9846	0.9846	0.9846	0.9847	0.9850	0.9855	0.9851
27	0.9849	0.9849	0.9850	0.9851	0.9853	0.9857	0.9854
28	0.9852	0.9851	0.9852	0.9854	0.9856	0.9860	0.9857
29	0.9855	0.9854	0.9855	0.9857	0.9859	0.9863	0.9860
30	0.9858	0.9857	0.9859	0.9860	0.9861	0.9866	0.9863
31	0.9861	0.9860	0.9862	0.9862	0.9864	0.9868	0.9866
32	0.9863	0.9862	0.9864	0.9865	0.9867	0.9870	0.9868
33	0.9865	0.9865	0.9867	0.9867	0.9869	0.9873	0.9870
34	0.9868	0.9867	0.9869	0.9869	0.9872	0.9875	0.9873
35	0.9870	0.9870	0.9872	0.9872	0.9874	0.9877	0.9875
36	0.9872	0.9872	0.9874	0.9875	0.9876	0.9879	0.9877
37	0.9874	0.9874	0.9876	0.9877	0.9878	0.9881	0.9879
38	0.9877	0.9877	0.9878	0.9878	0.9880	0.9883	0.9881
39	0.9878	0.9879	0.9880	0.9881	0.9882	0.9885	0.9883
40	0.9880	0.9881	0.9882	0.9883	0.9884	0.9887	0.9885
41	0.9882	0.9882	0.9884	0.9885	0.9886	0.9889	0.9887
42	0.9884	0.9884	0.9885	0.9887	0.9887	0.9890	0.9889
43	0.9886	0.9886	0.9887	0.9888	0.9889	0.9892	0.9891
44	0.9887	0.9888	0.9889	0.9890	0.9891	0.9894	0.9892
45	0.9889	0.9889	0.9890	0.9892	0.9893	0.9896	0.9894
46	0.9891	0.9891	0.9892	0.9894	0.9894	0.9897	0.9895
47	0.9892	0.9893	0.9894	0.9896	0.9896	0.9899	0.9897
48	0.9894	0.9894	0.9896	0.9897	0.9897	0.9900	0.9898
49	0.9896	0.9896	0.9897	0.9899	0.9899	0.9902	0.9900
50	0.9898	0.9898	0.9899	0.9900	0.9901	0.9903	0.9901

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 59	60	61	62	63	64	65
51	0.9899	0.9899	0.9901	0.9902	0.9902	0.9905	0.9903
52	0.9901	0.9900	0.9902	0.9903	0.9904	0.9906	0.9905
53	0.9903	0.9902	0.9904	0.9905	0.9905	0.9907	0.9906
54	0.9904	0.9903	0.9905	0.9906	0.9907	0.9909	0.9908
55	0.9905	0.9905	0.9907	0.9907	0.9908	0.9910	0.9909
56	0.9906	0.9906	0.9908	0.9909	0.9909	0.9912	0.9910
57	0.9908	0.9908	0.9910	0.9910	0.9911	0.9913	0.9912
58	0.9909	0.9909	0.9911	0.9911	0.9912	0.9914	0.9913
59	0.9911	0.9911	0.9913	0.9913	0.9913	0.9915	0.9914
60	0.9912	0.9912	0.9914	0.9914	0.9914	0.9917	0.9915
61	0.9914	0.9913	0.9916	0.9915	0.9915	0.9918	0.9917
62	0.9915	0.9915	0.9917	0.9916	0.9917	0.9919	0.9918
63	0.9916	0.9916	0.9918	0.9918	0.9918	0.9921	0.9919
64	0.9918	0.9917	0.9919	0.9919	0.9919	0.9922	0.9920
65	0.9919	0.9918	0.9920	0.9920	0.9920	0.9923	0.9922
66	0.9920	0.9919	0.9922	0.9921	0.9921	0.9924	0.9923
67	0.9921	0.9921	0.9923	0.9923	0.9923	0.9925	0.9924
68	0.9922	0.9922	0.9924	0.9924	0.9924	0.9926	0.9925
69	0.9923	0.9923	0.9925	0.9925	0.9926	0.9927	0.9926
70	0.9925	0.9924	0.9926	0.9926	0.9927	0.9929	0.9927
71	0.9926	0.9926	0.9927	0.9928	0.9928	0.9930	0.9929
72	0.9927	0.9927	0.9929	0.9929	0.9929	0.9931	0.9930
73	0.9928	0.9928	0.9930	0.9930	0.9930	0.9932	0.9931
74	0.9929	0.9929	0.9931	0.9931	0.9931	0.9933	0.9932
75	0.9931	0.9930	0.9932	0.9932	0.9933	0.9935	0.9933
76	0.9932	0.9932	0.9933	0.9933	0.9934	0.9936	0.9934
77	0.9933	0.9933	0.9935	0.9935	0.9935	0.9937	0.9936
78	0.9935	0.9934	0.9936	0.9936	0.9936	0.9938	0.9937
79	0.9936	0.9935	0.9937	0.9937	0.9938	0.9939	0.9938
80	0.9937	0.9936	0.9938	0.9938	0.9939	0.9941	0.9939
81	0.9939	0.9938	0.9939	0.9939	0.9941	0.9942	0.9941
82	0.9940	0.9939	0.9940	0.9941	0.9942	0.9943	0.9942
83	0.9941	0.9940	0.9942	0.9942	0.9943	0.9944	0.9943
84	0.9942	0.9942	0.9943	0.9943	0.9944	0.9945	0.9944
85	0.9943	0.9943	0.9944	0.9945	0.9946	0.9946	0.9946
86	0.9945	0.9944	0.9946	0.9946	0.9947	0.9948	0.9947
87	0.9946	0.9945	0.9947	0.9947	0.9948	0.9949	0.9948
88	0.9948	0.9947	0.9948	0.9949	0.9949	0.9951	0.9950
89	0.9949	0.9948	0.9950	0.9950	0.9951	0.9952	0.9951
90	0.9951	0.9950	0.9951	0.9952	0.9952	0.9953	0.9952
91	0.9952	0.9952	0.9953	0.9953	0.9953	0.9955	0.9954
92	0.9954	0.9953	0.9954	0.9955	0.9955	0.9956	0.9955
93	0.9955	0.9955	0.9956	0.9957	0.9957	0.9958	0.9957
94	0.9957	0.9957	0.9958	0.9959	0.9958	0.9959	0.9959
95	0.9959	0.9959	0.9960	0.9960	0.9960	0.9961	0.9961
96	0.9961	0.9961	0.9963	0.9963	0.9962	0.9963	0.9963
97	0.9964	0.9963	0.9965	0.9965	0.9965	0.9966	0.9965
98	0.9967	0.9967	0.9969	0.9968	0.9968	0.9969	0.9968
99	0.9972	0.9971	0.9973	0.9972	0.9972	0.9973	0.9972
100	0.9985	0.9986	0.9990	0.9987	0.9983	0.9988	0.9986

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 66	67	68	69	70	71	72
1	0.9443	0.9415	0.9458	0.9464	0.9475	0.9468	0.9468
2	0.9554	0.9539	0.9576	0.9582	0.9594	0.9577	0.9582
3	0.9617	0.9601	0.9628	0.9636	0.9651	0.9642	0.9652
4	0.9656	0.9654	0.9668	0.9675	0.9681	0.9679	0.9693
5	0.9682	0.9685	0.9700	0.9701	0.9705	0.9710	0.9714
6	0.9708	0.9709	0.9724	0.9723	0.9729	0.9731	0.9733
7	0.9727	0.9731	0.9740	0.9740	0.9744	0.9750	0.9748
8	0.9743	0.9750	0.9753	0.9755	0.9758	0.9765	0.9762
9	0.9754	0.9763	0.9763	0.9767	0.9769	0.9777	0.9774
10	0.9769	0.9775	0.9774	0.9778	0.9780	0.9787	0.9786
11	0.9780	0.9784	0.9784	0.9786	0.9789	0.9796	0.9795
12	0.9789	0.9791	0.9793	0.9794	0.9798	0.9803	0.9803
13	0.9797	0.9798	0.9800	0.9801	0.9805	0.9810	0.9811
14	0.9803	0.9805	0.9809	0.9807	0.9812	0.9816	0.9817
15	0.9810	0.9811	0.9814	0.9812	0.9817	0.9822	0.9822
16	0.9816	0.9817	0.9820	0.9818	0.9823	0.9828	0.9827
17	0.9821	0.9822	0.9825	0.9823	0.9828	0.9833	0.9831
18	0.9826	0.9828	0.9830	0.9828	0.9833	0.9837	0.9836
19	0.9829	0.9832	0.9834	0.9833	0.9838	0.9841	0.9841
20	0.9834	0.9836	0.9838	0.9838	0.9842	0.9844	0.9845
21	0.9837	0.9840	0.9842	0.9843	0.9845	0.9848	0.9849
22	0.9840	0.9844	0.9846	0.9846	0.9849	0.9851	0.9853
23	0.9845	0.9846	0.9849	0.9850	0.9853	0.9854	0.9857
24	0.9848	0.9850	0.9853	0.9853	0.9856	0.9857	0.9860
25	0.9851	0.9853	0.9856	0.9856	0.9859	0.9860	0.9863
26	0.9855	0.9855	0.9859	0.9859	0.9862	0.9863	0.9866
27	0.9857	0.9858	0.9862	0.9862	0.9864	0.9866	0.9868
28	0.9860	0.9861	0.9865	0.9865	0.9867	0.9868	0.9871
29	0.9863	0.9865	0.9867	0.9867	0.9870	0.9871	0.9873
30	0.9866	0.9867	0.9869	0.9870	0.9872	0.9873	0.9876
31	0.9868	0.9870	0.9872	0.9873	0.9874	0.9876	0.9878
32	0.9870	0.9872	0.9874	0.9874	0.9877	0.9878	0.9880
33	0.9873	0.9874	0.9876	0.9877	0.9879	0.9880	0.9882
34	0.9875	0.9876	0.9879	0.9879	0.9881	0.9882	0.9884
35	0.9877	0.9878	0.9881	0.9881	0.9883	0.9884	0.9886
36	0.9879	0.9881	0.9883	0.9883	0.9885	0.9886	0.9888
37	0.9881	0.9883	0.9885	0.9885	0.9887	0.9888	0.9890
38	0.9883	0.9885	0.9886	0.9887	0.9889	0.9890	0.9892
39	0.9885	0.9887	0.9888	0.9889	0.9890	0.9892	0.9894
40	0.9887	0.9889	0.9891	0.9891	0.9892	0.9893	0.9895
41	0.9889	0.9891	0.9892	0.9892	0.9894	0.9895	0.9897
42	0.9891	0.9892	0.9894	0.9894	0.9896	0.9897	0.9899
43	0.9893	0.9894	0.9896	0.9895	0.9898	0.9898	0.9900
44	0.9894	0.9896	0.9897	0.9897	0.9899	0.9900	0.9902
45	0.9896	0.9898	0.9899	0.9899	0.9901	0.9901	0.9904
46	0.9898	0.9899	0.9901	0.9900	0.9903	0.9903	0.9905
47	0.9900	0.9901	0.9902	0.9902	0.9904	0.9904	0.9907
48	0.9901	0.9902	0.9904	0.9903	0.9906	0.9906	0.9908
49	0.9903	0.9904	0.9905	0.9905	0.9907	0.9907	0.9909
50	0.9904	0.9905	0.9907	0.9906	0.9908	0.9909	0.9911

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 66	67	68	69	70	71	72
51	0.9905	0.9907	0.9908	0.9908	0.9910	0.9910	0.9912
52	0.9907	0.9908	0.9909	0.9909	0.9911	0.9911	0.9913
53	0.9909	0.9909	0.9911	0.9910	0.9913	0.9912	0.9915
54	0.9910	0.9911	0.9912	0.9912	0.9914	0.9914	0.9916
55	0.9911	0.9912	0.9913	0.9913	0.9915	0.9915	0.9917
56	0.9912	0.9913	0.9915	0.9914	0.9916	0.9916	0.9918
57	0.9913	0.9915	0.9916	0.9916	0.9918	0.9917	0.9920
58	0.9915	0.9916	0.9917	0.9917	0.9919	0.9919	0.9921
59	0.9916	0.9917	0.9918	0.9918	0.9920	0.9920	0.9922
60	0.9917	0.9918	0.9919	0.9920	0.9921	0.9921	0.9923
61	0.9918	0.9919	0.9920	0.9921	0.9922	0.9923	0.9924
62	0.9920	0.9921	0.9921	0.9922	0.9923	0.9924	0.9925
63	0.9921	0.9922	0.9923	0.9923	0.9925	0.9925	0.9926
64	0.9922	0.9923	0.9924	0.9924	0.9926	0.9926	0.9927
65	0.9923	0.9924	0.9925	0.9926	0.9927	0.9927	0.9928
66	0.9924	0.9925	0.9926	0.9927	0.9928	0.9928	0.9930
67	0.9925	0.9926	0.9927	0.9928	0.9929	0.9930	0.9931
68	0.9926	0.9928	0.9929	0.9929	0.9930	0.9931	0.9932
69	0.9927	0.9929	0.9930	0.9930	0.9931	0.9932	0.9933
70	0.9929	0.9930	0.9931	0.9931	0.9933	0.9933	0.9934
71	0.9930	0.9931	0.9932	0.9933	0.9934	0.9934	0.9935
72	0.9931	0.9932	0.9933	0.9934	0.9935	0.9935	0.9936
73	0.9932	0.9933	0.9934	0.9935	0.9936	0.9937	0.9937
74	0.9934	0.9935	0.9936	0.9936	0.9937	0.9938	0.9938
75	0.9935	0.9936	0.9937	0.9937	0.9938	0.9939	0.9939
76	0.9936	0.9937	0.9938	0.9939	0.9939	0.9940	0.9940
77	0.9938	0.9938	0.9939	0.9940	0.9941	0.9941	0.9941
78	0.9939	0.9939	0.9940	0.9941	0.9942	0.9942	0.9942
79	0.9940	0.9940	0.9941	0.9942	0.9943	0.9943	0.9943
80	0.9941	0.9942	0.9943	0.9943	0.9944	0.9944	0.9944
81	0.9942	0.9943	0.9944	0.9944	0.9945	0.9946	0.9945
82	0.9943	0.9944	0.9945	0.9945	0.9946	0.9947	0.9947
83	0.9945	0.9945	0.9946	0.9946	0.9948	0.9948	0.9948
84	0.9946	0.9946	0.9947	0.9947	0.9949	0.9949	0.9949
85	0.9947	0.9947	0.9948	0.9949	0.9950	0.9951	0.9950
86	0.9948	0.9949	0.9949	0.9950	0.9951	0.9952	0.9951
87	0.9949	0.9950	0.9950	0.9951	0.9952	0.9953	0.9952
88	0.9950	0.9951	0.9952	0.9952	0.9954	0.9954	0.9954
89	0.9952	0.9952	0.9953	0.9953	0.9955	0.9956	0.9955
90	0.9953	0.9954	0.9955	0.9955	0.9957	0.9957	0.9956
91	0.9954	0.9955	0.9956	0.9956	0.9958	0.9958	0.9958
92	0.9956	0.9957	0.9958	0.9958	0.9959	0.9959	0.9959
93	0.9957	0.9959	0.9959	0.9959	0.9961	0.9961	0.9961
94	0.9959	0.9960	0.9961	0.9961	0.9962	0.9962	0.9962
95	0.9961	0.9962	0.9963	0.9963	0.9964	0.9964	0.9964
96	0.9963	0.9964	0.9965	0.9965	0.9966	0.9966	0.9966
97	0.9965	0.9966	0.9967	0.9967	0.9968	0.9968	0.9968
98	0.9968	0.9969	0.9970	0.9970	0.9970	0.9971	0.9970
99	0.9972	0.9974	0.9974	0.9974	0.9974	0.9975	0.9975
100	0.9988	0.9986	0.9987	0.9987	0.9986	0.9986	0.9991

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 73	74	75	76	77	78	79
1	0.9474	0.9472	0.9465	0.9468	0.9511	0.9489	0.9506
2	0.9588	0.9586	0.9592	0.9604	0.9602	0.9613	0.9615
3	0.9644	0.9646	0.9648	0.9662	0.9660	0.9668	0.9668
4	0.9676	0.9685	0.9685	0.9697	0.9692	0.9706	0.9706
5	0.9708	0.9716	0.9714	0.9724	0.9724	0.9734	0.9732
6	0.9731	0.9738	0.9733	0.9744	0.9743	0.9751	0.9749
7	0.9750	0.9757	0.9751	0.9759	0.9758	0.9767	0.9764
8	0.9764	0.9769	0.9765	0.9774	0.9772	0.9778	0.9779
9	0.9776	0.9780	0.9775	0.9786	0.9783	0.9790	0.9790
10	0.9785	0.9790	0.9785	0.9796	0.9793	0.9799	0.9800
11	0.9794	0.9799	0.9796	0.9806	0.9803	0.9808	0.9809
12	0.9802	0.9808	0.9802	0.9812	0.9810	0.9816	0.9816
13	0.9809	0.9815	0.9809	0.9819	0.9816	0.9822	0.9823
14	0.9816	0.9822	0.9817	0.9824	0.9823	0.9827	0.9830
15	0.9822	0.9827	0.9823	0.9829	0.9829	0.9832	0.9835
16	0.9827	0.9832	0.9829	0.9834	0.9834	0.9838	0.9838
17	0.9833	0.9837	0.9833	0.9839	0.9839	0.9843	0.9844
18	0.9837	0.9841	0.9838	0.9844	0.9843	0.9847	0.9848
19	0.9842	0.9845	0.9843	0.9848	0.9847	0.9851	0.9853
20	0.9846	0.9849	0.9847	0.9852	0.9851	0.9854	0.9856
21	0.9849	0.9852	0.9850	0.9855	0.9854	0.9857	0.9859
22	0.9853	0.9855	0.9854	0.9859	0.9858	0.9861	0.9863
23	0.9856	0.9858	0.9857	0.9861	0.9861	0.9864	0.9865
24	0.9859	0.9861	0.9860	0.9864	0.9864	0.9868	0.9868
25	0.9862	0.9865	0.9863	0.9867	0.9867	0.9870	0.9871
26	0.9864	0.9867	0.9865	0.9870	0.9870	0.9873	0.9874
27	0.9867	0.9870	0.9869	0.9872	0.9872	0.9875	0.9876
28	0.9870	0.9873	0.9871	0.9874	0.9875	0.9878	0.9878
29	0.9873	0.9876	0.9874	0.9877	0.9877	0.9881	0.9880
30	0.9875	0.9878	0.9876	0.9879	0.9879	0.9883	0.9882
31	0.9877	0.9880	0.9879	0.9881	0.9882	0.9885	0.9884
32	0.9880	0.9883	0.9881	0.9883	0.9885	0.9887	0.9886
33	0.9882	0.9885	0.9883	0.9885	0.9887	0.9889	0.9888
34	0.9884	0.9887	0.9885	0.9887	0.9889	0.9891	0.9890
35	0.9886	0.9889	0.9887	0.9890	0.9890	0.9893	0.9892
36	0.9888	0.9890	0.9890	0.9891	0.9892	0.9894	0.9894
37	0.9890	0.9892	0.9891	0.9893	0.9894	0.9896	0.9896
38	0.9891	0.9894	0.9894	0.9894	0.9895	0.9897	0.9898
39	0.9893	0.9896	0.9895	0.9896	0.9897	0.9899	0.9899
40	0.9895	0.9898	0.9897	0.9898	0.9899	0.9901	0.9901
41	0.9897	0.9899	0.9899	0.9900	0.9900	0.9902	0.9903
42	0.9898	0.9901	0.9900	0.9901	0.9902	0.9904	0.9904
43	0.9900	0.9903	0.9902	0.9903	0.9904	0.9905	0.9906
44	0.9901	0.9904	0.9904	0.9904	0.9905	0.9906	0.9907
45	0.9903	0.9906	0.9905	0.9906	0.9907	0.9908	0.9909
46	0.9904	0.9907	0.9906	0.9908	0.9908	0.9910	0.9910
47	0.9906	0.9908	0.9908	0.9909	0.9910	0.9911	0.9911
48	0.9907	0.9910	0.9909	0.9911	0.9911	0.9912	0.9913
49	0.9908	0.9911	0.9911	0.9912	0.9912	0.9914	0.9914
50	0.9910	0.9912	0.9912	0.9914	0.9914	0.9915	0.9915

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 73	74	75	76	77	78	79
51	0.9911	0.9913	0.9914	0.9915	0.9915	0.9917	0.9917
52	0.9912	0.9915	0.9915	0.9916	0.9916	0.9918	0.9918
53	0.9914	0.9916	0.9916	0.9917	0.9917	0.9919	0.9919
54	0.9915	0.9917	0.9918	0.9919	0.9918	0.9921	0.9921
55	0.9916	0.9919	0.9919	0.9920	0.9920	0.9922	0.9922
56	0.9917	0.9920	0.9920	0.9921	0.9921	0.9923	0.9923
57	0.9919	0.9921	0.9921	0.9922	0.9922	0.9924	0.9924
58	0.9920	0.9922	0.9923	0.9923	0.9923	0.9925	0.9925
59	0.9921	0.9923	0.9924	0.9924	0.9924	0.9927	0.9926
60	0.9922	0.9924	0.9925	0.9926	0.9925	0.9928	0.9927
61	0.9923	0.9925	0.9926	0.9927	0.9926	0.9929	0.9928
62	0.9925	0.9927	0.9927	0.9928	0.9927	0.9930	0.9930
63	0.9926	0.9928	0.9928	0.9929	0.9928	0.9931	0.9931
64	0.9927	0.9929	0.9929	0.9930	0.9929	0.9932	0.9932
65	0.9928	0.9930	0.9930	0.9931	0.9931	0.9933	0.9933
66	0.9929	0.9931	0.9931	0.9932	0.9932	0.9934	0.9934
67	0.9931	0.9932	0.9932	0.9934	0.9933	0.9935	0.9935
68	0.9932	0.9934	0.9933	0.9935	0.9934	0.9936	0.9935
69	0.9933	0.9935	0.9935	0.9936	0.9935	0.9937	0.9936
70	0.9934	0.9935	0.9936	0.9937	0.9936	0.9938	0.9937
71	0.9935	0.9937	0.9937	0.9938	0.9937	0.9939	0.9939
72	0.9936	0.9938	0.9938	0.9939	0.9938	0.9940	0.9940
73	0.9937	0.9939	0.9939	0.9940	0.9939	0.9941	0.9941
74	0.9938	0.9940	0.9940	0.9941	0.9940	0.9942	0.9942
75	0.9939	0.9941	0.9941	0.9942	0.9942	0.9943	0.9943
76	0.9940	0.9942	0.9942	0.9943	0.9943	0.9944	0.9944
77	0.9941	0.9943	0.9943	0.9944	0.9944	0.9945	0.9945
78	0.9943	0.9944	0.9944	0.9945	0.9945	0.9946	0.9946
79	0.9944	0.9945	0.9945	0.9946	0.9946	0.9947	0.9947
80	0.9945	0.9946	0.9946	0.9947	0.9947	0.9948	0.9948
81	0.9946	0.9948	0.9947	0.9948	0.9948	0.9949	0.9949
82	0.9947	0.9948	0.9948	0.9949	0.9949	0.9950	0.9950
83	0.9948	0.9949	0.9949	0.9950	0.9950	0.9951	0.9951
84	0.9949	0.9951	0.9950	0.9952	0.9951	0.9952	0.9952
85	0.9950	0.9952	0.9952	0.9952	0.9953	0.9953	0.9953
86	0.9952	0.9953	0.9953	0.9953	0.9954	0.9954	0.9954
87	0.9953	0.9954	0.9954	0.9954	0.9955	0.9956	0.9955
88	0.9954	0.9955	0.9955	0.9956	0.9956	0.9957	0.9956
89	0.9955	0.9956	0.9956	0.9957	0.9957	0.9958	0.9957
90	0.9957	0.9958	0.9957	0.9958	0.9958	0.9959	0.9959
91	0.9958	0.9959	0.9959	0.9960	0.9960	0.9960	0.9960
92	0.9960	0.9961	0.9960	0.9961	0.9961	0.9962	0.9961
93	0.9961	0.9962	0.9962	0.9962	0.9962	0.9963	0.9963
94	0.9963	0.9963	0.9964	0.9964	0.9964	0.9965	0.9964
95	0.9965	0.9965	0.9965	0.9965	0.9966	0.9966	0.9965
96	0.9967	0.9967	0.9967	0.9967	0.9967	0.9968	0.9967
97	0.9969	0.9969	0.9969	0.9969	0.9969	0.9970	0.9969
98	0.9972	0.9972	0.9972	0.9971	0.9972	0.9973	0.9972
99	0.9975	0.9975	0.9976	0.9975	0.9975	0.9976	0.9975
100	0.9986	0.9988	0.9987	0.9988	0.9989	0.9990	0.9987

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 80	81	82	83	84	85	86
1	0.9482	0.9550	0.9543	0.9511	0.9543	0.9498	0.9528
2	0.9602	0.9633	0.9626	0.9613	0.9633	0.9613	0.9628
3	0.9663	0.9679	0.9677	0.9670	0.9686	0.9673	0.9683
4	0.9702	0.9712	0.9709	0.9707	0.9713	0.9716	0.9717
5	0.9728	0.9739	0.9734	0.9737	0.9739	0.9739	0.9743
6	0.9750	0.9759	0.9753	0.9760	0.9758	0.9757	0.9761
7	0.9765	0.9772	0.9769	0.9775	0.9772	0.9772	0.9777
8	0.9780	0.9784	0.9780	0.9787	0.9785	0.9783	0.9787
9	0.9791	0.9794	0.9791	0.9797	0.9796	0.9794	0.9798
10	0.9800	0.9803	0.9799	0.9806	0.9804	0.9803	0.9807
11	0.9808	0.9811	0.9807	0.9813	0.9813	0.9813	0.9815
12	0.9815	0.9818	0.9816	0.9819	0.9819	0.9820	0.9823
13	0.9820	0.9825	0.9822	0.9826	0.9825	0.9826	0.9829
14	0.9826	0.9832	0.9828	0.9833	0.9832	0.9832	0.9834
15	0.9832	0.9837	0.9834	0.9838	0.9838	0.9838	0.9840
16	0.9838	0.9842	0.9839	0.9843	0.9842	0.9842	0.9845
17	0.9843	0.9848	0.9843	0.9848	0.9847	0.9847	0.9850
18	0.9847	0.9852	0.9847	0.9852	0.9851	0.9851	0.9854
19	0.9851	0.9855	0.9851	0.9856	0.9854	0.9855	0.9858
20	0.9855	0.9859	0.9855	0.9860	0.9858	0.9859	0.9861
21	0.9859	0.9862	0.9859	0.9863	0.9862	0.9862	0.9865
22	0.9863	0.9865	0.9863	0.9866	0.9866	0.9866	0.9868
23	0.9866	0.9867	0.9866	0.9869	0.9869	0.9869	0.9871
24	0.9869	0.9870	0.9869	0.9872	0.9872	0.9872	0.9873
25	0.9872	0.9873	0.9872	0.9875	0.9875	0.9875	0.9876
26	0.9874	0.9876	0.9875	0.9877	0.9877	0.9878	0.9878
27	0.9876	0.9878	0.9877	0.9879	0.9879	0.9881	0.9881
28	0.9878	0.9881	0.9880	0.9882	0.9882	0.9883	0.9884
29	0.9881	0.9883	0.9882	0.9884	0.9884	0.9885	0.9886
30	0.9884	0.9886	0.9884	0.9886	0.9887	0.9887	0.9888
31	0.9886	0.9888	0.9887	0.9889	0.9889	0.9890	0.9891
32	0.9888	0.9890	0.9888	0.9891	0.9891	0.9892	0.9892
33	0.9889	0.9892	0.9890	0.9893	0.9893	0.9893	0.9894
34	0.9891	0.9893	0.9892	0.9895	0.9895	0.9896	0.9896
35	0.9893	0.9895	0.9894	0.9897	0.9897	0.9897	0.9898
36	0.9895	0.9896	0.9896	0.9898	0.9899	0.9899	0.9899
37	0.9897	0.9898	0.9898	0.9900	0.9901	0.9900	0.9901
38	0.9899	0.9900	0.9900	0.9902	0.9902	0.9902	0.9903
39	0.9900	0.9902	0.9901	0.9903	0.9904	0.9904	0.9904
40	0.9902	0.9903	0.9903	0.9904	0.9905	0.9905	0.9906
41	0.9903	0.9905	0.9905	0.9906	0.9907	0.9907	0.9908
42	0.9905	0.9907	0.9906	0.9908	0.9908	0.9908	0.9909
43	0.9906	0.9908	0.9908	0.9909	0.9909	0.9910	0.9910
44	0.9908	0.9909	0.9910	0.9911	0.9911	0.9911	0.9912
45	0.9909	0.9911	0.9911	0.9912	0.9912	0.9912	0.9913
46	0.9911	0.9912	0.9912	0.9914	0.9913	0.9914	0.9915
47	0.9912	0.9914	0.9914	0.9915	0.9915	0.9915	0.9916
48	0.9913	0.9915	0.9915	0.9916	0.9916	0.9917	0.9918
49	0.9915	0.9916	0.9916	0.9918	0.9917	0.9918	0.9919
50	0.9916	0.9918	0.9917	0.9919	0.9919	0.9919	0.9920

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 80	81	82	83	84	85	86
51	0.9917	0.9919	0.9919	0.9920	0.9920	0.9920	0.9921
52	0.9918	0.9920	0.9920	0.9922	0.9921	0.9922	0.9922
53	0.9920	0.9921	0.9921	0.9923	0.9922	0.9923	0.9924
54	0.9921	0.9922	0.9922	0.9924	0.9923	0.9924	0.9925
55	0.9922	0.9924	0.9923	0.9925	0.9924	0.9925	0.9926
56	0.9924	0.9925	0.9924	0.9926	0.9925	0.9926	0.9927
57	0.9925	0.9926	0.9926	0.9927	0.9927	0.9927	0.9928
58	0.9926	0.9927	0.9927	0.9928	0.9928	0.9929	0.9930
59	0.9927	0.9928	0.9928	0.9929	0.9929	0.9930	0.9931
60	0.9928	0.9929	0.9929	0.9930	0.9930	0.9931	0.9931
61	0.9930	0.9930	0.9930	0.9931	0.9931	0.9932	0.9932
62	0.9931	0.9931	0.9931	0.9932	0.9932	0.9933	0.9933
63	0.9931	0.9932	0.9932	0.9933	0.9933	0.9934	0.9935
64	0.9932	0.9933	0.9933	0.9934	0.9934	0.9935	0.9935
65	0.9933	0.9934	0.9934	0.9935	0.9935	0.9936	0.9936
66	0.9934	0.9935	0.9935	0.9936	0.9936	0.9937	0.9937
67	0.9936	0.9936	0.9936	0.9937	0.9937	0.9938	0.9939
68	0.9937	0.9937	0.9937	0.9938	0.9938	0.9939	0.9940
69	0.9937	0.9938	0.9938	0.9939	0.9939	0.9940	0.9941
70	0.9938	0.9939	0.9939	0.9940	0.9940	0.9941	0.9942
71	0.9939	0.9940	0.9940	0.9941	0.9941	0.9942	0.9943
72	0.9940	0.9941	0.9941	0.9942	0.9942	0.9943	0.9944
73	0.9941	0.9942	0.9942	0.9943	0.9943	0.9944	0.9945
74	0.9942	0.9943	0.9943	0.9944	0.9944	0.9945	0.9946
75	0.9943	0.9944	0.9944	0.9945	0.9945	0.9946	0.9947
76	0.9944	0.9945	0.9945	0.9946	0.9946	0.9947	0.9948
77	0.9945	0.9946	0.9946	0.9947	0.9947	0.9948	0.9949
78	0.9946	0.9947	0.9947	0.9948	0.9948	0.9949	0.9950
79	0.9947	0.9948	0.9948	0.9949	0.9949	0.9950	0.9950
80	0.9948	0.9949	0.9949	0.9950	0.9950	0.9951	0.9951
81	0.9949	0.9949	0.9950	0.9951	0.9951	0.9952	0.9952
82	0.9951	0.9950	0.9951	0.9952	0.9952	0.9953	0.9953
83	0.9952	0.9951	0.9952	0.9953	0.9953	0.9954	0.9954
84	0.9953	0.9952	0.9953	0.9954	0.9954	0.9955	0.9955
85	0.9954	0.9953	0.9954	0.9955	0.9955	0.9956	0.9956
86	0.9955	0.9954	0.9955	0.9956	0.9956	0.9957	0.9957
87	0.9956	0.9955	0.9956	0.9957	0.9957	0.9958	0.9958
88	0.9957	0.9957	0.9957	0.9958	0.9958	0.9959	0.9959
89	0.9958	0.9958	0.9958	0.9959	0.9959	0.9960	0.9960
90	0.9959	0.9959	0.9960	0.9960	0.9960	0.9961	0.9961
91	0.9960	0.9960	0.9961	0.9962	0.9962	0.9962	0.9963
92	0.9962	0.9961	0.9962	0.9963	0.9963	0.9964	0.9964
93	0.9963	0.9963	0.9964	0.9964	0.9964	0.9965	0.9965
94	0.9965	0.9965	0.9965	0.9966	0.9966	0.9967	0.9966
95	0.9966	0.9966	0.9967	0.9968	0.9967	0.9968	0.9968
96	0.9968	0.9968	0.9969	0.9969	0.9969	0.9970	0.9969
97	0.9970	0.9970	0.9971	0.9971	0.9971	0.9972	0.9972
98	0.9973	0.9973	0.9973	0.9974	0.9974	0.9974	0.9974
99	0.9977	0.9976	0.9976	0.9977	0.9977	0.9977	0.9977
100	0.9987	0.9989	0.9990	0.9988	0.9987	0.9989	0.9989

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 87	88	89	90	91	92	93
1	0.9554	0.9538	0.9534	0.9557	0.9541	0.9560	0.9567
2	0.9638	0.9640	0.9640	0.9643	0.9639	0.9651	0.9645
3	0.9693	0.9692	0.9685	0.9694	0.9690	0.9699	0.9694
4	0.9725	0.9721	0.9714	0.9732	0.9728	0.9733	0.9731
5	0.9752	0.9742	0.9743	0.9754	0.9751	0.9759	0.9758
6	0.9769	0.9761	0.9761	0.9773	0.9769	0.9777	0.9775
7	0.9782	0.9778	0.9778	0.9788	0.9782	0.9791	0.9789
8	0.9794	0.9793	0.9791	0.9801	0.9794	0.9802	0.9798
9	0.9805	0.9802	0.9803	0.9812	0.9806	0.9813	0.9809
10	0.9815	0.9811	0.9814	0.9819	0.9816	0.9823	0.9818
11	0.9823	0.9818	0.9821	0.9827	0.9824	0.9830	0.9826
12	0.9829	0.9826	0.9829	0.9834	0.9831	0.9836	0.9834
13	0.9834	0.9833	0.9836	0.9840	0.9837	0.9841	0.9840
14	0.9840	0.9839	0.9841	0.9845	0.9842	0.9845	0.9845
15	0.9846	0.9844	0.9846	0.9850	0.9848	0.9850	0.9850
16	0.9850	0.9848	0.9850	0.9854	0.9853	0.9855	0.9854
17	0.9854	0.9853	0.9855	0.9858	0.9857	0.9859	0.9859
18	0.9858	0.9857	0.9859	0.9862	0.9860	0.9863	0.9863
19	0.9861	0.9861	0.9862	0.9865	0.9864	0.9867	0.9867
20	0.9865	0.9864	0.9866	0.9868	0.9867	0.9870	0.9870
21	0.9869	0.9867	0.9869	0.9871	0.9871	0.9873	0.9873
22	0.9872	0.9871	0.9872	0.9875	0.9874	0.9876	0.9876
23	0.9874	0.9873	0.9874	0.9877	0.9876	0.9879	0.9879
24	0.9878	0.9876	0.9877	0.9880	0.9880	0.9882	0.9882
25	0.9880	0.9878	0.9879	0.9883	0.9882	0.9884	0.9884
26	0.9882	0.9881	0.9882	0.9886	0.9884	0.9886	0.9887
27	0.9885	0.9883	0.9885	0.9888	0.9887	0.9889	0.9889
28	0.9887	0.9886	0.9887	0.9890	0.9889	0.9891	0.9891
29	0.9889	0.9888	0.9889	0.9892	0.9892	0.9894	0.9894
30	0.9891	0.9890	0.9891	0.9894	0.9894	0.9896	0.9896
31	0.9893	0.9893	0.9893	0.9896	0.9896	0.9898	0.9897
32	0.9895	0.9895	0.9895	0.9898	0.9898	0.9900	0.9899
33	0.9897	0.9896	0.9897	0.9900	0.9899	0.9902	0.9901
34	0.9899	0.9898	0.9899	0.9902	0.9901	0.9903	0.9903
35	0.9900	0.9900	0.9900	0.9903	0.9903	0.9905	0.9904
36	0.9902	0.9902	0.9902	0.9905	0.9905	0.9907	0.9906
37	0.9904	0.9903	0.9904	0.9906	0.9906	0.9908	0.9907
38	0.9906	0.9905	0.9906	0.9908	0.9908	0.9910	0.9909
39	0.9907	0.9906	0.9907	0.9910	0.9909	0.9911	0.9910
40	0.9909	0.9908	0.9908	0.9911	0.9911	0.9913	0.9911
41	0.9910	0.9910	0.9910	0.9912	0.9912	0.9914	0.9913
42	0.9911	0.9911	0.9912	0.9913	0.9914	0.9915	0.9914
43	0.9913	0.9913	0.9913	0.9915	0.9915	0.9917	0.9916
44	0.9914	0.9914	0.9914	0.9916	0.9917	0.9918	0.9917
45	0.9916	0.9915	0.9916	0.9918	0.9918	0.9919	0.9918
46	0.9917	0.9917	0.9917	0.9919	0.9920	0.9920	0.9920
47	0.9918	0.9918	0.9918	0.9920	0.9921	0.9921	0.9921
48	0.9919	0.9919	0.9919	0.9921	0.9922	0.9922	0.9922
49	0.9920	0.9920	0.9921	0.9923	0.9923	0.9924	0.9924
50	0.9922	0.9922	0.9922	0.9924	0.9924	0.9925	0.9924

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 87	88	89	90	91	92	93
51	0.9923	0.9923	0.9923	0.9925	0.9926	0.9926	0.9926
52	0.9924	0.9924	0.9924	0.9926	0.9927	0.9927	0.9927
53	0.9925	0.9925	0.9925	0.9927	0.9928	0.9928	0.9928
54	0.9926	0.9927	0.9926	0.9928	0.9929	0.9929	0.9929
55	0.9928	0.9928	0.9928	0.9929	0.9930	0.9930	0.9930
56	0.9928	0.9929	0.9929	0.9930	0.9931	0.9931	0.9931
57	0.9930	0.9930	0.9930	0.9931	0.9932	0.9932	0.9932
58	0.9931	0.9931	0.9931	0.9932	0.9933	0.9933	0.9933
59	0.9932	0.9932	0.9932	0.9933	0.9934	0.9934	0.9934
60	0.9933	0.9933	0.9933	0.9934	0.9935	0.9935	0.9935
61	0.9934	0.9934	0.9934	0.9935	0.9936	0.9936	0.9936
62	0.9935	0.9935	0.9935	0.9936	0.9937	0.9937	0.9937
63	0.9936	0.9936	0.9936	0.9937	0.9938	0.9938	0.9938
64	0.9936	0.9937	0.9937	0.9938	0.9939	0.9939	0.9939
65	0.9938	0.9938	0.9938	0.9939	0.9940	0.9940	0.9940
66	0.9939	0.9939	0.9939	0.9940	0.9941	0.9941	0.9941
67	0.9939	0.9940	0.9940	0.9941	0.9942	0.9942	0.9941
68	0.9940	0.9941	0.9941	0.9942	0.9943	0.9943	0.9942
69	0.9941	0.9942	0.9942	0.9943	0.9943	0.9944	0.9943
70	0.9942	0.9943	0.9943	0.9944	0.9944	0.9945	0.9944
71	0.9943	0.9943	0.9944	0.9944	0.9945	0.9946	0.9945
72	0.9944	0.9944	0.9945	0.9945	0.9946	0.9946	0.9946
73	0.9945	0.9945	0.9945	0.9946	0.9947	0.9947	0.9947
74	0.9946	0.9946	0.9946	0.9947	0.9948	0.9948	0.9948
75	0.9947	0.9947	0.9947	0.9948	0.9949	0.9949	0.9948
76	0.9948	0.9948	0.9948	0.9949	0.9950	0.9950	0.9949
77	0.9949	0.9949	0.9949	0.9950	0.9950	0.9951	0.9950
78	0.9950	0.9950	0.9950	0.9951	0.9952	0.9951	0.9951
79	0.9951	0.9951	0.9951	0.9952	0.9952	0.9952	0.9952
80	0.9952	0.9952	0.9952	0.9953	0.9953	0.9953	0.9953
81	0.9953	0.9953	0.9953	0.9953	0.9954	0.9954	0.9954
82	0.9954	0.9954	0.9954	0.9954	0.9955	0.9955	0.9955
83	0.9955	0.9954	0.9955	0.9955	0.9956	0.9956	0.9956
84	0.9956	0.9955	0.9956	0.9956	0.9957	0.9957	0.9957
85	0.9957	0.9956	0.9957	0.9957	0.9958	0.9958	0.9958
86	0.9958	0.9957	0.9958	0.9958	0.9959	0.9959	0.9959
87	0.9959	0.9958	0.9959	0.9959	0.9960	0.9960	0.9960
88	0.9960	0.9959	0.9960	0.9960	0.9961	0.9961	0.9961
89	0.9961	0.9960	0.9961	0.9961	0.9962	0.9962	0.9962
90	0.9962	0.9962	0.9962	0.9962	0.9963	0.9963	0.9963
91	0.9963	0.9963	0.9963	0.9964	0.9964	0.9964	0.9964
92	0.9964	0.9964	0.9964	0.9965	0.9965	0.9966	0.9966
93	0.9965	0.9965	0.9965	0.9966	0.9967	0.9967	0.9967
94	0.9967	0.9967	0.9967	0.9967	0.9968	0.9968	0.9968
95	0.9968	0.9968	0.9968	0.9969	0.9969	0.9970	0.9970
96	0.9970	0.9970	0.9970	0.9970	0.9971	0.9971	0.9971
97	0.9972	0.9972	0.9972	0.9972	0.9973	0.9973	0.9973
98	0.9975	0.9974	0.9974	0.9975	0.9975	0.9975	0.9975
99	0.9978	0.9977	0.9977	0.9978	0.9978	0.9978	0.9978
100	0.9990	0.9989	0.9989	0.9987	0.9991	0.9989	0.9989

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 94	95	96	97	98	99	100
1	0.9555	0.9556	0.9585	0.9582	0.9589	0.9569	0.9563
2	0.9655	0.9647	0.9678	0.9658	0.9660	0.9664	0.9667
3	0.9703	0.9698	0.9719	0.9714	0.9716	0.9716	0.9712
4	0.9738	0.9731	0.9744	0.9742	0.9744	0.9746	0.9742
5	0.9758	0.9754	0.9765	0.9764	0.9763	0.9766	0.9766
6	0.9776	0.9773	0.9783	0.9781	0.9779	0.9784	0.9784
7	0.9791	0.9788	0.9796	0.9793	0.9795	0.9798	0.9799
8	0.9802	0.9800	0.9806	0.9809	0.9807	0.9808	0.9810
9	0.9812	0.9811	0.9816	0.9817	0.9819	0.9818	0.9821
10	0.9820	0.9818	0.9824	0.9826	0.9829	0.9826	0.9828
11	0.9829	0.9827	0.9833	0.9833	0.9835	0.9834	0.9835
12	0.9835	0.9834	0.9840	0.9840	0.9842	0.9841	0.9842
13	0.9842	0.9839	0.9845	0.9846	0.9847	0.9846	0.9847
14	0.9847	0.9844	0.9850	0.9851	0.9853	0.9852	0.9852
15	0.9851	0.9849	0.9855	0.9855	0.9857	0.9857	0.9857
16	0.9856	0.9854	0.9860	0.9860	0.9861	0.9863	0.9861
17	0.9860	0.9858	0.9864	0.9864	0.9865	0.9867	0.9865
18	0.9863	0.9862	0.9868	0.9868	0.9868	0.9871	0.9869
19	0.9867	0.9867	0.9871	0.9871	0.9871	0.9874	0.9872
20	0.9871	0.9870	0.9875	0.9874	0.9874	0.9877	0.9876
21	0.9874	0.9874	0.9877	0.9877	0.9877	0.9880	0.9879
22	0.9877	0.9876	0.9879	0.9880	0.9880	0.9883	0.9882
23	0.9880	0.9879	0.9882	0.9883	0.9883	0.9885	0.9885
24	0.9882	0.9882	0.9885	0.9886	0.9886	0.9887	0.9887
25	0.9885	0.9884	0.9887	0.9889	0.9889	0.9890	0.9890
26	0.9887	0.9887	0.9890	0.9891	0.9891	0.9892	0.9893
27	0.9889	0.9889	0.9892	0.9893	0.9893	0.9895	0.9894
28	0.9891	0.9891	0.9894	0.9895	0.9895	0.9897	0.9897
29	0.9893	0.9893	0.9897	0.9897	0.9897	0.9899	0.9898
30	0.9895	0.9895	0.9899	0.9899	0.9899	0.9901	0.9900
31	0.9897	0.9897	0.9901	0.9901	0.9902	0.9903	0.9902
32	0.9900	0.9899	0.9903	0.9903	0.9903	0.9904	0.9904
33	0.9901	0.9901	0.9904	0.9905	0.9905	0.9906	0.9906
34	0.9903	0.9903	0.9906	0.9906	0.9907	0.9907	0.9907
35	0.9905	0.9905	0.9908	0.9908	0.9908	0.9909	0.9909
36	0.9906	0.9907	0.9909	0.9909	0.9909	0.9910	0.9910
37	0.9908	0.9908	0.9911	0.9911	0.9911	0.9912	0.9912
38	0.9909	0.9910	0.9912	0.9912	0.9912	0.9913	0.9913
39	0.9911	0.9911	0.9913	0.9914	0.9914	0.9915	0.9915
40	0.9913	0.9912	0.9915	0.9915	0.9915	0.9916	0.9916
41	0.9914	0.9914	0.9916	0.9917	0.9917	0.9918	0.9917
42	0.9916	0.9915	0.9918	0.9918	0.9918	0.9919	0.9918
43	0.9917	0.9916	0.9919	0.9919	0.9919	0.9920	0.9920
44	0.9918	0.9918	0.9920	0.9921	0.9921	0.9922	0.9921
45	0.9919	0.9919	0.9921	0.9922	0.9922	0.9923	0.9922
46	0.9921	0.9920	0.9923	0.9923	0.9923	0.9924	0.9923
47	0.9922	0.9921	0.9924	0.9924	0.9924	0.9925	0.9924
48	0.9923	0.9923	0.9925	0.9925	0.9925	0.9927	0.9926
49	0.9924	0.9924	0.9926	0.9927	0.9927	0.9928	0.9927
50	0.9925	0.9925	0.9927	0.9928	0.9928	0.9929	0.9928

Table C.1 (continued) p-values of the CC for the 2-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 94	95	96	97	98	99	100
51	0.9927	0.9926	0.9928	0.9929	0.9929	0.9930	0.9929
52	0.9928	0.9927	0.9929	0.9930	0.9930	0.9931	0.9930
53	0.9929	0.9928	0.9930	0.9931	0.9931	0.9932	0.9931
54	0.9930	0.9929	0.9931	0.9932	0.9932	0.9933	0.9932
55	0.9931	0.9930	0.9932	0.9933	0.9933	0.9934	0.9933
56	0.9932	0.9931	0.9933	0.9934	0.9934	0.9935	0.9934
57	0.9933	0.9932	0.9934	0.9935	0.9935	0.9936	0.9935
58	0.9934	0.9933	0.9936	0.9936	0.9936	0.9937	0.9936
59	0.9935	0.9934	0.9937	0.9937	0.9937	0.9938	0.9937
60	0.9936	0.9935	0.9938	0.9938	0.9938	0.9939	0.9938
61	0.9937	0.9936	0.9939	0.9939	0.9939	0.9939	0.9939
62	0.9938	0.9937	0.9939	0.9940	0.9940	0.9940	0.9940
63	0.9939	0.9938	0.9940	0.9941	0.9941	0.9941	0.9940
64	0.9940	0.9939	0.9941	0.9942	0.9942	0.9942	0.9941
65	0.9941	0.9940	0.9942	0.9942	0.9942	0.9943	0.9942
66	0.9942	0.9941	0.9943	0.9943	0.9943	0.9944	0.9943
67	0.9943	0.9942	0.9944	0.9944	0.9944	0.9945	0.9944
68	0.9944	0.9943	0.9945	0.9945	0.9945	0.9945	0.9945
69	0.9945	0.9944	0.9946	0.9946	0.9946	0.9946	0.9946
70	0.9945	0.9945	0.9946	0.9947	0.9947	0.9947	0.9947
71	0.9946	0.9946	0.9947	0.9947	0.9948	0.9948	0.9948
72	0.9947	0.9947	0.9948	0.9949	0.9948	0.9949	0.9948
73	0.9948	0.9948	0.9949	0.9949	0.9949	0.9950	0.9949
74	0.9949	0.9949	0.9950	0.9950	0.9950	0.9951	0.9950
75	0.9950	0.9950	0.9951	0.9951	0.9951	0.9951	0.9951
76	0.9951	0.9950	0.9951	0.9952	0.9952	0.9952	0.9952
77	0.9952	0.9951	0.9952	0.9953	0.9953	0.9953	0.9953
78	0.9952	0.9952	0.9953	0.9954	0.9954	0.9954	0.9954
79	0.9953	0.9953	0.9954	0.9954	0.9955	0.9955	0.9955
80	0.9954	0.9954	0.9955	0.9955	0.9955	0.9956	0.9956
81	0.9955	0.9955	0.9956	0.9956	0.9956	0.9957	0.9957
82	0.9956	0.9956	0.9956	0.9957	0.9957	0.9958	0.9957
83	0.9957	0.9957	0.9958	0.9958	0.9958	0.9958	0.9958
84	0.9958	0.9958	0.9959	0.9959	0.9959	0.9959	0.9959
85	0.9959	0.9959	0.9960	0.9960	0.9960	0.9960	0.9960
86	0.9960	0.9960	0.9961	0.9961	0.9961	0.9961	0.9961
87	0.9961	0.9961	0.9962	0.9962	0.9961	0.9962	0.9962
88	0.9962	0.9962	0.9963	0.9963	0.9962	0.9963	0.9963
89	0.9963	0.9963	0.9964	0.9964	0.9963	0.9964	0.9964
90	0.9964	0.9964	0.9965	0.9965	0.9964	0.9965	0.9965
91	0.9965	0.9965	0.9966	0.9966	0.9965	0.9966	0.9966
92	0.9966	0.9966	0.9967	0.9967	0.9967	0.9967	0.9967
93	0.9967	0.9967	0.9968	0.9968	0.9968	0.9968	0.9969
94	0.9969	0.9969	0.9969	0.9969	0.9969	0.9969	0.9970
95	0.9970	0.9970	0.9971	0.9971	0.9970	0.9971	0.9971
96	0.9972	0.9971	0.9972	0.9972	0.9972	0.9973	0.9972
97	0.9973	0.9973	0.9974	0.9974	0.9973	0.9974	0.9974
98	0.9975	0.9975	0.9976	0.9976	0.9976	0.9976	0.9976
99	0.9979	0.9978	0.9979	0.9978	0.9979	0.9979	0.9979
100	0.9988	0.9985	0.9988	0.9990	0.9988	0.9989	0.9988

Table C.2 p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 3	4	5	6	7	8	9
1	0.9124011	0.9223	0.9311	0.9314	0.9346	0.9380	0.9389
2	0.9207038	0.9367	0.9366	0.9394	0.9437	0.9458	0.9463
3	0.9284241	0.9441	0.9402	0.9445	0.9485	0.9503	0.9509
4	0.9347977	0.9488	0.9427	0.9478	0.9517	0.9530	0.9546
5	0.9404672	0.9521	0.9453	0.9499	0.9542	0.9556	0.9570
6	0.9470956	0.9545	0.9478	0.9519	0.9565	0.9574	0.9592
7	0.9533128	0.9569	0.9505	0.9536	0.9580	0.9590	0.9608
8	0.9586918	0.9594	0.9533	0.9550	0.9594	0.9604	0.9620
9	0.9632697	0.9613	0.9556	0.9565	0.9605	0.9615	0.9632
10	0.9668425	0.9631	0.9577	0.9578	0.9614	0.9625	0.9642
11	0.9703652	0.9639	0.9595	0.9590	0.9624	0.9636	0.9652
12	0.9734085	0.9646	0.9611	0.9600	0.9633	0.9644	0.9661
13	0.9753652	0.9652	0.9627	0.9613	0.9642	0.9652	0.9669
14	0.9769057	0.9659	0.9640	0.9624	0.9651	0.9661	0.9677
15	0.9781263	0.9664	0.9653	0.9634	0.9658	0.9669	0.9684
16	0.9789678	0.9670	0.9665	0.9644	0.9666	0.9675	0.9690
17	0.9799740	0.9676	0.9676	0.9653	0.9674	0.9682	0.9696
18	0.9813572	0.9682	0.9685	0.9661	0.9680	0.9689	0.9702
19	0.9824589	0.9687	0.9695	0.9670	0.9687	0.9695	0.9708
20	0.9836277	0.9693	0.9703	0.9677	0.9693	0.9701	0.9714
21	0.9846037	0.9700	0.9711	0.9685	0.9700	0.9706	0.9718
22	0.9857338	0.9706	0.9719	0.9692	0.9706	0.9712	0.9724
23	0.9868593	0.9710	0.9727	0.9700	0.9712	0.9717	0.9728
24	0.9880125	0.9716	0.9733	0.9707	0.9718	0.9723	0.9732
25	0.9889749	0.9722	0.9739	0.9713	0.9722	0.9728	0.9737
26	0.9901184	0.9728	0.9744	0.9720	0.9727	0.9733	0.9741
27	0.9913154	0.9733	0.9750	0.9726	0.9734	0.9738	0.9746
28	0.9924566	0.9739	0.9756	0.9732	0.9739	0.9744	0.9750
29	0.9935306	0.9745	0.9761	0.9737	0.9744	0.9748	0.9754
30	0.9944224	0.9752	0.9766	0.9743	0.9749	0.9753	0.9758
31	0.9953262	0.9757	0.9771	0.9748	0.9754	0.9757	0.9762
32	0.9961988	0.9763	0.9776	0.9754	0.9758	0.9761	0.9766
33	0.9969686	0.9768	0.9780	0.9759	0.9763	0.9765	0.9770
34	0.9976798	0.9774	0.9785	0.9765	0.9767	0.9769	0.9774
35	0.9982820	0.9779	0.9789	0.9769	0.9771	0.9773	0.9778
36	0.9988955	0.9785	0.9792	0.9774	0.9775	0.9777	0.9782
37	0.9993253	0.9791	0.9796	0.9779	0.9779	0.9780	0.9785
38	0.9996323	0.9796	0.9800	0.9783	0.9782	0.9784	0.9789
39	0.9998913	0.9801	0.9804	0.9788	0.9787	0.9788	0.9793
40	0.9999510	0.9807	0.9807	0.9792	0.9790	0.9791	0.9796
41	0.9999613	0.9813	0.9810	0.9796	0.9794	0.9795	0.9799
42	0.9999700	0.9819	0.9813	0.9800	0.9798	0.9799	0.9802
43	0.9999768	0.9825	0.9818	0.9804	0.9802	0.9801	0.9805
44	0.9999825	0.9830	0.9821	0.9807	0.9805	0.9805	0.9808
45	0.9999874	0.9835	0.9825	0.9811	0.9808	0.9809	0.9811
46	0.9999898	0.9840	0.9828	0.9814	0.9812	0.9812	0.9815
47	0.9999914	0.9845	0.9832	0.9817	0.9815	0.9814	0.9818
48	0.9999930	0.9850	0.9834	0.9821	0.9818	0.9818	0.9821
49	0.9999940	0.9857	0.9838	0.9825	0.9822	0.9820	0.9824
50	0.9999948	0.9861	0.9841	0.9828	0.9825	0.9823	0.9827

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 3	4	5	6	7	8	9
51	0.9999955	0.9867	0.9844	0.9831	0.9827	0.9826	0.9830
52	0.9999962	0.9871	0.9847	0.9834	0.9831	0.9829	0.9832
53	0.9999966	0.9876	0.9850	0.9838	0.9834	0.9831	0.9835
54	0.9999970	0.9880	0.9853	0.9841	0.9837	0.9834	0.9837
55	0.9999973	0.9885	0.9856	0.9844	0.9840	0.9837	0.9840
56	0.9999976	0.9890	0.9859	0.9847	0.9843	0.9840	0.9843
57	0.9999979	0.9894	0.9862	0.9850	0.9845	0.9842	0.9846
58	0.9999982	0.9898	0.9865	0.9853	0.9848	0.9845	0.9848
59	0.9999984	0.9903	0.9867	0.9856	0.9851	0.9848	0.9851
60	0.9999986	0.9907	0.9870	0.9858	0.9854	0.9851	0.9853
61	0.9999987	0.9912	0.9874	0.9861	0.9857	0.9853	0.9856
62	0.9999989	0.9916	0.9877	0.9863	0.9859	0.9856	0.9858
63	0.9999990	0.9920	0.9880	0.9867	0.9862	0.9858	0.9860
64	0.9999991	0.9923	0.9883	0.9870	0.9864	0.9861	0.9863
65	0.9999992	0.9927	0.9886	0.9872	0.9867	0.9864	0.9865
66	0.9999993	0.9930	0.9889	0.9875	0.9870	0.9866	0.9868
67	0.9999993	0.9934	0.9891	0.9878	0.9873	0.9869	0.9870
68	0.9999994	0.9938	0.9894	0.9881	0.9875	0.9871	0.9873
69	0.9999995	0.9942	0.9897	0.9883	0.9878	0.9874	0.9876
70	0.9999995	0.9945	0.9900	0.9886	0.9880	0.9876	0.9878
71	0.9999996	0.9949	0.9903	0.9889	0.9883	0.9879	0.9880
72	0.9999996	0.9953	0.9907	0.9892	0.9885	0.9882	0.9882
73	0.9999996	0.9956	0.9910	0.9895	0.9888	0.9884	0.9885
74	0.9999997	0.9959	0.9913	0.9898	0.9890	0.9887	0.9887
75	0.9999998	0.9962	0.9916	0.9901	0.9893	0.9890	0.9889
76	0.9999998	0.9965	0.9920	0.9904	0.9895	0.9892	0.9892
77	0.9999998	0.9968	0.9923	0.9907	0.9898	0.9895	0.9894
78	0.9999998	0.9971	0.9926	0.9909	0.9901	0.9897	0.9897
79	0.9999999	0.9973	0.9929	0.9912	0.9904	0.9900	0.9899
80	0.9999999	0.9976	0.9932	0.9914	0.9906	0.9902	0.9901
81	0.9999999	0.9978	0.9936	0.9918	0.9909	0.9905	0.9904
82	0.9999999	0.9980	0.9939	0.9921	0.9911	0.9907	0.9906
83	0.9999999	0.9982	0.9942	0.9923	0.9913	0.9910	0.9908
84	0.9999999	0.9984	0.9946	0.9927	0.9917	0.9913	0.9910
85	1.0000000	0.9986	0.9949	0.9930	0.9920	0.9916	0.9913
86	1.0000000	0.9988	0.9953	0.9933	0.9923	0.9919	0.9915
87	1.0000000	0.9989	0.9956	0.9936	0.9926	0.9922	0.9918
88	1.0000000	0.9991	0.9959	0.9939	0.9929	0.9925	0.9921
89	1.0000000	0.9993	0.9962	0.9943	0.9933	0.9927	0.9924
90	1.0000000	0.9994	0.9966	0.9946	0.9936	0.9931	0.9927
91	1.0000000	0.9995	0.9969	0.9950	0.9940	0.9934	0.9931
92	1.0000000	0.9996	0.9973	0.9954	0.9943	0.9937	0.9934
93	1.0000000	0.9997	0.9977	0.9957	0.9946	0.9940	0.9937
94	1.0000000	0.9998	0.9980	0.9961	0.9950	0.9945	0.9941
95	1.0000000	0.9999	0.9984	0.9966	0.9953	0.9949	0.9946
96	1.0000000	0.9999	0.9986	0.9971	0.9959	0.9953	0.9950
97	1.0000000	1.0000	0.9990	0.9976	0.9964	0.9959	0.9955
98	1.0000000	1.0000	0.9993	0.9982	0.9970	0.9966	0.9961
99	1.0000000	1.0000	0.9998	0.9991	0.9981	0.9975	0.9970
100	1.0000000	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 10	11	12	13	14	15	16
1	0.9429	0.9454	0.9472	0.9470	0.9504	0.9516	0.9545
2	0.9497	0.9516	0.9529	0.9555	0.9567	0.9583	0.9601
3	0.9533	0.9556	0.9567	0.9588	0.9602	0.9619	0.9633
4	0.9562	0.9579	0.9594	0.9614	0.9625	0.9641	0.9657
5	0.9589	0.9603	0.9613	0.9634	0.9648	0.9660	0.9672
6	0.9609	0.9621	0.9633	0.9649	0.9662	0.9678	0.9686
7	0.9624	0.9638	0.9650	0.9661	0.9675	0.9688	0.9698
8	0.9636	0.9650	0.9661	0.9673	0.9684	0.9698	0.9710
9	0.9647	0.9661	0.9673	0.9683	0.9695	0.9709	0.9718
10	0.9657	0.9671	0.9683	0.9693	0.9704	0.9718	0.9726
11	0.9668	0.9681	0.9691	0.9702	0.9713	0.9725	0.9734
12	0.9676	0.9688	0.9700	0.9709	0.9720	0.9733	0.9741
13	0.9684	0.9695	0.9706	0.9716	0.9727	0.9739	0.9747
14	0.9691	0.9702	0.9713	0.9723	0.9733	0.9745	0.9753
15	0.9698	0.9709	0.9720	0.9729	0.9739	0.9751	0.9760
16	0.9705	0.9716	0.9727	0.9735	0.9744	0.9756	0.9764
17	0.9710	0.9723	0.9732	0.9741	0.9750	0.9761	0.9769
18	0.9717	0.9728	0.9738	0.9746	0.9755	0.9766	0.9774
19	0.9723	0.9733	0.9744	0.9750	0.9760	0.9771	0.9778
20	0.9727	0.9738	0.9748	0.9755	0.9765	0.9776	0.9782
21	0.9731	0.9744	0.9752	0.9759	0.9769	0.9780	0.9786
22	0.9737	0.9748	0.9757	0.9763	0.9773	0.9784	0.9790
23	0.9742	0.9752	0.9761	0.9767	0.9777	0.9788	0.9794
24	0.9747	0.9756	0.9765	0.9771	0.9781	0.9791	0.9797
25	0.9751	0.9760	0.9769	0.9775	0.9784	0.9794	0.9800
26	0.9755	0.9764	0.9773	0.9779	0.9787	0.9798	0.9804
27	0.9759	0.9767	0.9777	0.9782	0.9790	0.9801	0.9807
28	0.9764	0.9770	0.9780	0.9786	0.9793	0.9804	0.9809
29	0.9767	0.9774	0.9784	0.9790	0.9797	0.9807	0.9812
30	0.9771	0.9778	0.9787	0.9793	0.9800	0.9810	0.9815
31	0.9774	0.9781	0.9790	0.9796	0.9803	0.9812	0.9818
32	0.9778	0.9784	0.9794	0.9800	0.9806	0.9815	0.9821
33	0.9781	0.9788	0.9797	0.9802	0.9809	0.9818	0.9823
34	0.9784	0.9791	0.9800	0.9805	0.9812	0.9820	0.9825
35	0.9787	0.9794	0.9803	0.9808	0.9814	0.9822	0.9828
36	0.9790	0.9796	0.9805	0.9810	0.9816	0.9824	0.9830
37	0.9793	0.9799	0.9808	0.9813	0.9819	0.9827	0.9833
38	0.9796	0.9802	0.9811	0.9816	0.9821	0.9829	0.9835
39	0.9799	0.9805	0.9814	0.9819	0.9824	0.9831	0.9837
40	0.9802	0.9808	0.9817	0.9821	0.9827	0.9833	0.9839
41	0.9805	0.9811	0.9820	0.9824	0.9829	0.9835	0.9842
42	0.9808	0.9814	0.9822	0.9826	0.9831	0.9837	0.9843
43	0.9811	0.9817	0.9824	0.9828	0.9833	0.9839	0.9846
44	0.9814	0.9819	0.9827	0.9831	0.9835	0.9841	0.9848
45	0.9817	0.9822	0.9829	0.9833	0.9838	0.9843	0.9849
46	0.9820	0.9825	0.9831	0.9836	0.9840	0.9846	0.9851
47	0.9823	0.9828	0.9834	0.9838	0.9842	0.9847	0.9853
48	0.9825	0.9831	0.9836	0.9840	0.9845	0.9850	0.9855
49	0.9828	0.9833	0.9838	0.9843	0.9846	0.9852	0.9857
50	0.9831	0.9836	0.9841	0.9845	0.9848	0.9854	0.9859

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 10	11	12	13	14	15	16
51	0.9834	0.9839	0.9843	0.9847	0.9850	0.9856	0.9861
52	0.9836	0.9841	0.9845	0.9850	0.9852	0.9858	0.9863
53	0.9840	0.9843	0.9848	0.9852	0.9855	0.9860	0.9865
54	0.9842	0.9845	0.9850	0.9854	0.9857	0.9862	0.9867
55	0.9844	0.9848	0.9852	0.9856	0.9859	0.9864	0.9868
56	0.9847	0.9850	0.9855	0.9858	0.9861	0.9866	0.9870
57	0.9849	0.9853	0.9856	0.9860	0.9863	0.9868	0.9872
58	0.9852	0.9855	0.9859	0.9862	0.9865	0.9870	0.9874
59	0.9855	0.9857	0.9861	0.9865	0.9868	0.9872	0.9875
60	0.9857	0.9859	0.9863	0.9866	0.9869	0.9874	0.9877
61	0.9860	0.9862	0.9865	0.9868	0.9871	0.9876	0.9879
62	0.9862	0.9864	0.9867	0.9870	0.9873	0.9878	0.9881
63	0.9864	0.9866	0.9870	0.9872	0.9875	0.9879	0.9882
64	0.9866	0.9868	0.9872	0.9874	0.9877	0.9881	0.9884
65	0.9868	0.9870	0.9874	0.9876	0.9879	0.9883	0.9885
66	0.9870	0.9873	0.9876	0.9879	0.9881	0.9885	0.9887
67	0.9872	0.9875	0.9878	0.9880	0.9883	0.9887	0.9889
68	0.9875	0.9877	0.9880	0.9882	0.9885	0.9889	0.9891
69	0.9877	0.9879	0.9882	0.9884	0.9887	0.9891	0.9893
70	0.9879	0.9881	0.9884	0.9886	0.9889	0.9893	0.9895
71	0.9882	0.9884	0.9886	0.9889	0.9891	0.9895	0.9897
72	0.9884	0.9886	0.9888	0.9891	0.9893	0.9897	0.9898
73	0.9886	0.9888	0.9891	0.9893	0.9895	0.9899	0.9900
74	0.9888	0.9890	0.9893	0.9894	0.9896	0.9901	0.9902
75	0.9891	0.9893	0.9895	0.9896	0.9899	0.9902	0.9904
76	0.9894	0.9895	0.9897	0.9898	0.9901	0.9904	0.9905
77	0.9896	0.9897	0.9899	0.9900	0.9903	0.9906	0.9907
78	0.9899	0.9900	0.9901	0.9902	0.9905	0.9908	0.9909
79	0.9901	0.9902	0.9903	0.9904	0.9908	0.9910	0.9911
80	0.9903	0.9905	0.9906	0.9906	0.9910	0.9912	0.9912
81	0.9905	0.9907	0.9908	0.9907	0.9911	0.9913	0.9914
82	0.9907	0.9909	0.9910	0.9909	0.9913	0.9915	0.9916
83	0.9910	0.9911	0.9912	0.9911	0.9915	0.9917	0.9918
84	0.9912	0.9913	0.9915	0.9914	0.9917	0.9919	0.9920
85	0.9914	0.9915	0.9917	0.9915	0.9919	0.9922	0.9922
86	0.9916	0.9918	0.9919	0.9918	0.9922	0.9924	0.9923
87	0.9920	0.9920	0.9921	0.9920	0.9924	0.9926	0.9925
88	0.9922	0.9923	0.9924	0.9923	0.9926	0.9927	0.9927
89	0.9924	0.9926	0.9927	0.9926	0.9928	0.9930	0.9930
90	0.9927	0.9928	0.9930	0.9929	0.9931	0.9932	0.9932
91	0.9930	0.9931	0.9932	0.9931	0.9933	0.9934	0.9935
92	0.9932	0.9934	0.9935	0.9934	0.9936	0.9936	0.9937
93	0.9936	0.9937	0.9937	0.9938	0.9939	0.9939	0.9940
94	0.9939	0.9940	0.9941	0.9941	0.9942	0.9943	0.9942
95	0.9943	0.9943	0.9944	0.9944	0.9945	0.9945	0.9945
96	0.9947	0.9947	0.9948	0.9948	0.9948	0.9949	0.9949
97	0.9952	0.9951	0.9954	0.9952	0.9953	0.9953	0.9953
98	0.9959	0.9957	0.9959	0.9957	0.9957	0.9958	0.9957
99	0.9967	0.9965	0.9966	0.9963	0.9964	0.9964	0.9963
100	1.0000	1.0000	1.0000	1.0000	0.9982	0.9986	0.9982

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 17	18	19	20	21	22	23
1	0.9552	0.9565	0.9586	0.9601	0.9611	0.9621	0.9624
2	0.9611	0.9621	0.9644	0.9649	0.9660	0.9671	0.9671
3	0.9645	0.9651	0.9669	0.9677	0.9687	0.9696	0.9696
4	0.9666	0.9673	0.9686	0.9697	0.9706	0.9716	0.9718
5	0.9680	0.9690	0.9700	0.9711	0.9721	0.9728	0.9731
6	0.9694	0.9705	0.9714	0.9722	0.9733	0.9739	0.9744
7	0.9706	0.9716	0.9723	0.9733	0.9742	0.9749	0.9756
8	0.9716	0.9728	0.9733	0.9742	0.9752	0.9757	0.9766
9	0.9727	0.9735	0.9741	0.9750	0.9760	0.9763	0.9772
10	0.9734	0.9742	0.9749	0.9758	0.9767	0.9769	0.9777
11	0.9741	0.9749	0.9756	0.9764	0.9772	0.9775	0.9783
12	0.9748	0.9756	0.9763	0.9770	0.9778	0.9781	0.9789
13	0.9754	0.9762	0.9768	0.9777	0.9782	0.9785	0.9795
14	0.9759	0.9769	0.9773	0.9783	0.9788	0.9791	0.9799
15	0.9764	0.9774	0.9778	0.9787	0.9792	0.9795	0.9804
16	0.9769	0.9779	0.9783	0.9791	0.9796	0.9800	0.9808
17	0.9773	0.9783	0.9787	0.9795	0.9800	0.9805	0.9812
18	0.9777	0.9787	0.9791	0.9799	0.9803	0.9808	0.9816
19	0.9782	0.9791	0.9794	0.9802	0.9806	0.9812	0.9819
20	0.9785	0.9795	0.9798	0.9806	0.9809	0.9816	0.9823
21	0.9789	0.9799	0.9801	0.9809	0.9813	0.9820	0.9826
22	0.9793	0.9802	0.9805	0.9813	0.9817	0.9823	0.9828
23	0.9797	0.9805	0.9809	0.9816	0.9820	0.9825	0.9831
24	0.9800	0.9809	0.9812	0.9819	0.9823	0.9828	0.9834
25	0.9803	0.9812	0.9815	0.9822	0.9826	0.9830	0.9836
26	0.9806	0.9815	0.9818	0.9825	0.9828	0.9833	0.9839
27	0.9809	0.9818	0.9821	0.9828	0.9831	0.9835	0.9841
28	0.9813	0.9821	0.9823	0.9831	0.9834	0.9838	0.9844
29	0.9815	0.9823	0.9826	0.9833	0.9837	0.9840	0.9847
30	0.9818	0.9825	0.9829	0.9835	0.9840	0.9843	0.9849
31	0.9821	0.9828	0.9832	0.9838	0.9842	0.9845	0.9852
32	0.9824	0.9830	0.9834	0.9840	0.9844	0.9847	0.9854
33	0.9826	0.9833	0.9837	0.9842	0.9846	0.9849	0.9856
34	0.9829	0.9835	0.9839	0.9844	0.9849	0.9851	0.9858
35	0.9831	0.9837	0.9841	0.9847	0.9851	0.9853	0.9860
36	0.9834	0.9839	0.9843	0.9849	0.9853	0.9856	0.9862
37	0.9836	0.9842	0.9846	0.9850	0.9855	0.9857	0.9864
38	0.9838	0.9844	0.9848	0.9852	0.9857	0.9859	0.9866
39	0.9840	0.9846	0.9850	0.9855	0.9859	0.9861	0.9867
40	0.9842	0.9848	0.9852	0.9856	0.9861	0.9863	0.9869
41	0.9844	0.9850	0.9854	0.9858	0.9863	0.9865	0.9871
42	0.9846	0.9852	0.9856	0.9860	0.9864	0.9867	0.9872
43	0.9848	0.9854	0.9858	0.9862	0.9866	0.9868	0.9874
44	0.9850	0.9857	0.9860	0.9863	0.9868	0.9870	0.9876
45	0.9852	0.9858	0.9862	0.9865	0.9870	0.9872	0.9877
46	0.9854	0.9860	0.9864	0.9867	0.9872	0.9873	0.9879
47	0.9856	0.9862	0.9866	0.9868	0.9873	0.9875	0.9881
48	0.9858	0.9864	0.9867	0.9870	0.9875	0.9876	0.9882
49	0.9860	0.9866	0.9869	0.9872	0.9877	0.9878	0.9884
50	0.9862	0.9868	0.9871	0.9873	0.9878	0.9879	0.9885

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 17	18	19	20	21	22	23
51	0.9864	0.9869	0.9873	0.9875	0.9880	0.9881	0.9887
52	0.9866	0.9871	0.9874	0.9877	0.9882	0.9882	0.9888
53	0.9868	0.9873	0.9876	0.9878	0.9883	0.9884	0.9889
54	0.9870	0.9874	0.9877	0.9880	0.9885	0.9885	0.9891
55	0.9871	0.9876	0.9879	0.9882	0.9886	0.9887	0.9892
56	0.9873	0.9877	0.9881	0.9883	0.9888	0.9889	0.9893
57	0.9874	0.9879	0.9883	0.9885	0.9890	0.9890	0.9895
58	0.9876	0.9880	0.9885	0.9886	0.9891	0.9891	0.9896
59	0.9878	0.9882	0.9886	0.9888	0.9892	0.9893	0.9897
60	0.9880	0.9884	0.9888	0.9889	0.9894	0.9894	0.9899
61	0.9882	0.9886	0.9889	0.9891	0.9895	0.9896	0.9900
62	0.9883	0.9887	0.9891	0.9892	0.9897	0.9897	0.9901
63	0.9885	0.9889	0.9893	0.9894	0.9898	0.9899	0.9903
64	0.9886	0.9890	0.9895	0.9895	0.9899	0.9900	0.9904
65	0.9888	0.9892	0.9896	0.9897	0.9901	0.9902	0.9905
66	0.9890	0.9893	0.9898	0.9898	0.9902	0.9903	0.9907
67	0.9892	0.9895	0.9899	0.9900	0.9903	0.9904	0.9908
68	0.9893	0.9897	0.9900	0.9901	0.9905	0.9906	0.9909
69	0.9895	0.9898	0.9902	0.9903	0.9906	0.9907	0.9911
70	0.9897	0.9900	0.9904	0.9904	0.9907	0.9909	0.9912
71	0.9899	0.9902	0.9905	0.9906	0.9909	0.9910	0.9914
72	0.9900	0.9903	0.9907	0.9908	0.9910	0.9912	0.9915
73	0.9902	0.9905	0.9908	0.9909	0.9912	0.9913	0.9916
74	0.9904	0.9906	0.9909	0.9911	0.9914	0.9914	0.9917
75	0.9905	0.9908	0.9911	0.9912	0.9915	0.9915	0.9919
76	0.9907	0.9910	0.9913	0.9914	0.9916	0.9917	0.9920
77	0.9909	0.9911	0.9914	0.9915	0.9918	0.9919	0.9922
78	0.9910	0.9913	0.9916	0.9917	0.9920	0.9920	0.9923
79	0.9912	0.9915	0.9918	0.9918	0.9921	0.9921	0.9924
80	0.9914	0.9917	0.9919	0.9920	0.9922	0.9923	0.9926
81	0.9916	0.9918	0.9921	0.9922	0.9924	0.9924	0.9927
82	0.9917	0.9920	0.9923	0.9923	0.9926	0.9926	0.9928
83	0.9919	0.9922	0.9924	0.9925	0.9927	0.9928	0.9930
84	0.9921	0.9924	0.9926	0.9927	0.9928	0.9929	0.9932
85	0.9923	0.9926	0.9928	0.9928	0.9930	0.9931	0.9933
86	0.9925	0.9927	0.9930	0.9930	0.9932	0.9932	0.9935
87	0.9927	0.9929	0.9932	0.9932	0.9934	0.9934	0.9936
88	0.9929	0.9931	0.9934	0.9934	0.9935	0.9936	0.9938
89	0.9931	0.9933	0.9936	0.9936	0.9937	0.9938	0.9940
90	0.9934	0.9935	0.9938	0.9938	0.9938	0.9939	0.9941
91	0.9936	0.9937	0.9940	0.9940	0.9940	0.9941	0.9943
92	0.9938	0.9939	0.9942	0.9942	0.9942	0.9943	0.9945
93	0.9940	0.9942	0.9944	0.9945	0.9944	0.9945	0.9948
94	0.9943	0.9945	0.9946	0.9947	0.9947	0.9948	0.9950
95	0.9946	0.9948	0.9949	0.9950	0.9950	0.9951	0.9952
96	0.9949	0.9950	0.9953	0.9953	0.9953	0.9953	0.9955
97	0.9953	0.9954	0.9956	0.9956	0.9956	0.9957	0.9958
98	0.9958	0.9958	0.9959	0.9959	0.9959	0.9960	0.9961
99	0.9963	0.9965	0.9966	0.9963	0.9964	0.9965	0.9967
100	0.9987	0.9990	0.9990	0.9983	0.9983	0.9988	0.9982

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 24	25	26	27	28	29	30
1	0.9648	0.9651	0.9666	0.9664	0.9691	0.9686	0.9690
2	0.9685	0.9696	0.9703	0.9706	0.9721	0.9720	0.9730
3	0.9711	0.9718	0.9727	0.9728	0.9741	0.9741	0.9751
4	0.9727	0.9734	0.9742	0.9746	0.9759	0.9757	0.9766
5	0.9741	0.9747	0.9755	0.9759	0.9769	0.9770	0.9780
6	0.9752	0.9757	0.9766	0.9770	0.9781	0.9780	0.9788
7	0.9761	0.9766	0.9774	0.9779	0.9787	0.9790	0.9794
8	0.9769	0.9774	0.9782	0.9786	0.9794	0.9797	0.9802
9	0.9777	0.9781	0.9789	0.9792	0.9801	0.9804	0.9808
10	0.9783	0.9788	0.9795	0.9799	0.9807	0.9809	0.9813
11	0.9789	0.9794	0.9800	0.9804	0.9812	0.9815	0.9819
12	0.9795	0.9799	0.9804	0.9808	0.9817	0.9819	0.9823
13	0.9799	0.9804	0.9809	0.9813	0.9822	0.9823	0.9827
14	0.9804	0.9808	0.9813	0.9817	0.9825	0.9827	0.9831
15	0.9809	0.9812	0.9817	0.9820	0.9829	0.9830	0.9834
16	0.9813	0.9816	0.9821	0.9824	0.9832	0.9834	0.9838
17	0.9817	0.9820	0.9824	0.9828	0.9835	0.9837	0.9841
18	0.9820	0.9824	0.9827	0.9832	0.9839	0.9841	0.9844
19	0.9823	0.9827	0.9830	0.9835	0.9842	0.9844	0.9846
20	0.9826	0.9829	0.9833	0.9838	0.9844	0.9846	0.9849
21	0.9829	0.9832	0.9836	0.9841	0.9847	0.9849	0.9852
22	0.9832	0.9836	0.9839	0.9843	0.9849	0.9851	0.9855
23	0.9834	0.9839	0.9841	0.9846	0.9852	0.9853	0.9857
24	0.9837	0.9841	0.9844	0.9849	0.9854	0.9855	0.9859
25	0.9839	0.9844	0.9846	0.9851	0.9856	0.9857	0.9861
26	0.9842	0.9847	0.9848	0.9853	0.9858	0.9859	0.9863
27	0.9844	0.9849	0.9851	0.9855	0.9860	0.9861	0.9865
28	0.9846	0.9851	0.9853	0.9857	0.9862	0.9863	0.9867
29	0.9849	0.9853	0.9855	0.9859	0.9864	0.9866	0.9869
30	0.9851	0.9856	0.9857	0.9862	0.9866	0.9868	0.9871
31	0.9854	0.9858	0.9859	0.9863	0.9868	0.9869	0.9873
32	0.9856	0.9860	0.9861	0.9865	0.9870	0.9871	0.9874
33	0.9857	0.9861	0.9863	0.9867	0.9871	0.9873	0.9876
34	0.9859	0.9863	0.9865	0.9869	0.9873	0.9875	0.9878
35	0.9861	0.9865	0.9867	0.9871	0.9875	0.9876	0.9879
36	0.9863	0.9867	0.9869	0.9873	0.9877	0.9878	0.9881
37	0.9865	0.9868	0.9871	0.9875	0.9878	0.9879	0.9883
38	0.9867	0.9870	0.9872	0.9876	0.9880	0.9881	0.9884
39	0.9869	0.9872	0.9874	0.9878	0.9881	0.9882	0.9886
40	0.9870	0.9874	0.9876	0.9879	0.9883	0.9884	0.9888
41	0.9872	0.9876	0.9877	0.9881	0.9884	0.9885	0.9889
42	0.9874	0.9877	0.9879	0.9882	0.9886	0.9887	0.9890
43	0.9875	0.9879	0.9880	0.9883	0.9887	0.9888	0.9891
44	0.9877	0.9880	0.9882	0.9885	0.9889	0.9890	0.9893
45	0.9878	0.9882	0.9884	0.9887	0.9890	0.9891	0.9894
46	0.9880	0.9883	0.9885	0.9888	0.9891	0.9892	0.9895
47	0.9882	0.9885	0.9887	0.9889	0.9892	0.9894	0.9896
48	0.9883	0.9886	0.9888	0.9891	0.9893	0.9895	0.9898
49	0.9885	0.9887	0.9889	0.9892	0.9895	0.9896	0.9899
50	0.9886	0.9889	0.9891	0.9893	0.9896	0.9898	0.9900

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 24	25	26	27	28	29	30
51	0.9888	0.9890	0.9892	0.9895	0.9898	0.9899	0.9902
52	0.9890	0.9891	0.9894	0.9896	0.9899	0.9900	0.9903
53	0.9891	0.9893	0.9895	0.9897	0.9900	0.9901	0.9904
54	0.9892	0.9894	0.9896	0.9899	0.9901	0.9902	0.9905
55	0.9894	0.9895	0.9898	0.9900	0.9903	0.9904	0.9907
56	0.9896	0.9897	0.9899	0.9901	0.9904	0.9905	0.9908
57	0.9897	0.9898	0.9900	0.9903	0.9905	0.9906	0.9909
58	0.9898	0.9899	0.9901	0.9904	0.9906	0.9908	0.9910
59	0.9900	0.9901	0.9903	0.9905	0.9907	0.9909	0.9912
60	0.9901	0.9902	0.9904	0.9906	0.9909	0.9910	0.9912
61	0.9902	0.9904	0.9906	0.9907	0.9910	0.9911	0.9914
62	0.9904	0.9905	0.9907	0.9908	0.9911	0.9912	0.9915
63	0.9905	0.9906	0.9908	0.9910	0.9912	0.9913	0.9916
64	0.9906	0.9907	0.9909	0.9911	0.9913	0.9915	0.9917
65	0.9908	0.9909	0.9911	0.9912	0.9914	0.9916	0.9918
66	0.9909	0.9910	0.9912	0.9913	0.9916	0.9917	0.9919
67	0.9910	0.9911	0.9913	0.9915	0.9917	0.9918	0.9920
68	0.9912	0.9912	0.9915	0.9916	0.9918	0.9919	0.9921
69	0.9913	0.9913	0.9916	0.9917	0.9919	0.9921	0.9923
70	0.9915	0.9915	0.9917	0.9918	0.9920	0.9922	0.9924
71	0.9916	0.9916	0.9918	0.9920	0.9922	0.9923	0.9925
72	0.9917	0.9918	0.9919	0.9921	0.9923	0.9924	0.9926
73	0.9919	0.9919	0.9921	0.9922	0.9924	0.9925	0.9927
74	0.9920	0.9920	0.9922	0.9923	0.9925	0.9926	0.9928
75	0.9921	0.9922	0.9923	0.9924	0.9926	0.9928	0.9930
76	0.9922	0.9923	0.9925	0.9926	0.9927	0.9929	0.9931
77	0.9924	0.9924	0.9926	0.9927	0.9929	0.9930	0.9932
78	0.9925	0.9926	0.9927	0.9928	0.9930	0.9931	0.9933
79	0.9927	0.9927	0.9928	0.9930	0.9931	0.9932	0.9934
80	0.9928	0.9928	0.9930	0.9931	0.9932	0.9933	0.9935
81	0.9930	0.9930	0.9931	0.9933	0.9934	0.9935	0.9936
82	0.9931	0.9931	0.9933	0.9934	0.9935	0.9936	0.9937
83	0.9932	0.9933	0.9934	0.9935	0.9936	0.9937	0.9939
84	0.9934	0.9934	0.9935	0.9937	0.9937	0.9939	0.9940
85	0.9935	0.9936	0.9937	0.9938	0.9939	0.9940	0.9942
86	0.9936	0.9937	0.9938	0.9940	0.9940	0.9941	0.9943
87	0.9938	0.9938	0.9940	0.9941	0.9942	0.9943	0.9945
88	0.9940	0.9940	0.9941	0.9942	0.9943	0.9944	0.9946
89	0.9941	0.9941	0.9943	0.9944	0.9945	0.9946	0.9947
90	0.9943	0.9943	0.9945	0.9946	0.9946	0.9947	0.9949
91	0.9945	0.9945	0.9947	0.9947	0.9948	0.9949	0.9950
92	0.9947	0.9947	0.9948	0.9949	0.9950	0.9951	0.9952
93	0.9949	0.9949	0.9950	0.9951	0.9951	0.9952	0.9953
94	0.9951	0.9951	0.9953	0.9953	0.9954	0.9954	0.9955
95	0.9954	0.9954	0.9955	0.9955	0.9956	0.9956	0.9958
96	0.9956	0.9956	0.9957	0.9958	0.9958	0.9959	0.9960
97	0.9959	0.9959	0.9960	0.9961	0.9961	0.9962	0.9962
98	0.9963	0.9963	0.9964	0.9964	0.9964	0.9966	0.9965
99	0.9967	0.9968	0.9968	0.9969	0.9969	0.9970	0.9969
100	0.9986	0.9985	0.9981	0.9986	0.9982	0.9984	0.9985

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 31	32	33	34	35	36	37
1	0.9689	0.9705	0.9718	0.9714	0.9714	0.9734	0.9736
2	0.9732	0.9740	0.9747	0.9753	0.9748	0.9762	0.9767
3	0.9756	0.9760	0.9765	0.9772	0.9768	0.9782	0.9786
4	0.9769	0.9775	0.9780	0.9787	0.9786	0.9794	0.9797
5	0.9782	0.9786	0.9791	0.9799	0.9796	0.9804	0.9806
6	0.9793	0.9794	0.9799	0.9807	0.9804	0.9812	0.9814
7	0.9798	0.9801	0.9806	0.9813	0.9811	0.9819	0.9821
8	0.9805	0.9809	0.9812	0.9818	0.9817	0.9824	0.9826
9	0.9811	0.9815	0.9818	0.9823	0.9822	0.9829	0.9832
10	0.9817	0.9820	0.9824	0.9828	0.9828	0.9834	0.9835
11	0.9821	0.9824	0.9828	0.9832	0.9833	0.9838	0.9840
12	0.9825	0.9828	0.9832	0.9836	0.9837	0.9842	0.9844
13	0.9829	0.9832	0.9835	0.9840	0.9841	0.9845	0.9848
14	0.9833	0.9836	0.9839	0.9844	0.9844	0.9849	0.9851
15	0.9836	0.9839	0.9843	0.9847	0.9847	0.9851	0.9855
16	0.9839	0.9842	0.9846	0.9850	0.9850	0.9855	0.9857
17	0.9842	0.9845	0.9849	0.9853	0.9852	0.9857	0.9860
18	0.9845	0.9848	0.9852	0.9856	0.9855	0.9860	0.9863
19	0.9847	0.9851	0.9855	0.9858	0.9858	0.9862	0.9865
20	0.9850	0.9853	0.9857	0.9861	0.9860	0.9865	0.9868
21	0.9853	0.9856	0.9860	0.9863	0.9863	0.9867	0.9870
22	0.9855	0.9858	0.9862	0.9865	0.9865	0.9870	0.9871
23	0.9858	0.9860	0.9865	0.9867	0.9867	0.9872	0.9873
24	0.9860	0.9863	0.9866	0.9869	0.9869	0.9874	0.9875
25	0.9862	0.9865	0.9869	0.9871	0.9871	0.9877	0.9877
26	0.9864	0.9867	0.9870	0.9873	0.9873	0.9878	0.9879
27	0.9866	0.9868	0.9873	0.9875	0.9875	0.9880	0.9881
28	0.9868	0.9870	0.9874	0.9877	0.9877	0.9882	0.9882
29	0.9870	0.9871	0.9876	0.9879	0.9879	0.9883	0.9884
30	0.9872	0.9873	0.9878	0.9880	0.9880	0.9885	0.9886
31	0.9874	0.9875	0.9880	0.9882	0.9882	0.9886	0.9887
32	0.9876	0.9877	0.9882	0.9884	0.9884	0.9888	0.9889
33	0.9877	0.9879	0.9883	0.9885	0.9886	0.9889	0.9890
34	0.9879	0.9880	0.9885	0.9887	0.9887	0.9891	0.9892
35	0.9880	0.9882	0.9887	0.9888	0.9889	0.9892	0.9893
36	0.9882	0.9884	0.9888	0.9890	0.9890	0.9893	0.9894
37	0.9884	0.9886	0.9890	0.9891	0.9892	0.9895	0.9896
38	0.9885	0.9888	0.9891	0.9892	0.9893	0.9896	0.9897
39	0.9887	0.9889	0.9892	0.9894	0.9895	0.9898	0.9899
40	0.9888	0.9890	0.9894	0.9895	0.9896	0.9899	0.9900
41	0.9890	0.9892	0.9895	0.9897	0.9897	0.9900	0.9901
42	0.9891	0.9893	0.9896	0.9898	0.9899	0.9901	0.9902
43	0.9893	0.9894	0.9898	0.9899	0.9900	0.9903	0.9903
44	0.9894	0.9896	0.9899	0.9900	0.9901	0.9904	0.9904
45	0.9895	0.9897	0.9901	0.9902	0.9903	0.9905	0.9906
46	0.9897	0.9898	0.9902	0.9903	0.9904	0.9906	0.9907
47	0.9898	0.9900	0.9903	0.9904	0.9905	0.9907	0.9908
48	0.9899	0.9901	0.9904	0.9905	0.9906	0.9908	0.9909
49	0.9901	0.9902	0.9905	0.9906	0.9907	0.9909	0.9910
50	0.9902	0.9903	0.9907	0.9908	0.9908	0.9910	0.9912

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 31	32	33	34	35	36	37
51	0.9903	0.9904	0.9908	0.9909	0.9909	0.9911	0.9913
52	0.9904	0.9906	0.9909	0.9910	0.9911	0.9912	0.9914
53	0.9905	0.9907	0.9910	0.9911	0.9912	0.9914	0.9915
54	0.9907	0.9908	0.9911	0.9912	0.9913	0.9915	0.9916
55	0.9908	0.9909	0.9912	0.9914	0.9914	0.9916	0.9918
56	0.9909	0.9910	0.9913	0.9915	0.9915	0.9917	0.9918
57	0.9911	0.9911	0.9915	0.9916	0.9916	0.9918	0.9919
58	0.9912	0.9913	0.9916	0.9917	0.9917	0.9919	0.9920
59	0.9913	0.9914	0.9917	0.9918	0.9918	0.9920	0.9922
60	0.9914	0.9915	0.9918	0.9919	0.9920	0.9921	0.9922
61	0.9915	0.9916	0.9919	0.9920	0.9921	0.9922	0.9923
62	0.9916	0.9917	0.9919	0.9921	0.9922	0.9923	0.9924
63	0.9917	0.9918	0.9921	0.9922	0.9923	0.9924	0.9925
64	0.9918	0.9919	0.9922	0.9923	0.9924	0.9925	0.9926
65	0.9919	0.9920	0.9923	0.9924	0.9925	0.9926	0.9927
66	0.9920	0.9921	0.9924	0.9925	0.9925	0.9927	0.9928
67	0.9921	0.9922	0.9925	0.9926	0.9927	0.9928	0.9929
68	0.9923	0.9924	0.9926	0.9927	0.9928	0.9929	0.9930
69	0.9924	0.9925	0.9927	0.9928	0.9928	0.9930	0.9931
70	0.9925	0.9926	0.9928	0.9929	0.9929	0.9931	0.9932
71	0.9926	0.9927	0.9929	0.9930	0.9930	0.9932	0.9933
72	0.9927	0.9928	0.9930	0.9931	0.9931	0.9933	0.9934
73	0.9928	0.9929	0.9931	0.9932	0.9932	0.9934	0.9935
74	0.9930	0.9930	0.9933	0.9933	0.9933	0.9935	0.9936
75	0.9931	0.9931	0.9934	0.9934	0.9934	0.9936	0.9937
76	0.9932	0.9932	0.9935	0.9935	0.9936	0.9937	0.9938
77	0.9933	0.9933	0.9936	0.9936	0.9937	0.9938	0.9939
78	0.9934	0.9935	0.9937	0.9937	0.9938	0.9939	0.9940
79	0.9935	0.9936	0.9938	0.9938	0.9939	0.9940	0.9942
80	0.9936	0.9937	0.9939	0.9939	0.9940	0.9941	0.9942
81	0.9937	0.9938	0.9940	0.9940	0.9941	0.9942	0.9943
82	0.9938	0.9939	0.9941	0.9942	0.9942	0.9944	0.9944
83	0.9940	0.9940	0.9942	0.9942	0.9944	0.9945	0.9946
84	0.9941	0.9942	0.9943	0.9944	0.9945	0.9946	0.9947
85	0.9942	0.9943	0.9944	0.9945	0.9946	0.9947	0.9948
86	0.9944	0.9944	0.9946	0.9946	0.9947	0.9948	0.9949
87	0.9945	0.9945	0.9947	0.9948	0.9949	0.9949	0.9950
88	0.9946	0.9947	0.9948	0.9949	0.9950	0.9951	0.9952
89	0.9948	0.9948	0.9950	0.9950	0.9951	0.9952	0.9953
90	0.9949	0.9950	0.9951	0.9952	0.9953	0.9953	0.9954
91	0.9951	0.9951	0.9952	0.9953	0.9954	0.9954	0.9956
92	0.9953	0.9953	0.9954	0.9954	0.9956	0.9956	0.9957
93	0.9954	0.9954	0.9955	0.9956	0.9957	0.9958	0.9959
94	0.9956	0.9957	0.9957	0.9958	0.9959	0.9959	0.9960
95	0.9958	0.9958	0.9959	0.9960	0.9961	0.9961	0.9962
96	0.9960	0.9961	0.9962	0.9962	0.9963	0.9963	0.9964
97	0.9962	0.9963	0.9964	0.9965	0.9965	0.9965	0.9966
98	0.9965	0.9967	0.9967	0.9968	0.9969	0.9968	0.9968
99	0.9969	0.9971	0.9971	0.9972	0.9972	0.9972	0.9972
100	0.9984	0.9987	0.9987	0.9986	0.9985	0.9987	0.9986

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 38	39	40	41	42	43	44
1	0.9738	0.9741	0.9750	0.9753	0.9749	0.9763	0.9754
2	0.9772	0.9767	0.9777	0.9781	0.9776	0.9788	0.9786
3	0.9787	0.9785	0.9793	0.9799	0.9796	0.9802	0.9806
4	0.9800	0.9799	0.9805	0.9809	0.9811	0.9813	0.9818
5	0.9810	0.9811	0.9813	0.9819	0.9821	0.9823	0.9826
6	0.9817	0.9818	0.9821	0.9827	0.9828	0.9831	0.9834
7	0.9824	0.9825	0.9827	0.9832	0.9834	0.9836	0.9840
8	0.9830	0.9831	0.9833	0.9838	0.9840	0.9842	0.9844
9	0.9836	0.9836	0.9839	0.9843	0.9844	0.9846	0.9849
10	0.9840	0.9840	0.9843	0.9847	0.9848	0.9851	0.9853
11	0.9844	0.9844	0.9847	0.9851	0.9851	0.9855	0.9857
12	0.9847	0.9848	0.9850	0.9855	0.9855	0.9859	0.9861
13	0.9851	0.9852	0.9854	0.9858	0.9859	0.9862	0.9864
14	0.9855	0.9856	0.9857	0.9862	0.9863	0.9866	0.9867
15	0.9858	0.9858	0.9860	0.9864	0.9866	0.9868	0.9870
16	0.9860	0.9862	0.9862	0.9867	0.9868	0.9871	0.9872
17	0.9863	0.9864	0.9865	0.9869	0.9870	0.9873	0.9875
18	0.9866	0.9867	0.9868	0.9871	0.9873	0.9875	0.9877
19	0.9868	0.9869	0.9870	0.9873	0.9875	0.9877	0.9880
20	0.9870	0.9871	0.9872	0.9875	0.9878	0.9880	0.9882
21	0.9872	0.9873	0.9874	0.9878	0.9880	0.9882	0.9883
22	0.9874	0.9875	0.9877	0.9880	0.9882	0.9884	0.9886
23	0.9875	0.9877	0.9879	0.9882	0.9884	0.9886	0.9887
24	0.9878	0.9879	0.9880	0.9883	0.9886	0.9887	0.9889
25	0.9879	0.9881	0.9882	0.9885	0.9888	0.9889	0.9891
26	0.9881	0.9883	0.9884	0.9887	0.9889	0.9891	0.9893
27	0.9883	0.9885	0.9886	0.9889	0.9891	0.9892	0.9894
28	0.9885	0.9886	0.9887	0.9890	0.9893	0.9894	0.9896
29	0.9886	0.9888	0.9889	0.9892	0.9894	0.9895	0.9897
30	0.9888	0.9889	0.9891	0.9893	0.9895	0.9897	0.9899
31	0.9890	0.9891	0.9893	0.9895	0.9896	0.9898	0.9900
32	0.9891	0.9892	0.9894	0.9896	0.9898	0.9899	0.9901
33	0.9892	0.9894	0.9896	0.9898	0.9899	0.9901	0.9902
34	0.9894	0.9895	0.9897	0.9899	0.9901	0.9902	0.9904
35	0.9896	0.9897	0.9898	0.9900	0.9902	0.9903	0.9905
36	0.9897	0.9898	0.9900	0.9902	0.9903	0.9904	0.9906
37	0.9898	0.9899	0.9901	0.9903	0.9905	0.9906	0.9907
38	0.9900	0.9901	0.9902	0.9904	0.9906	0.9907	0.9908
39	0.9901	0.9902	0.9904	0.9905	0.9907	0.9908	0.9910
40	0.9902	0.9903	0.9905	0.9906	0.9908	0.9909	0.9911
41	0.9903	0.9904	0.9906	0.9908	0.9909	0.9910	0.9912
42	0.9904	0.9905	0.9907	0.9909	0.9911	0.9911	0.9913
43	0.9906	0.9907	0.9909	0.9910	0.9912	0.9912	0.9914
44	0.9907	0.9908	0.9910	0.9911	0.9913	0.9914	0.9915
45	0.9908	0.9909	0.9911	0.9912	0.9914	0.9915	0.9916
46	0.9909	0.9910	0.9912	0.9913	0.9915	0.9916	0.9917
47	0.9910	0.9911	0.9913	0.9915	0.9916	0.9917	0.9918
48	0.9911	0.9912	0.9914	0.9916	0.9917	0.9918	0.9919
49	0.9912	0.9913	0.9915	0.9917	0.9918	0.9919	0.9920
50	0.9913	0.9914	0.9916	0.9918	0.9919	0.9920	0.9921

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 38	39	40	41	42	43	44
51	0.9914	0.9915	0.9917	0.9919	0.9920	0.9921	0.9922
52	0.9915	0.9916	0.9918	0.9920	0.9921	0.9922	0.9923
53	0.9917	0.9917	0.9919	0.9921	0.9922	0.9923	0.9924
54	0.9918	0.9918	0.9920	0.9922	0.9923	0.9924	0.9925
55	0.9919	0.9919	0.9921	0.9923	0.9924	0.9925	0.9926
56	0.9920	0.9920	0.9922	0.9924	0.9925	0.9926	0.9927
57	0.9920	0.9922	0.9923	0.9925	0.9926	0.9927	0.9928
58	0.9921	0.9922	0.9924	0.9926	0.9927	0.9928	0.9929
59	0.9922	0.9923	0.9925	0.9927	0.9928	0.9929	0.9930
60	0.9924	0.9924	0.9926	0.9928	0.9929	0.9929	0.9931
61	0.9925	0.9925	0.9926	0.9929	0.9930	0.9930	0.9932
62	0.9926	0.9926	0.9927	0.9930	0.9931	0.9931	0.9932
63	0.9927	0.9927	0.9928	0.9930	0.9932	0.9932	0.9933
64	0.9927	0.9928	0.9929	0.9931	0.9933	0.9933	0.9934
65	0.9928	0.9929	0.9930	0.9932	0.9934	0.9934	0.9935
66	0.9929	0.9930	0.9931	0.9933	0.9934	0.9935	0.9936
67	0.9930	0.9931	0.9932	0.9934	0.9935	0.9936	0.9936
68	0.9931	0.9932	0.9933	0.9935	0.9936	0.9936	0.9937
69	0.9932	0.9933	0.9934	0.9936	0.9937	0.9937	0.9938
70	0.9933	0.9934	0.9935	0.9937	0.9938	0.9938	0.9939
71	0.9934	0.9935	0.9936	0.9938	0.9939	0.9939	0.9940
72	0.9935	0.9936	0.9937	0.9939	0.9940	0.9940	0.9941
73	0.9936	0.9937	0.9938	0.9940	0.9941	0.9940	0.9942
74	0.9937	0.9938	0.9939	0.9941	0.9941	0.9941	0.9943
75	0.9938	0.9939	0.9940	0.9942	0.9942	0.9942	0.9944
76	0.9939	0.9939	0.9941	0.9943	0.9943	0.9943	0.9945
77	0.9940	0.9940	0.9942	0.9943	0.9944	0.9944	0.9946
78	0.9941	0.9941	0.9943	0.9944	0.9945	0.9945	0.9947
79	0.9942	0.9942	0.9944	0.9945	0.9946	0.9946	0.9948
80	0.9943	0.9943	0.9944	0.9946	0.9947	0.9947	0.9948
81	0.9944	0.9944	0.9946	0.9947	0.9948	0.9948	0.9949
82	0.9945	0.9945	0.9947	0.9948	0.9949	0.9949	0.9950
83	0.9946	0.9946	0.9948	0.9949	0.9950	0.9950	0.9951
84	0.9947	0.9947	0.9949	0.9950	0.9951	0.9951	0.9952
85	0.9948	0.9948	0.9950	0.9951	0.9952	0.9952	0.9953
86	0.9949	0.9950	0.9951	0.9952	0.9953	0.9953	0.9954
87	0.9950	0.9951	0.9952	0.9953	0.9954	0.9954	0.9955
88	0.9951	0.9952	0.9953	0.9954	0.9955	0.9955	0.9956
89	0.9953	0.9953	0.9954	0.9955	0.9956	0.9956	0.9957
90	0.9954	0.9954	0.9955	0.9956	0.9958	0.9957	0.9959
91	0.9956	0.9955	0.9957	0.9958	0.9959	0.9959	0.9960
92	0.9957	0.9957	0.9958	0.9959	0.9960	0.9960	0.9961
93	0.9958	0.9958	0.9960	0.9961	0.9961	0.9962	0.9963
94	0.9960	0.9960	0.9962	0.9962	0.9963	0.9963	0.9964
95	0.9962	0.9962	0.9963	0.9964	0.9965	0.9965	0.9965
96	0.9964	0.9964	0.9965	0.9965	0.9966	0.9966	0.9967
97	0.9966	0.9966	0.9967	0.9968	0.9968	0.9969	0.9969
98	0.9969	0.9969	0.9970	0.9970	0.9971	0.9971	0.9972
99	0.9973	0.9972	0.9974	0.9974	0.9974	0.9974	0.9976
100	0.9986	0.9986	0.9989	0.9985	0.9988	0.9989	0.9987

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 45	46	47	48	49	50
1	0.9756	0.9771	0.9775	0.9771	0.9781	0.9784
2	0.9792	0.9794	0.9798	0.9799	0.9807	0.9807
3	0.9807	0.9811	0.9816	0.9815	0.9821	0.9821
4	0.9820	0.9821	0.9826	0.9825	0.9832	0.9832
5	0.9828	0.9830	0.9835	0.9834	0.9839	0.9839
6	0.9835	0.9837	0.9841	0.9840	0.9845	0.9846
7	0.9841	0.9844	0.9847	0.9846	0.9851	0.9852
8	0.9846	0.9849	0.9852	0.9850	0.9856	0.9857
9	0.9850	0.9854	0.9857	0.9855	0.9861	0.9861
10	0.9855	0.9858	0.9860	0.9859	0.9864	0.9865
11	0.9859	0.9861	0.9863	0.9863	0.9868	0.9869
12	0.9862	0.9864	0.9867	0.9866	0.9871	0.9871
13	0.9865	0.9867	0.9871	0.9869	0.9875	0.9874
14	0.9868	0.9869	0.9873	0.9872	0.9877	0.9877
15	0.9870	0.9872	0.9876	0.9874	0.9880	0.9880
16	0.9873	0.9875	0.9878	0.9877	0.9882	0.9882
17	0.9875	0.9877	0.9881	0.9879	0.9884	0.9884
18	0.9878	0.9880	0.9883	0.9882	0.9886	0.9886
19	0.9880	0.9882	0.9885	0.9884	0.9888	0.9888
20	0.9882	0.9884	0.9887	0.9886	0.9890	0.9890
21	0.9884	0.9886	0.9888	0.9888	0.9892	0.9892
22	0.9886	0.9888	0.9890	0.9890	0.9894	0.9894
23	0.9888	0.9890	0.9892	0.9892	0.9895	0.9896
24	0.9890	0.9891	0.9894	0.9894	0.9897	0.9898
25	0.9891	0.9893	0.9895	0.9895	0.9899	0.9899
26	0.9893	0.9895	0.9897	0.9897	0.9900	0.9901
27	0.9895	0.9896	0.9899	0.9898	0.9902	0.9902
28	0.9896	0.9897	0.9900	0.9899	0.9903	0.9904
29	0.9898	0.9899	0.9901	0.9901	0.9905	0.9905
30	0.9899	0.9900	0.9903	0.9902	0.9906	0.9906
31	0.9901	0.9902	0.9904	0.9904	0.9907	0.9907
32	0.9902	0.9903	0.9905	0.9905	0.9908	0.9908
33	0.9903	0.9904	0.9907	0.9907	0.9910	0.9909
34	0.9905	0.9906	0.9908	0.9908	0.9911	0.9911
35	0.9906	0.9907	0.9909	0.9909	0.9912	0.9912
36	0.9907	0.9908	0.9910	0.9910	0.9913	0.9913
37	0.9908	0.9909	0.9911	0.9911	0.9914	0.9914
38	0.9909	0.9911	0.9912	0.9912	0.9916	0.9915
39	0.9911	0.9912	0.9914	0.9913	0.9917	0.9916
40	0.9912	0.9913	0.9915	0.9915	0.9918	0.9917
41	0.9913	0.9914	0.9916	0.9916	0.9919	0.9918
42	0.9914	0.9915	0.9917	0.9917	0.9920	0.9919
43	0.9915	0.9916	0.9918	0.9918	0.9921	0.9920
44	0.9916	0.9917	0.9919	0.9919	0.9922	0.9922
45	0.9917	0.9918	0.9920	0.9920	0.9923	0.9922
46	0.9918	0.9919	0.9921	0.9921	0.9924	0.9924
47	0.9919	0.9920	0.9922	0.9922	0.9925	0.9925
48	0.9920	0.9921	0.9923	0.9923	0.9926	0.9926
49	0.9921	0.9922	0.9924	0.9924	0.9927	0.9927
50	0.9922	0.9923	0.9925	0.9925	0.9927	0.9928

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 45	46	47	48	49	50
51	0.9923	0.9924	0.9926	0.9926	0.9928	0.9928
52	0.9924	0.9925	0.9927	0.9927	0.9929	0.9929
53	0.9925	0.9926	0.9928	0.9928	0.9930	0.9930
54	0.9926	0.9927	0.9929	0.9929	0.9931	0.9931
55	0.9927	0.9928	0.9930	0.9930	0.9932	0.9932
56	0.9928	0.9929	0.9931	0.9931	0.9932	0.9933
57	0.9929	0.9930	0.9932	0.9932	0.9933	0.9934
58	0.9930	0.9931	0.9932	0.9932	0.9934	0.9935
59	0.9931	0.9932	0.9933	0.9933	0.9935	0.9935
60	0.9931	0.9932	0.9934	0.9934	0.9936	0.9936
61	0.9932	0.9933	0.9935	0.9935	0.9936	0.9937
62	0.9933	0.9934	0.9936	0.9936	0.9937	0.9938
63	0.9934	0.9935	0.9937	0.9936	0.9938	0.9939
64	0.9935	0.9936	0.9937	0.9937	0.9939	0.9939
65	0.9936	0.9937	0.9938	0.9938	0.9940	0.9940
66	0.9936	0.9937	0.9939	0.9939	0.9940	0.9941
67	0.9937	0.9938	0.9940	0.9940	0.9941	0.9942
68	0.9938	0.9939	0.9940	0.9941	0.9942	0.9943
69	0.9939	0.9940	0.9941	0.9941	0.9943	0.9943
70	0.9940	0.9941	0.9942	0.9942	0.9944	0.9944
71	0.9941	0.9942	0.9943	0.9943	0.9944	0.9945
72	0.9941	0.9942	0.9944	0.9944	0.9945	0.9946
73	0.9942	0.9943	0.9945	0.9945	0.9946	0.9947
74	0.9943	0.9944	0.9945	0.9946	0.9947	0.9947
75	0.9944	0.9945	0.9946	0.9946	0.9947	0.9948
76	0.9945	0.9946	0.9947	0.9947	0.9948	0.9949
77	0.9946	0.9947	0.9948	0.9948	0.9949	0.9950
78	0.9947	0.9947	0.9949	0.9949	0.9950	0.9951
79	0.9948	0.9948	0.9949	0.9950	0.9951	0.9952
80	0.9948	0.9949	0.9950	0.9951	0.9951	0.9952
81	0.9949	0.9950	0.9951	0.9951	0.9952	0.9953
82	0.9950	0.9951	0.9952	0.9952	0.9953	0.9954
83	0.9951	0.9952	0.9953	0.9953	0.9954	0.9955
84	0.9952	0.9953	0.9954	0.9954	0.9955	0.9956
85	0.9953	0.9954	0.9955	0.9955	0.9956	0.9957
86	0.9954	0.9955	0.9955	0.9956	0.9957	0.9957
87	0.9955	0.9956	0.9956	0.9957	0.9958	0.9958
88	0.9956	0.9957	0.9957	0.9958	0.9959	0.9959
89	0.9957	0.9958	0.9958	0.9959	0.9960	0.9960
90	0.9958	0.9959	0.9959	0.9960	0.9961	0.9961
91	0.9960	0.9960	0.9961	0.9961	0.9962	0.9962
92	0.9961	0.9961	0.9962	0.9962	0.9963	0.9963
93	0.9962	0.9963	0.9963	0.9964	0.9965	0.9965
94	0.9963	0.9964	0.9965	0.9965	0.9966	0.9966
95	0.9965	0.9965	0.9966	0.9966	0.9968	0.9967
96	0.9967	0.9967	0.9968	0.9968	0.9969	0.9969
97	0.9968	0.9969	0.9970	0.9970	0.9971	0.9971
98	0.9971	0.9971	0.9972	0.9972	0.9973	0.9973
99	0.9975	0.9974	0.9975	0.9976	0.9977	0.9977
100	0.9989	0.9987	0.9987	0.9988	0.9989	0.9990

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 55	60	65	70	75
1	0.9787	0.9807	0.9814	0.9825	0.9828
2	0.9813	0.9830	0.9836	0.9843	0.9850
3	0.9826	0.9843	0.9848	0.9855	0.9861
4	0.9836	0.9853	0.9856	0.9864	0.9868
5	0.9844	0.9859	0.9863	0.9871	0.9875
6	0.9851	0.9865	0.9869	0.9876	0.9879
7	0.9857	0.9869	0.9875	0.9880	0.9885
8	0.9862	0.9873	0.9879	0.9884	0.9888
9	0.9867	0.9878	0.9882	0.9887	0.9892
10	0.9870	0.9880	0.9886	0.9890	0.9895
11	0.9874	0.9883	0.9888	0.9893	0.9898
12	0.9877	0.9886	0.9891	0.9896	0.9901
13	0.9880	0.9888	0.9893	0.9899	0.9903
14	0.9882	0.9891	0.9896	0.9901	0.9905
15	0.9885	0.9893	0.9897	0.9903	0.9907
16	0.9887	0.9895	0.9899	0.9905	0.9908
17	0.9889	0.9897	0.9901	0.9907	0.9910
18	0.9892	0.9899	0.9903	0.9908	0.9912
19	0.9894	0.9901	0.9905	0.9910	0.9914
20	0.9896	0.9902	0.9907	0.9911	0.9915
21	0.9898	0.9904	0.9908	0.9913	0.9917
22	0.9899	0.9906	0.9910	0.9915	0.9918
23	0.9901	0.9907	0.9911	0.9916	0.9920
24	0.9903	0.9909	0.9913	0.9917	0.9921
25	0.9904	0.9910	0.9914	0.9919	0.9922
26	0.9906	0.9911	0.9916	0.9920	0.9923
27	0.9907	0.9913	0.9917	0.9921	0.9925
28	0.9908	0.9914	0.9918	0.9922	0.9926
29	0.9909	0.9915	0.9919	0.9924	0.9927
30	0.9911	0.9916	0.9920	0.9925	0.9928
31	0.9912	0.9917	0.9921	0.9926	0.9929
32	0.9913	0.9918	0.9922	0.9927	0.9930
33	0.9915	0.9919	0.9924	0.9927	0.9930
34	0.9916	0.9920	0.9925	0.9928	0.9931
35	0.9917	0.9921	0.9925	0.9929	0.9932
36	0.9918	0.9922	0.9926	0.9930	0.9933
37	0.9919	0.9923	0.9927	0.9931	0.9934
38	0.9920	0.9924	0.9928	0.9932	0.9935
39	0.9921	0.9925	0.9929	0.9932	0.9936
40	0.9922	0.9926	0.9930	0.9933	0.9937
41	0.9923	0.9927	0.9931	0.9934	0.9937
42	0.9924	0.9928	0.9932	0.9935	0.9938
43	0.9924	0.9929	0.9933	0.9936	0.9939
44	0.9925	0.9930	0.9933	0.9936	0.9940
45	0.9926	0.9931	0.9934	0.9937	0.9941
46	0.9927	0.9932	0.9935	0.9938	0.9941
47	0.9928	0.9933	0.9936	0.9939	0.9942
48	0.9929	0.9933	0.9937	0.9939	0.9943
49	0.9930	0.9934	0.9938	0.9940	0.9943
50	0.9931	0.9935	0.9938	0.9941	0.9944

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 55	60	65	70	75
51	0.9932	0.9936	0.9939	0.9942	0.9945
52	0.9933	0.9936	0.9940	0.9942	0.9945
53	0.9934	0.9937	0.9941	0.9943	0.9946
54	0.9934	0.9938	0.9941	0.9944	0.9947
55	0.9935	0.9939	0.9942	0.9945	0.9947
56	0.9936	0.9940	0.9943	0.9945	0.9948
57	0.9937	0.9940	0.9944	0.9946	0.9949
58	0.9938	0.9941	0.9944	0.9947	0.9949
59	0.9938	0.9942	0.9945	0.9947	0.9950
60	0.9939	0.9942	0.9946	0.9948	0.9950
61	0.9940	0.9943	0.9947	0.9948	0.9951
62	0.9941	0.9944	0.9947	0.9949	0.9952
63	0.9942	0.9944	0.9948	0.9950	0.9952
64	0.9942	0.9945	0.9948	0.9950	0.9953
65	0.9943	0.9946	0.9949	0.9951	0.9953
66	0.9944	0.9946	0.9950	0.9951	0.9954
67	0.9945	0.9947	0.9950	0.9952	0.9955
68	0.9945	0.9948	0.9951	0.9953	0.9955
69	0.9946	0.9948	0.9952	0.9954	0.9956
70	0.9947	0.9949	0.9952	0.9954	0.9957
71	0.9948	0.9950	0.9953	0.9955	0.9957
72	0.9948	0.9950	0.9954	0.9955	0.9958
73	0.9949	0.9951	0.9954	0.9956	0.9958
74	0.9950	0.9952	0.9955	0.9957	0.9959
75	0.9950	0.9953	0.9956	0.9958	0.9960
76	0.9951	0.9954	0.9956	0.9958	0.9960
77	0.9952	0.9954	0.9957	0.9959	0.9961
78	0.9953	0.9955	0.9958	0.9960	0.9961
79	0.9954	0.9956	0.9958	0.9960	0.9962
80	0.9954	0.9957	0.9959	0.9961	0.9962
81	0.9955	0.9957	0.9960	0.9961	0.9963
82	0.9956	0.9958	0.9960	0.9962	0.9964
83	0.9957	0.9959	0.9961	0.9963	0.9964
84	0.9958	0.9960	0.9962	0.9964	0.9965
85	0.9959	0.9960	0.9962	0.9964	0.9966
86	0.9959	0.9961	0.9963	0.9965	0.9967
87	0.9960	0.9962	0.9964	0.9966	0.9967
88	0.9961	0.9963	0.9965	0.9967	0.9968
89	0.9962	0.9964	0.9966	0.9967	0.9969
90	0.9963	0.9965	0.9966	0.9968	0.9970
91	0.9964	0.9966	0.9967	0.9969	0.9971
92	0.9966	0.9967	0.9969	0.9970	0.9971
93	0.9967	0.9968	0.9970	0.9971	0.9972
94	0.9968	0.9969	0.9971	0.9972	0.9973
95	0.9969	0.9970	0.9972	0.9973	0.9974
96	0.9971	0.9972	0.9974	0.9975	0.9976
97	0.9972	0.9973	0.9975	0.9976	0.9977
98	0.9975	0.9976	0.9977	0.9978	0.9979
99	0.9978	0.9979	0.9980	0.9981	0.9981
100	0.9987	0.9989	0.9990	0.9992	0.9989

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 80	85	90	95	100
1	0.9841	0.9839	0.9850	0.9859	0.9856
2	0.9857	0.9860	0.9867	0.9872	0.9874
3	0.9867	0.9869	0.9878	0.9881	0.9883
4	0.9875	0.9878	0.9885	0.9888	0.9890
5	0.9882	0.9884	0.9891	0.9892	0.9895
6	0.9886	0.9888	0.9895	0.9896	0.9900
7	0.9891	0.9892	0.9899	0.9900	0.9903
8	0.9894	0.9896	0.9902	0.9903	0.9906
9	0.9898	0.9899	0.9905	0.9906	0.9909
10	0.9900	0.9902	0.9907	0.9908	0.9912
11	0.9902	0.9905	0.9909	0.9911	0.9914
12	0.9904	0.9907	0.9911	0.9913	0.9916
13	0.9906	0.9910	0.9913	0.9915	0.9918
14	0.9908	0.9912	0.9915	0.9917	0.9920
15	0.9910	0.9914	0.9917	0.9918	0.9921
16	0.9912	0.9915	0.9918	0.9920	0.9923
17	0.9914	0.9917	0.9920	0.9921	0.9924
18	0.9915	0.9919	0.9921	0.9923	0.9926
19	0.9917	0.9920	0.9923	0.9924	0.9927
20	0.9918	0.9922	0.9924	0.9926	0.9928
21	0.9920	0.9923	0.9925	0.9927	0.9929
22	0.9921	0.9924	0.9926	0.9928	0.9931
23	0.9922	0.9925	0.9928	0.9929	0.9932
24	0.9923	0.9927	0.9929	0.9930	0.9933
25	0.9924	0.9928	0.9930	0.9931	0.9934
26	0.9925	0.9929	0.9931	0.9932	0.9935
27	0.9926	0.9930	0.9932	0.9933	0.9936
28	0.9928	0.9931	0.9933	0.9934	0.9937
29	0.9929	0.9932	0.9934	0.9935	0.9938
30	0.9930	0.9933	0.9935	0.9936	0.9938
31	0.9931	0.9933	0.9936	0.9937	0.9939
32	0.9932	0.9934	0.9936	0.9938	0.9940
33	0.9933	0.9935	0.9937	0.9939	0.9941
34	0.9933	0.9936	0.9938	0.9940	0.9942
35	0.9934	0.9936	0.9939	0.9941	0.9943
36	0.9935	0.9937	0.9940	0.9942	0.9943
37	0.9936	0.9938	0.9941	0.9942	0.9944
38	0.9937	0.9939	0.9942	0.9943	0.9945
39	0.9938	0.9940	0.9942	0.9944	0.9946
40	0.9939	0.9940	0.9943	0.9945	0.9946
41	0.9939	0.9941	0.9944	0.9945	0.9947
42	0.9940	0.9942	0.9945	0.9946	0.9948
43	0.9941	0.9942	0.9945	0.9946	0.9948
44	0.9942	0.9943	0.9946	0.9947	0.9949
45	0.9942	0.9944	0.9947	0.9948	0.9949
46	0.9943	0.9945	0.9947	0.9948	0.9950
47	0.9944	0.9945	0.9948	0.9949	0.9951
48	0.9944	0.9946	0.9948	0.9950	0.9951
49	0.9945	0.9947	0.9949	0.9950	0.9952
50	0.9946	0.9947	0.9950	0.9951	0.9952

Table C.2 (continued) p-values of the CC for the 3-p Weibull distribution

Appendix C Correlation coefficient for the Weibull distribution

p-values	n = 80	85	90	95	100
51	0.9947	0.9948	0.9950	0.9952	0.9953
52	0.9947	0.9949	0.9951	0.9952	0.9953
53	0.9948	0.9950	0.9952	0.9953	0.9954
54	0.9948	0.9950	0.9952	0.9953	0.9955
55	0.9949	0.9951	0.9953	0.9954	0.9955
56	0.9950	0.9951	0.9953	0.9954	0.9956
57	0.9950	0.9952	0.9954	0.9955	0.9956
58	0.9951	0.9953	0.9954	0.9955	0.9957
59	0.9951	0.9953	0.9955	0.9956	0.9957
60	0.9952	0.9954	0.9955	0.9956	0.9958
61	0.9953	0.9954	0.9956	0.9957	0.9958
62	0.9953	0.9955	0.9957	0.9957	0.9959
63	0.9954	0.9956	0.9957	0.9958	0.9960
64	0.9954	0.9956	0.9958	0.9959	0.9960
65	0.9955	0.9957	0.9958	0.9959	0.9960
66	0.9955	0.9957	0.9959	0.9960	0.9961
67	0.9956	0.9958	0.9959	0.9960	0.9962
68	0.9957	0.9958	0.9960	0.9961	0.9962
69	0.9957	0.9959	0.9960	0.9961	0.9963
70	0.9958	0.9960	0.9961	0.9962	0.9963
71	0.9958	0.9960	0.9962	0.9962	0.9964
72	0.9959	0.9961	0.9962	0.9963	0.9964
73	0.9960	0.9961	0.9963	0.9963	0.9965
74	0.9960	0.9962	0.9963	0.9964	0.9965
75	0.9961	0.9962	0.9964	0.9964	0.9966
76	0.9962	0.9963	0.9964	0.9965	0.9966
77	0.9962	0.9963	0.9965	0.9966	0.9967
78	0.9963	0.9964	0.9966	0.9966	0.9967
79	0.9963	0.9965	0.9966	0.9967	0.9968
80	0.9964	0.9965	0.9967	0.9967	0.9968
81	0.9964	0.9966	0.9967	0.9968	0.9969
82	0.9965	0.9966	0.9968	0.9968	0.9969
83	0.9966	0.9967	0.9968	0.9969	0.9970
84	0.9966	0.9968	0.9969	0.9969	0.9971
85	0.9967	0.9968	0.9969	0.9970	0.9971
86	0.9968	0.9969	0.9970	0.9971	0.9972
87	0.9968	0.9969	0.9970	0.9971	0.9972
88	0.9969	0.9970	0.9971	0.9972	0.9973
89	0.9970	0.9971	0.9972	0.9973	0.9974
90	0.9971	0.9972	0.9973	0.9973	0.9974
91	0.9972	0.9973	0.9973	0.9974	0.9975
92	0.9972	0.9974	0.9974	0.9975	0.9975
93	0.9973	0.9974	0.9975	0.9976	0.9976
94	0.9974	0.9975	0.9976	0.9977	0.9977
95	0.9975	0.9976	0.9977	0.9978	0.9978
96	0.9976	0.9977	0.9978	0.9979	0.9979
97	0.9978	0.9979	0.9979	0.9980	0.9980
98	0.9980	0.9980	0.9981	0.9981	0.9982
99	0.9982	0.9983	0.9983	0.9984	0.9984
100	0.9992	0.9989	0.9991	0.9991	0.9991