

786. Schulz, R.B.; Southwick, E.A. (1974)
Amplitude probability distribution measurements
of V-8 ignition emanations
IEEE Trans. Electromagn. Compat. (U.S.A.), EMC-16,
(2), 63-70
A18
787. Schutz, R.A. (1973a)
Fatigue of textile fibers
Hebd. Seances Acad. Sci. (France), 276, 939-942
(In French)
A2.1.2.2.8
788. Schutz, R.A. (1973b)
New aspects of textile fiber wear
C.P. Acad. Sci. Sec. C, 73, (276), 939-942
A2.1.2.2.8
789. Schutz, R.A. (1975)
Fatigue of polymeric materials application
to textiles
Cah. Groupe Fr. Rhevl. (France), 3, (6), 261-265
(In French)
A2.1.2.2.3
790. Sedlacek, R. (1965)
Tensile strength of brittle materials
AFML. TR-65-129
A2.1.1.2.4
791. Sedlacek, R.; Jones, R.L. (1974)
A study of properties and behavior of high
temperature gas turbine materials
Stanford Res. Inst., Menlo Park, Calif.
A2.2
792. Serensen, S.V.; Streliaev, V.S.; Bolotnikow, B.I.
(1972)
Determination of rated strength characteristics
of fiberglass in zones of stress concentration
Strength of Materials, 4, (10), 1153-1159
A2.1.1.2.6
793. Sessen, L. (1971)
Weibull decreasing hazard rate, help or hoax
IEEE Proc. Ann. Symp. Rd., Washington D.C., 4, (1)
T1
794. Shahani, A.K.; Newbold, S.B. (1972)
An inspection policy for the detection of failure
in the Weibull case
Qual. Eng. (GB), 36, (9), 8-10
A5.2

795. Shahani, A.K.; Runford, A.G. (1973)
Inspection policy for Weibull case
Operat. Res., 24, (3), 453
A5.2
796. Sheffield, T.S.; Schafer, B.E. (1976)
Procedures for comparing two Weibull
populations
Technometrics, 18, (2), 231
M2
797. Shelmutt, J.W. (1966)
Conditional linear estimation of the scale
parameter of the extreme-value distribution by
the use of selected-order statistics (M.S. thesis)
Air Force Inst. Tech., Ohio
M3.2.4
798. Shicmi, H. (1975)
Stress-strength model and approximate Weibull
Shape parameter
Bull. Eletrotech. Lab. (Japan), 39, (1,2), 92-97
A2.1.1.1
799. Shimokawa, T. (1974)
Conditions required to satisfy Miner's hypo-
thesis under statistical consideration (In
Japanese)
Nat. Aerospace Lab. Tokyo (Japan), NAL-TR-370
A2.1.2.1
800. Shinozuka, M.; Yang, J.N. (1971)
Peak structural response to non-stationary
random excitations
ASME Structures, Structural Dynamics and Mate-
rials Conf. Anaheim, Calif. 1971
A4.2.1
801. Schueller, G.I.; Freudenthal, A.M.
Scatter factor and reliability of aircraft
structures
NASA-CR-2100
A4.2.3
802. Shur, D.M. (1972)
Statistical criteria of ultimate strength and
plasticity of materials in the complex stress
state
Strength of Materials, 4, (1), 784-790
A2.1.1.1

803. Shorack, G.R. (1972)
The best test of exponentiality against Gamma
alternatives
J. Amer. Statist. Ass., 67, 213-214
M2
804. Shuckhmin, I.U.A. (1968)
Accelerated methods for determining the
fatigue limit of light alloys
Zavodskain Lab., 34, 90-93
A3.2
805. Simkins, D.J. (1972)
Weibull, Bayes and entropy
Ann. Reliab. & Maintainab. Symp., San Francisco
Proc. (A72-23972 10-15)
T1
806. Simoni, L. (1973)
Ageing theory of engineering materials
Alta Frequenza (English Edition), 41, 501-510
A2.1.2.1
807. Simoni, L.; Pattini, G. (1975)
A new research into the voltage endurance of
solid dielectrics, for power cables
IEEE Trans. Electr. Insul. EI-10, (1), 17-27
A2.3
808. Sinclair, G.M.; Dolan, T.J. (1953)
Effect of stress amplitude on statistical vari-
ability in fatigue life of 75S-T6 aluminum
alloy
Trans. ASME, 867-872
A2.1.2.1
809. Sinclair, G.M.; Withrow, S.P. (1967)
Environmentally assisted crack growth in glass
Naval Res. Lab., Washington D.C. (NS999791)
A2.1.2.2.4
810. Singer, R.I. (1964)
-
Text. Res. J., 34, 5-10
A2.1.2.2.8
811. Singh, N.; Iwin, T.; Cunningham, L.A. (1973)
On prediction problems in reliability
Microelectronics and Reliability, 12, 451-457
A4.1

812. Singpurwalla, N.D. (1971a)
A problem in accelerated life testing
J. Amer. Statist. Ass., 66, 841-845
A3.2
813. Singpurwalla, N.D. (1971b)
Inference from accelerated life tests when
observations are obtained from censored samples
Technometrics, 13, (1), 161-170
A3.2
814. Singpurwalla, N.D. (1971c)
Statistical fatigue models- A survey
IEEE Trans. Reliab., R-20, 185-189
A2.1.2.1
815. Singpurwalla, N.D. (1972a)
Statistical failure models - A survey
Coll. Struct. Reliab., Pittsburgh, Pa,
Proc. (A73-14704 04-32)
A2.1.2.1
816. Singpurwalla, N.D. (1972b)
Accelerated life testing; A survey of deve-
lopment
Proc. 1972 NATO Conf. on Reliab. Testing and
Reliab. Evaluation VII - D-1 to VII-D-15
A3.2
817. Singpurwalla, N.D. (1973)
Inference from accelerated life tests using
Arrhenius type re-parameterizations
Technometrics, 15, (2), 289-299
A3.2
818. Singpurwalla, N.D. (1974)
Estimation of the join point in a retero-
scedastic regression model arising in ac-
celerated life tests
Comm. Statist., 3, (9), 853-863
A3.2
819. Singpurwalla, N.D. (1975)
Annotated bibliography on some physical models
in accelerated life testing and models for
fatigue failure
ARL-TR-75-0158
A3.2

820. Singpurwalla, N.D. (1976a)
Time series analysis and forecasting of failure
rate processes
Reliab. and Fault Tree Analysis
A3.1
821. Singpurwalla, N.D. (1976b)
Accelerated life testing and related topics
AFFDL-TR-76-71
A3.2
822. Singpurwalla, N.D.; Al-Khayyal, F.A. (1975)
Inference from accelerated life tests using
the inverse power law model
Office Naval Res., Arlington, Jun 75
A3.2
823. Singpurwalla, N.D.; Castellino, V.F.;
Goldschen, D.Y. (1975)
Inference from accelerated life tests using
Eyring type re-parameterizations
Naval Res. Logist. Quart.
A3.2
824. Smith, C.F. (1972)
Fatigue failure distributions for ball
bearings
ASME and ASLE, Internat. Lubrication Conf.,
New York
A4.2.2
825. Smith, F.M. (1975)
A study of some life testing distributions
Missouri Univ., Rolla (Ph.D. Thesis)
Microfilm Order No. 75-22310
A3.1
826. Smitz, E.K.; Metcalfe, A.G. (1967)
-
Mater. Res. Stand., 7, 146
A2.1.1.2.4
827. Soanes, R.W. Jr. (1970)
A simple stochastic replacement model
Watervliet Arsenal, New York, Jun 70
A5.1

828. Soland, R.M. (1968a)
Renewal functions for Gamma and Weibull
distributions with increasing hazard rate
Research Analysis Corp., Mc Lean, Va (RR 033020)
A5.1
829. Soland, R.M. (1968b)
Bayesian analysis of the Weibull process with
unknown scale parameter and its application to
acceptance sampling
IEEE Trans. Reliab., R-17, 84-90
M3.2.5
830. Soland, R.M. (1969)
Bayesian analysis of the Weibull process with
unknown scale and shape parameters
IEEE Trans. Reliab., R-18, 181-184
M3.2.5
831. Sommerfeld, R.A. (1973)
The bulk tensile strength of snow
EOS Trans. Am. Geophys. Union (U.S.A.), 54, (4), 16-20
A2.1.1.2.10
832. Sommerfeld, R.A. (1974)
A Weibull prediction of the tensile strength-
volume relationship of snow
J. Geophys. Res. (U.S.A.), 79, (23), 3353-3356
A2.1.1.2.10
833. Soselija, G.G. (1974)
Theoretical fatigue life distribution in fiber-
glass reinforced plastics (In Russian)
Akademija Nauk Gruzinskri SSR.,
Soobshchenia, 74, 129-132
A2.1.2.2.7
834. Southwick, E.A.; Schulz, R.B. (1974)
A method to evaluate the degradation effects of
impulsive interference
Int. Conf. Communications, Jun 74, Minneapolis, Minn.
A18
835. Springer, M.D.; Thompson, W.E. (1969)
Bayesian confidence limits for system reliability
Ann. Assurance Sci., 515-523
M3.2.5

836. Srivastava, T.N. (1974)
Life tests with periodic change in the scale parameter of a Weibull distribution
IEEE Trans. Reliab., R-23, 115-116
A3.1
837. Stacy, E.W. (1962)
A generalization of the Gamma distribution
Ann. Math. Stat. 33, 1187-1192
T1
838. Stacy, E.W.; Mihram, G.A. (1965)
Parameter estimation for a generalized Gamma distribution
Technometrics, 7, 349-358
T1
839. Stapelton, J.H.; Sahran, A.E.; Greenberg, B.D. (1959)
A method for determining distribution-free tolerance regions with application to the Weibull distribution
81st Meet. Inst. Math. Stat., Michigan
M3.3
840. Starsman, R.E. (1972)
The composite Weibull distribution - a useful tool for failure analysis
26th Ann. Tech. Conf. Amer. Soc. Quality Contr., May 72, Washington D.C.
T1
841. Steenov, M.N. (1965)
Distribution of service lives obtained by fatigue testing light alloys
Zavodskaja Lab., 31, 349-354
A2.1.2.2.2
842. Steenov, M.N. (1966)
About the appraisal of probability of destruction during fatigue tests
Air Force Systems Command, WPAFB, Ohio (AI 773273)
A2.1.2.1
843. Steiger, F.H. (1971)
Practical applications of the Weibull distribution function
Chem. Technol. (Apr), 225-231
A1

844. Steinhardt, O.; Kosteas, D. (1972)
Fatigue strength of welded aluminum-connections. - Investigations with the aid of multiparameter life length lines (In German)
VDI-Z, 114, (11), 805-809
A2.1.2.2.2
845. Stevens, R. (1974)
Strength and fracture mechanisms in beta-alumina
J. Mater. Sci. (GB), 9, (6), 934-940
A2.1.1.2.2
846. Steverding, B. (1971)
Size effect for dynamic fracture
Mater. Sci. Eng. (Netherlands), 7, (6), 342-347
A2.1.2.1
847. Stewart, R. G. (1969)
Causal approach to reliability
Ann. Symp. Reliab., Chicago 1969
Proc. 91-99 (A69-34476 18-15)
A4.1
848. Streft, K. N.; Ferte, J. P. (1975)
On the strength-length dependence of boron fibres
Internat. Conf. Composite Mat., Geneva,
Proc. 1, (A77-15260 04-24)
A2.1.1.2.6
849. Strommel, J. A. (1974)
A new look at metal fatigue
Machine Design, 46, 126-131
A2.1.2.1
850. Stoy, D. G. (1964)
Reliability analysis of non-electronic components using Weibull, Gamma, and Log-normal distributions
Air Force Inst. Tech., Ohio, (AI 174479)
A4.2.5
851. Stump, P. B. (1968)
Nearly best linear unbiased estimation of the location and scale parameters of the Weibull probability distribution by the use of order statistics
Air Force Inst. Tech., Ohio, (AI 174479)
M3.2.4

852. Sugiyama, K.; Sanada, T. (1974)
AC life characteristics of polyethylene
(In Japanese)
Dainishi-Nippon Cables Rev. (Japan), 58, 29-36
A2.1.2.2.3
853. Summerlin, W. T. (1964)
Reliability testing and assessment
Nat. Symp. Reliab. & Qual. Contr., Washington, D. C.
A4.1
854. Sutherland, W. (1971)
Adding cost estimates that are not symmetric
about the most likely value
Res. Anal. Corp. Mc Lean VA. Apr 71
A11.1
855. Sutherland, W. H. (1972)
A method for combining asymmetric three-value
predictions of time or cost
Res. Anal. Corp. Mc Lean, Va, Jul 72
A11.1
856. Swanson, S. R. (1960)
A two-distribution interpretation of fatigue
S-N data
Canadian Aeronaut. J., 6, (6), 221-223
M3.2.6; A2.1.2.1
857. Swartz, D. A.; Mc Nichols, R. J. (1973)
A sensitivity analysis of military standard -
471 test method three
Army Mater. Command. Texarkana, Mar 73
A16.3
858. Swartz, G. B.; Murthy, V. K. (1972)
Minimum risk estimators with applications
ARL-73-0216
A14.2
859. Swartz, G. B.; Murthy, V. K. (1975)
Estimation of Weibull parameters from 2-order
statistics
J. Roy. Sta. B., 37, (1), 96
M3.2.4
860. Tadikamalla, P. R. R. (1976)
Modeling and generating inputs for simulating
studies -- computerized simulation and mathe-
matical models (Ph. D. thesis)
Iowa Univ. Microfilm Order No. 76-2192
M3.1

861. Takahisa, K.; Shiomi, H. (1975)
Influence of temperature fluctuation on Weibull estimator for a component with a Weibull life distribution
Bull. Electrotechn. Lab. (Japan), 39, (1,2), 49-62
(In Japanese)
A4.2.1
862. Talreja, R.; Weibull, W. (1977)
Probability of fatigue failure based on residual strength
Tech. Univ. Denmark, Rep. No. 117
A2.1.2.1
863. Tamuzh, V.P.; Tikhomirov, P.V. (1973)
Lifetime analysis with allowance for bond stress distribution
Mekh. Polim (USSR), 9, (2), 227-231, 200-203
A3.1
864. Tangen, K.O.; Skar, J.P.; Amundsen, F. (1975)
Estimation of life time based on short time tests with linearly rising stress
1975 Dielectric Mater. Conf., Cambridge (England)
A3.1
865. Tariyal, B.K.; Kalish, D. (1976)
Application of Weibull-type analysis to the strength of optical fibers
Mat. Sci. and Engng. 27, 69-71
A2.1.1.2.6
866. Tate, R.F. (1959)
Unbiased estimation: Functions of location and scale parameters
Ann. Math. Stat. 30, 341-366
M3.2.4
867. Thiagarajan, T.R. (1975)
Some new results in the statistical analysis of stochastic processes
George Washington Univ. Dissertation
Order No. 75-14336
M1.1
868. Thiagarajan, T.R.; Harris, C.M. (1976)
A ratio-type goodness-of-fit test for 2-parameter Weibull distribution
IEEE Trans. Reliab. R-25, (5), 340-343
M1.1

869. Thoman, D.R.; Bain, L.J. (1969)
Two sample tests in the Weibull distribution
Technometrics, 11, 805-815
M2
870. Thoman, D.R.; Bain, L.J.; Antle C.E. (1969)
Inferences on the parameters of the Weibull
distribution
Technometrics, 11, (3), 445-460
M3.2.3
871. Thoman, D.R.; Bain, L.J.; Antle, C.E. (1970)
Maximum Likelihood Estimation, Exact Confidence
Intervals for Reliability and Tolerance Limits
in the Weibull Distribution
Technometrics, 12, (2), 363-372
M3.2.3; M3.3
872. Thoman, D.R.; Wilson, W.M. (1972)
Linear order statistic estimation for the two-
parameter Weibull and extreme-value distributions
from Type II progressively censored samples
Technometrics, 14, (3), 679-691
M3.2.4
873. Thompson, J.A. (1975)
Normal characteristics of the Weibull order
statistic distribution
Army Mat. Comm. Texarkana, Mar 75
T2.1
874. Thomson, R.F. (1963)
Fatigue behavior of high-carbon high-hardness
steels
Trans. ASM., 56, 803-833
A2.1.2.2.1
875. Tittes, E. (1973a)
The evaluation of test results with the aid of
the Weibull distribution
Bosch Techn. Berichte, 4, (4), 146-158
M3.2.1
876. Tittes, E. (1973b)
Ueber die Auswertung von Versuchsergebnissen
mit Hilfe der Weibull-Verteilung
Qual. & Zuverlassigkeit (Germany), 18, (5), 108-113
M3.2.1

877. Trumpfheller, R.C. (1972a)
A statistical analysis of some estimators of reliability
Nav. Postgrad. School, Monterey, Mar 72
M3.2.3
878. Trumpfheller, R.C. (1972b)
A statistical analysis of some estimators of reliability (Master's thesis)
Naval Postgraduate School, Monterey, Calif.
M3.4; A4.1
879. Tsokos, C.P. (1972a)
A Bayesian approach to reliability theory and simulation
Proc. 1972 Ann. Reliab. & Maintainability Symp.
San Francisco, Calif.
M3.2.5
880. Tsokos, C.P. (1972b)
Bayesian approach to reliability using the Weibull distribution with unknown parameters and its computer simulation
Rep. Stat. Appl. Res. UISE (Japan), 19, (4), 1-12
M3.2.5
881. Tsokos, C.P.; Canavos, G.C. (1972)
Bayesian concepts for the estimation of reliability in the Weibull life-testing model
Intern. Statist. Rev. (GB), 40, (2), 152-160
M3.2.5
882. Tsokos, C.P.; Canavos, G.C. (1973)
Bayesian estimation of life parameters in Weibull distribution
Operat. Res., 21, (3), 755
M3.2.5
883. Tsokos, C.P.; Papadopoulos, A.G. (1975)
Bayesian confidence bounds for Weibull failure model
IEEE Reliab., R-24, (1), 21
M3.2.5
884. Tsokos, C.P.; Rao, A.N.V. (1976a)
Robustness studies for Bayesian development in reliability
AFOSR-TR-76-0108
M3.2.5

885. Tsokos, C.P.; Rao, A.N.V. (1976b)
Bayesian analysis of the Weibull failure model
under stochastic variation of the shape and
scale parameters
AFOSR-TR-76-0110
M3.2.5
886. Tsukada, T.; Anno, Y.; Kamahora, P. (1972)
An analysis of the deformation of contacting
rough surfaces. II. Estimation of the initial
contact positions
Bull. ISME (Japan), 15, (86), 989-985
A18
887. Tsumoto, M.; Iwata, M. (1975)
An application of the Weibull distribution to
impulse breakdown of cross-linked poly-
ethylene power cable
Fujikura Tech. Rev. (Japan), (7), 19-22
A2.3; A4.2.5
888. Tsumoto, M.; Okiai, R. (1974)
A new application of Weibull distribution to
impulse breakdown of oil-filled cable
IEEE Trans. Power Appr. & System (U.S.A.)
PAS-93, (1), 360-366
A2.3; A4.2.5
889. Tucker, J. Jr. (1941)
Statistical theory of the effect of dimensions
and of methods of loading upon modulus of rupture
of beams
Proc. ASTM, 41, 1072
A2.1.1.1
890. Tucker, J. Jr. (1945a)
Effect of dimensions of specimens upon the
precision of strength data
Proc. ASTM, 45, 952
A2.1.1.2.11
891. Tucker, J. Jr. (1945b)
Effect of length on the strength of compression
test specimens
Proc. ASTM, 45, 976
A2.1.1.2.11
892. Tung, L.H. (1967)
-
Polymer Fractionation Cantow (Ed.)
Academic Press, New York, 382-386, 405-409
A10.3

893. Tyurin, V.P. (1975)
Nomogram for determining the reliability indices
for a Weibull distribution
Ind. Lab. (U.S.A.), 41, (5), 585-589, 718-722
M3.2.1; A4.1
894. Uhlmann, W. (1967)
Statistical estimation methods for fatigue
experiments - An introduction (In German)
Deutsch. Versuchsanst. Luft u Raumfahrt, Mühlheim
a.d. Ruhr, West-Germany
A2.1.2.1
895. Uji, T.; Kanazashi, M. (1972)
Deterioration of various plastics by internal
discharge
J. Inst. Electr. Eng. Jap. (Japan), 92, (1), 55-65
(In Japanese)
A2.3
896. Ustinov, L.M.; Shorshorov, M.KH.;
Kuznetsov, I.U.G. (1975a)
Optimum reinforcement of metallic matrix by
discontinuous fibers
Internat. Conf. Composite Mat.: Geneva.
Proc. Vol. 1. (A77-15260 0424), New York
A2.1.1.2.7
897. Ustinov, L.M.; Shorshorov, M.KH.;
Kuznetsov, I.U.G. (1975b)
Optimal reinforcing of metal matrices with
brittle fibers
Akad. Nauk SSSR, Doklady, 220, 1074-1076
A2.1.1.2.7
898. Vardar, Ö. (1975)
Fracture of brittle solids under multi-axial
and dynamic loading (Ph.D. thesis)
Calif. Univ., Berkeley, (CC 787610)
A2.1.1.2.4; A2.1.2.2.4
899. Vardar, Ö.; Finnie, J. (1975)
Analysis of the Brazilian disk fracture test
using the Weibull probabilistic treatment of
brittle strength.
Int. J. Fract., 11, (3), 485-508
A2.1.1.2.4
900. Vasco d. Costa, F. (1948)
Notions of probability in the study of struc-
tures' safety (In French)
Int. Ass. Bridge and Struct. Engng. 3 Congr.
A4.1

901. Velandar, E. (1943)
Statistische Betrachtung der Streuung von
Bruchfestigkeitswerten
VDI-Zetischr., 87, (45)46), 732-733
A2.1.1.1
902. Vljakovic, S; Kapor, S.; Dubljevic, B.;
Kolaranic, L. (1975)
Weibull distribution and kinetics of hetero-
geneous process
J.Chem.Phys., 63, (2), 663
T1
903. Virene, E.P. (1965)
Reliability determination by the nonparametric
method
New Dimens.Space Tech., Space Congr., Cocoa
Beach, Fla., Proc. (A65-23599 13-31)
A4.1
904. Virene, E.P. (1972)
The Kolmogorov-Smirnov test for goodness of fit
applied to failure frequency distribution
26th Ann.Tech.Conf.Quality Contr.May 72
M1.2
905. Vituv, Z. (1974)
Experience gained from statistical testing of
fatigue lives of model samples (In Czech)
Zpravodaj Vzlu, 1, 27-31
A2.1.2.1
906. Volodin, I.N. (1974)
Discrimination des distributions Gamma et de
Weibull (En Russe)
Teor.Verojat.Primen.(USSR), 19, (2), 398-404
M2
907. van Wagner, F.R. (1964)
Case studies of the decreasing failure rate
phenomena in mixed populations
IEEE Trans.Comp.Parts, CP-11, 258-273
M3.2.6; A2.1.2.1
908. Wagner, R.H. (1964)
Radiation tolerant startup controller for Snap
LOA
IEEE Trans.Nucl.Sci., NS-12, 126-132
A4.2.3

909. Wagner, G.R.; Mischke, C.R. (1973)
Cycles-to-failure and stress-to-failure Weibull
distributions in steel wire fatigue
Proc. 1973 Ann. Realiab. & Maintainab. Symp.,
Philadelphia Jan 73
A2.1.2.2.1
910. Wallis, J.R.; Matalas, N.C.; Slack, J.R. (1974)
Just a moment. Article and appendix of graphs
Water Resources Res., 10, (2)
T2.1
911. Walter, J.P. (1969)
Bayesian statistical model theory for mechanical
systems
Atomics Intern., Canoga Park, Calif. Aug 69
M3.2.5
912. Wattier, J.B.; Lemon, G.H. (1976)
Confidence and A and E allowable factors for
Weibull distribution
IEEE Trans. Reliab., 25, (1), 16
M3.3
913. Wang, Y.H. (1976)
Functional-equation and its application to
characterization Weibull and stable distribu-
tions
J. Appl. Prob., 13, (2), 385
T1
914. Webb, J.W. (1962)
-
Trans. 16th Ann. Conv. Amer. Soc. Qual. Contr., 271-285
M3.2.4
915. Weibull, H.W. (1946)
Töjningslack (In Swedish)
Tekn. Tidskr. (38), 4-6
A2.1.1.2.4
916. Weibull, W. (1939a)
A statistical theory of strength of materials
I.V.A.-Handl. No. 151
T1; A2.1.1.1
917. Weibull, W. (1939b)
The phenomenon of rupture in solids
I.V.A.-Handl. No. 153
T1; A2.1.1.1
918. Weibull, W. (1939c)
Barometric heights at Greenwich 1848-1926
(In Swedish)
Svenska Vattenkraftsför. Publ. 325 (1939:b) 112-115
A7.3

919. Weibull,W.(1946)
Influence of the volume on the fatigue strength
(in Swedish)
I.V.A.,(2),62-64
A2.1.2.1
920. Weibull,W.(1949a)
A statistical analysis of the size of Cyrtosidea
in Albatross cores from the East Pacific Ocean
Nature,164,1047-1948
A6.3
921. Weibull,W.(1949b)
A statistical representation of fatigue failures
in solids
Trans.Roy.Inst.Techn.,Stockholm,No.27,
AMR 3,Rev.1098
A2.1.2.1
922. Weibull,W.(1950)
Statistical viewpoints on the fatigue strength
(in Swedish)
Tekn.Tidskr.,80,1059-1064, AMR 4,Rev.2045
A2.1.2.1
923. Weibull,W.(1951)
A statistical distribution function of wide
applicability
J.Appl.Mech.,18,293-297
A1
924. Weibull,W.(1952a)
Statistical planning of fatigue tests
(in Swedish)
Tekn.Tidskr.,82,(7),157-161, AMR 6,Rev.4
A2.1.2.1
925. Weibull,W.(1952b)
Statistical design of fatigue experiments
J.Appl.Mech.,19,(1),109-113, AMR 5, Rev.3103
A2.1.2.1
926. Weibull,W.(1952c)
A survey of statistical effects in the field
of material failure
Appl.Mech.Rev.,5,(11),449-451
T1; A2.1.1.1

927. Weibull,W.(1952d)
The statistical aspect of fatigue failure and
its consequences
Symp.Fatigue & Fract.,MIT,.182-196
A2.1.2.1
928. Weibull,W.(1953)
Scatter in fatigue tests
SecondICAF Conf.,Stockholm,App.2
A2.1.2.1
929. Weibull,W.(1954a)
The propagation of fatigue cracks in light-
alloy plates
SAAB TN 25
A2.1.2.1
930. Weibull,W.(1954b)
A new method for the statistical treatment
of fatigue data
SAAB TN.No.2
A2.1.2.1
931. Weibull,W.(1954c)
The static strength and the fatigue strength
of riveted, spotwelded and Redux-bonded joints
in 24S-T aluminum alloy sheet
SAAB,TN 31
A4.2.1
932. Weibull,W.(1955a)
Scatter in fatigue life of 24S-T alclad speci-
mens with drilled holes
SAAB-TN-32
A2.1.2.2.2
933. Weibull,W.(1955b)
New methods for computing parameters of
complete and truncated distributions
FFA.Rep.58
M3.2.4
934. Weibull,W.(1955c)
Scatter in fatigue life of 24S-T Alclad
plates
Third ICAF Conf.,Cranfield,App.4
A2.1.2.2.2
935. Weibull,W.(1955d)
The propagation of fatigue cracks in light-
alloy plates
Third ICAF Conf.,Cranfield,App.3
A2.1.2.2.2

936. Weibull, W. (1955e)
Static strength and fatigue properties of
threaded bolts
FFA Rep. 59
A4.2.1
937. Weibull, W. (1956a)
Basic aspects of fatigue
Stockholm Coll., 289-298
A2.1.2.1
938. Weibull, W. (1956b)
Effect of crack length and stress amplitude on
the growth of fatigue cracks
FFA Rep. 65
A2.1.2.1
939. Weibull, W. (1956c)
Static strength and fatigue properties of
unnotched circular 75S-T specimens subjected
to repeated tensile loading
FFA Rep. 68; Aero. Engng. Rev., 2, (2), 142-142
A2.1.1.2.2; A2.1.2.2.2
940. Weibull, W. (1956d)
Scatter of fatigue life and fatigue strength
in aircraft structural materials and parts
Columbia Conf., 126-145
A4.2.3
941. Weibull, W. (1956e)
Scatter of fatigue life and fatigue strength
of aircraft materials
Fourth ICAF Conf. Zurich, Dec 94
A4.2.3
942. Weibull, W. (1957a)
Statistical handling of fatigue data and
planning of small test series
FFA Rep. 69
A2.1.2.1
943. Weibull, W. (1957b)
History of service simulated load spectrum
fatigue testing
U.S. Air Force Contr. AF61(514)-944
A4.2.3

944. Weibull,W.(1957c)
Scatter of fatigue life and fatigue strength
in aircraft structural materials and parts
FFA Rep.73
A4.2.3
945. Weibull,W.(1957d)
Comments and proposals in relation to the
bibliography and classification of fatigue
tests and test data
AGARD Rep.1957
A2.1.2.1
946. Weibull,W.(1958a)
Remarques sur le dommage cumulatif de fatigue
Rev.Métall.,55, (8),778-784
A2.1.2.1
947. Weibull,W.(1958b)
Research on statistical evaluation of data
from small test series
WADC-TR-58
M3.1
948. Weibull,W.(1958c)
Comments on the statistical evaluation of data
from fatigue tests
8th General Assembly,AGARD,NATO,Köpenhamm
M3.1
949. Weibull,W.(1959a)
Zur Abhängigkeit der Festigkeit von der
Probengrösse (In German)
Ing.Arch.,Grammel-Festschrift
A2.1.1.1
950. Weibull,W.(1959b)
The efficiency of a fatigue test
6th ICAF Conference , Amsterdam
A2.1.2.1
951. Weibull,W.(1959c)
Statistical evaluation of data from fatigue and
creep-rupture tests.Part I. Fundamental concepts
and general methods
WADC Tech.Rep.59-400.
M3.1